Hoodine



DIRECTIONS FOR USE

MILKING MACHINES AND OTHER UTENSILS (CLEANING)

- 1. Thoroughly flush all units immediately after milking. Use cool or lukewarm water. Do not use hot water! Remove all traces of milk.
- 2. Add 1 ounce of Hoodine to each 5 gallons of lukewarm water in the wash tank. This provides 25 ppm titratable iodine.
- 3. Disassemble milking machines. Submerge all parts, air hoses, inflations and metal parts (except for pulsators) in solution. Brush clean.

MILKING MACHINES AND OTHER UTENSILS (SANITIZING)

- 1. In the rinse tank mix ½ ounce of Hoodine to each 5 gallons of lukewarm water. This provides 12½ ppm titratable iodine.
- 2. Submerge washed utensils and milk machine parts for at least 2 minutes.
- 3. Prior to each milking, after units have been assembled, flush machines with a 12½ ppm titratable iodine solution of Hoodine.

BULK TANKS (CLEANING)

- 1. Flush thoroughly with lukewarm water. Remove all milk.
- 2. Mix 1 ounce of Hoodine to each 5 gallons of lukewarm water. This provides 25 ppm titratable iodine.
- 3. Brush thoroughly. Drain. Rinse for at least 2 minutes.

BULK TANKS (SANITIZING)

- 1. Mix ½ ounce of Hoodine to each 5 gallons of lukewarm water. This provides 12½ ppm titratable iodine.
- 2. Brush or spray tank thoroughly with this solution.

UDDER WASHING

Mix 1 ounce of Hoodine to each 5 gallons of lukewarm water ($\frac{1}{2}$ ounce to $2\frac{1}{2}$ gallon pail). This provdes 25 ppm titratable iodine. Saturate a clean paper towel and wash each cow with a separate towel.

NOTE: Hoodine is its own indicator of germicidal activity. Just as long as a yellowish-brown color remains in the solution, germicidal action is assured. When the color fades, prepare a fresh solution. This material is not adversely affected by water hardness or by cold water.

DANGER: Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Rinse empty container thoroughly with water and discard it.

FOLLOW STATE AND LOCAL HEALTH DEPARTMENT REQUIREMENTS
COVERING CLEANING & SANITIZING

4-0120-A082



West Chemical Products, inc.

Trademark.

ACCEPTED


SEP 0 7 1972

FOR LCUNOMIC POISON REGISTERS
ED UNDER NO.



MADE IN USA





"tamed Good Godine" Good Inc. Color of the color of the

DAIRY DETERGENT-SANITIZER
FOR WASHING UDDERS, AND FOR CLEANING
AND SANITIZING MILKING MACHINES, BULK
TANKS, UTENSILS, ETC. DO NOT USE AS TEAT DIP

ACTIVE INGREDIENTS:

Phosphoric Acid
Nonylphenoxypolyethoxyethanol-iodine complex
(Providing 1.75% titratable iodine)

16.5%
16.5%
15.8%

INERT INGREDIENT:


U.S. Patent Nos. 3.028 299 2 977 315 2 931 777

EPA Reg. No. 52-183—12785

DANGER: Keep Out Of Reach Of Children

(See back panel for additional precautions.)

Net Contents: 1 Gallon U.S.



67.7°°


100.0°°

Distribution to the first of the ROCATE STATE OF THE CONTRACTOR



si-





Phosphuria Acid

Nony phan appearate agethano loginal complex

EPAR: No 52-183 12785

Net Contents: 1 Gallon U.S.,

Programme to the strategy of gine

INERT INGREDIET.

Distributed by H. P. HOOD & SONS, Boston, Mass. 02129

DANGER: Keep Out Of Reach Of Children