

SUPER-CIDOL is a highly effective new formulation for use in insect control. It has good flushing action, rapid knockdown and prolonged residual action. It is effective against insects resistant to certain chlorinated hydrocarbon and organic phosphate insecticides.

SUPER-CIDOL may be used to control insect infestations in food processing plants such as flour mills, bakeries, canneries, dairy plants, candy factories, bottling plants and breweries. Treatment of these plants should be made only when they are not in operation. Any exposed food products, equipment or packaging materials must be removed or covered before spraying. Rinse all equipment with clean water before resuming operation. Spraying unloading docks and outside areas where insects congregate will aid in preventing reinfestation. Good sanitation and proper disposal of wastes is essential in an effective insect control program.

Also treat piers and warehouses, hotels, restaurants, theatres, schools, offices, and housing developments. Other manufacturing industrial and commercial locations may be treated in areas that present no human hazard or contamination of food. The use of **SUPER-CIDOL** to control insects around research animals will not induce changes in microsomal liver enzyme activity of these animals.

Ants—Pay special attention to doors and windows and ant trails.

Cockroaches—Thoroughly treat the infested area with special attention to cracks, crevices, around pipes, undersides of tables, under hard to get at places, as well as in food and food storage areas, and the following areas listed above.


Gliver mites, Crickets, Earwigs, Millipedes, Centipedes, Sowbugs and Spiders—Thoroughly spray the interior and exterior perimeter of the infested premises. For gliver mites pay special attention to window frames. Do not treat foliage.

Fleas, Flies, Gnats, Mosquitoes, Punkies, Sandflies—outdoors only. This spray treats all outdoor areas where these insects are known to breed or congregate. Treat all areas where they are likely to breed, such as in and around manure, where they may enter the building through openings and cracks for many months.

Brown Dog Ticks—Thoroughly treat all areas where these ticks are known to breed, such as in and around manure, where they may enter the building through openings and cracks for many months.

Aids in the control of accessible or exposed stages of Cigarette Beetles, Drugstore Beetles, Indian Meal Moths, Mediterranean Flour Moths, Red Flour Beetles, Sawtoothed Grain Beetles, Granary Weevils and Rice Weevils—Thoroughly treat walls and floors of the infested area with attention to cracks, crevices, and other areas where these insects are likely to breed. Do not treat foliage.

Silverfish and Firebrats—Thoroughly treat all areas where these insects are known to breed, such as in and around manure, where they may enter the building through openings and cracks for many months.



super-cidol*

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY **0838**

52-197

ACTIVE INGREDIENTS:

Petroleum Distillates 84.00%

2-(1-Methylethoxy) phenol methycarbamate 1.00%

INERT INGREDIENTS: 15.00%

100.00%

THIS PRODUCT HAS BEEN AUTHORIZED BY USDA FOR USE IN REGISTERED MEAT, POULTRY, RABBIT AND EGG-PROCESSING PLANTS.

U.S. Patent No. 3,111,539. This material used under license from the U.S. Patent Office.

*Contains BAYGON®—A registered trademark of the Bayer Corporation, Leverkusen, Germany.

EPA Reg. No. 52-197-AA

EPA Est. 52-NY-1

CAUTION: Keep Out Of Reach Of Children

MAY BE HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN. Avoid breathing spray mist. Provide adequate ventilation of area being treated. Avoid contact with skin, eyes or clothing. Wash thoroughly after using and before smoking or eating. Avoid contamination of food, food processing equipment, and food handling surfaces. Do not allow children to contact surfaces until surfaces are completely dry.

Do not allow puddling or runoff of the spray on asphalt, concrete or other non-porous floors. Do not store below 32 F. Do not use as a spray for control of insects on plants or in commercial food preparation areas. To Physicians: Antidote is supportive.

ENVIRONMENTAL CAUTIONS: This product is toxic to birds and other wild life. Keep out of lakes, streams, ponds. Do not apply when weather conditions favor drift from treated areas. Do not apply where it may be carried by wind to other areas. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this product only as directed on the label.

NET CONTENTS:



WEST CHEMICAL PRODUCTS, INC., NEW YORK, N.Y. 11101. Branches in principal cities.

DIRECTIONS FOR NON-FOOD AREAS

Apply **SUPER-CIDOL** at the rate per 1000 square feet. Use a fine flat fan spray pattern with a dew-like mist. Apply **SUPER-CIDOL** to cracks, crevices, corners, behind baseboards, under door frames, under plates, under stoves and sinks, faces of shelves, drawers and water pit and shafts, behind panels, at seams, joints and of equipment such as dishwashers, around electric motors, laundry carts, garbage areas and moist areas, void spaces, in quiet undisturbed areas. Repeat as necessary to prevent or control insects and cover fish bowls before spray animals.

APPLICATIONS WITHIN FOOD HANDLING ESTABLISHMENTS

Limited to Crack and Crevice

To aid in the control of Ants, Cigarette Beetles, Sawtoothed Grain Moths, Mediterranean Flour Moths, Moths, Silverfish and Firebrats, capable of delivering a pin stream in injection or insertion tube, amount of material directly into crevices such as expansion joints, elements of construction or bases and the floor, wall void, junction boxes or switch boxes, equipment, etc. Prior to application, equipment should be cleaned to evaporate before starting. Waxes in the crevices should be removed.

CARE SHOULD BE TAKEN TO AVOID PRODUCT ONTO EXPOSED SURFACES. THE MATERIAL INTO THE AIR. AVOID RE-ENTRY OF FOOD PROCESSING SURFACES OF THIS PRODUCT IN THE FOOD HANDLING ESTABLISHMENTS OTHER THAN CRACK AND CREVICE TREATMENT ARE NOT TO BE USED.

For Pest Control in Meat and Plants

Apply **SUPER-CIDOL** only to areas where insects are known to breed or congregate. Do not use in areas where food is prepared or stored.

CLASSIFIED BY APPLICANT AS A PESTICIDE

NO TOXICITY TO HUMANS OR DOMESTIC ANIMALS. KEEP OUT OF REACH OF CHILDREN. PREVENTIVE AND THERAPEUTIC USES. FOR FURTHER INFORMATION, CONTACT WEST CHEMICAL PRODUCTS, INC., NEW YORK, N.Y. 11101.

INDEX

ANTHRAQUINONE DERIVATIVES 1110-1115
BENZENE DERIVATIVES 1115-1120
PHENOL DERIVATIVES 1120-1125
SULFONAMIDES 1125-1130
TETRAZOLE DERIVATIVES 1130-1135
TRIAZOLE DERIVATIVES 1135-1140
URACIL DERIVATIVES 1140-1145
XANTHINE DERIVATIVES 1145-1150

3 x 5/8 base
19795
not ready

EPA: 52-197-AA

