# west-chlor

### CLEANER — SANITIZER

A combination low foaming chlorinated cleaner and/or sanitizer. Free rinsing — effective in hard and soft water. Especially suited for manual or CIP cleaning operations.

### ACTIVE INGREDIENTS:

| , | Trisodium phosphate dodecahydrate | 91.75% |
|---|-----------------------------------|--------|
|   | Sodium hypochlorite               |        |
|   | INERT INGREDIENT:                 | 5.00%  |
|   |                                   | 100.0% |

### DANGER: Keep Out Of Reach Of Children.

Harmful if swallowed. May cause burns or damage to the eyes. Do not get on skin or in eyes. If contact with eyes occurs, flush with plenty of wat r for 15 minutes and get medical attention. If contact with skin occurs, flush with water. Avoid contamination of food. Keep container closed and store in a cool, dry place. Follow local and state regulations for volume of chlorine required for chlorine rinse solutions.

USDA Reg. No. 52-209

## West

Manufactured for FOOD INDUSTRIES DIVISION

### WEST CHEMICAL PRODUCTS, INC.

42 TO MECT STREET, LONG MILANMACHY NY THIOL BRANCHES IN PRINCESSA A THE

#### DIRECTIONS FOR USE

- 1. Clean and rinse all equipment prior to disinfecting.
- 2. Trisodium phosphate chlorinated is a bactericide recommended for disinfecting and sanitizing all types of equipment and utensils used in the handling of food products, milk, beverages, etc.
- 3. When used as a bactericide for dairy utensils, milking machines and equipment, use  $1\frac{1}{2}$  ounces per  $3\frac{1}{2}$  gallons of water. Test frequently to maintain a concentration above 50 ppm.
- 4. When used as a disinfectant for equipment in food and beverage plants, use a solution of 1 pound per 40 gallons of water and apply in such a manner that all parts and surfaces are properly reached with solution. Test frequently, and maintain a concentration above 50 ppm available chlorine.
- 5. For C.I.P. cleaning and sanitizing, use one (1) ounce of West-Chlor to one gallon of hot water. This will make a solution containing a minimum of 200 ppm available chlorine.
- 6. Allow at least two minutes contact time.

### TABLE OF DOSAGE

| Parts per<br>million of<br>chlorine | Ounces per gallon of water | Level tablespoon per gallon of water |
|-------------------------------------|----------------------------|--------------------------------------|
| 50                                  | 1/4                        | 1/2                                  |
| 200                                 | 1                          | 2                                    |
| 11 JN                               | FATE CA                    |                                      |

NET CONTENTS: