

[52-210]

ACCEPTED

NOV 3 1970

UNDER THE FEDERAL INSECTICIDE,
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTRATION
ED UNDER NO. 52-210

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY

west G-1707 aircraft insecticide

KILLS FLIES, MOSQUITOES, GNATS

ACTIVE INGREDIENTS:

Petroleum distillate	11.85%
*Piperonal bis (2-(2-butoxyethoxy)ethyl) acetal	2.43%
Pyrethrins	.45%
*Other related compounds	.27%

INERT INGREDIENTS:

Dichlorodifluoromethane	59.50%
Trichloromonofluoromethane	25.50%
*From TROPITAL® Synergist, U.S. Pat. No. 3,310,463.	

WARNING: Keep Out Of Reach Of Children.

Contents Under Pressure. See Other Cautions on Back Panel.



Manufactured for
WEST CHEMICAL PRODUCTS, INC.
42-16 WEST STREET LONG ISLAND CITY, N.Y. 11101

DIRECTIONS FOR USE:

Spray WEST G-1707 Aircraft Insecticide at the rate of 4.5 seconds per 1,000 cubic feet of enclosed space in the aircraft. (This is equal to not less than 5 grams per 1,000 cubic feet) Spray the insecticide throughout all accessible compartments.

Disinsectization may be accomplished either while the aircraft is in flight or while on the ground prior to take-off, but in no case shall disinsectization be accomplished later than 30 minutes prior to the first landing at a United States port.

The ventilation system shall be stopped and all openings to the exterior kept closed while the insecticide is being sprayed and remain closed for a period of not less than 3 minutes thereafter. If disinsectization is accomplished on the ground prior to take-off, the ventilation system may be opened at the end of that period provided that the system is equipped with filters or other means for preventing the entrance of insects into the aircraft, but doors, windows and or other such openings to the exterior shall be kept closed until after take-off, except in case of emergency, or to permit persons applying the insecticide to disembark.

To Operate Atomizer:

- 1) Remove protective cap.
- 2) Holding dispenser upright, point nozzle in desired direction and press dispensing button to spray.
- 3) Replace protective cap to prevent accidental discharge when not in use.

WARNING: Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130° Fahrenheit may cause bursting. Never throw container into fire or incinerator. Cover or remove all food and feedstuffs prior to application to prevent contamination.

USDA Registration No. 52-210

PRINTED IN U.S.A.