


52-213



FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY

west special insecticide

ACTIVE INGREDIENTS:	100.00%
Petroleum Hydrocarbons	96.00%
**N-Octyl Bicycloheptene Dicarboximide	2.25%
*Technical Piperonyl Butoxide	1.25%
Pyrethrins	0.50%
*Equivalent to 1.00% of (Butylcarbityl) (6-Propylpiperonyl) Ether and 0.25% Related Compounds.	

**U.S. Patent No. 2,476,512

CAUTION: Keep Out Of Reach Of Children.

Harmful if swallowed. Do not take internally. Avoid contamination of food. Food processing plants should be treated when not in operation. Food should be removed or covered during treatment. Food processing equipment should be covered or thoroughly cleaned before use.

Store away from heat or open flame. Fabrics which are soiled or dusty may be stained by insecticidal fogs.

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes.

WEST

manufactured by

WEST CHEMICAL PRODUCTS, INC.

42 16 WEST STREET LONG ISLAND CITY, N.Y. 11101

DIRECTIONS FOR USE:

FLYING INSECTS: To control exposed stages of flies, fruit flies, mosquitoes, gnats, bees, wasps, hornets, indian meal moth, anguomais grain moths and mediterranean flour moths, turn off all ventilation equipment and close all windows and doors. Fog WEST SPECIAL INSECTICIDE at the rate of 1/2 ounce per 1000 cubic feet, using the SPACEMASTER JET FOGGER, or the WEST 1600 Fogger. KEEP TREATED AREA CLOSED FOR AT LEAST 10 MINUTES. Do not remain in treated areas and ventilate the area after treatment is completed. Repeat as necessary.

CRAWLING INSECTS: To kill exposed stages of cockroaches, waterbugs, silver fish, firebrats, booklice, bed bugs, ants, crickets, spider beetles, meal worms, cadelles, confused flour beetles, sawtoothed grain beetles, dermestids, spiders, ticks, lice, millipedes, centipedes, sowbugs: turn off all ventilating equipment and close all windows and doors. Fog WEST SPECIAL INSECTICIDE at the rate of 1 ounce per 1000 cubic feet, using the Spacemaster Jet Fogger, or the WEST 1600 Fogger. KEEP TREATED AREA CLOSED FOR AT LEAST 1 HOUR.

For surface spraying: To kill exposed stages of cockroaches, waterbugs, silver fish, firebrats, booklice, bed bugs, ants, crickets, spider beetles, meal worms, cadelles, confused flour beetles, sawtoothed grain beetles, dermestids, spiders, ticks, lice, millipedes, centipedes, sowbugs, apply WEST SPECIAL INSECTICIDE using the WEST 124-S Sprayer. Spray WEST SPECIAL INSECTICIDE at the rate of 1 gallon per 1000 square feet, coating the surface with a dew-like mist. Thoroughly treat all harborages and breeding areas, cracks, crevices, under sides of work tables, behind sinks and escutcheon plates, walls, window and door frames, elevator shafts and pits, behind and under equipment, laundry carts, garbage areas, warm, dark and moist areas, void spaces and shelves. Repeat as necessary.

4984B-471-5
PRINTED IN U.S.A.

USDA Reg. No. 52-213