

10/19/1

12/2/77

52-215

JM 1/2

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

DIRECTIONS FOR USE

RESIDOL-PLUS is a highly effective new formulation for use in cockroach control. It has superior flushing action and prolonged residual action. It is effective against cockroaches resistant to certain chlorinated hydrocarbon and organic phosphate insecticides.

Use RESIDOL-PLUS to control infestations in piers, warehouses, hotels, restaurants, hospitals (when patients are out of the area), theaters, schools, offices and housing developments. Avoid treatment of animals when making applications in zoos.

To control cockroaches, treat the infested area with special attention to cracks, crevices, around sinks, under surfaces and other hard-to-get-at places.

Apply RESIDOL-PLUS at the rate of 1 gallon per 1,000 square feet. Use the Penetone 1930-A Sprayer adjusted to the fine flat fan pattern.

Apply RESIDOL-PLUS to harborage and breeding areas of the cockroaches or to surfaces where they congregate or crawl. Apply RESIDOL-PLUS to cracks, corners, perimeters of rooms, behind baseboards, around window frames and door frames, behind escutcheon plates, under stoves and sinks, to the under surfaces of shelves, drawers and work tables, to elevator pits and shafts, behind wooden or metal panels, at seams, joints, around electric motors and compressors, laundry carts, garbage areas and cans, warm, dark, moist areas, void spaces, hidden surfaces and quiet undisturbed areas. Repeat treatment as necessary to prevent or control infestation. Remove pets and cover fish bowls before spraying. Do not spray animals. For Cockroach Control in Meat and Poultry Processing Plants, apply RESIDOL-PLUS only in inedible areas. Spraying loading docks and outside areas where the insects congregate will aid in preventing reinfestation. Good sanitation and proper waste disposal are essential in any effective control program.

Treat food processing plants early in the season before canning and the processing starts. Repeat treatment as necessary, when plant is not in operation. Spraying pallets, loading docks and outside areas where the cockroaches congregate will aid in preventing infestation. The use of RESIDOL-PLUS to control cockroaches around research animals will not reduce microsomal liver enzyme activity of these animals.

CRACK AND CREVICE TREATMENTS ONLY:

Food Handling Establishments—(Places other than private residences in which exposed food is held, processed, prepared or served) and **Food Areas**—Application limited to crack and crevice treatment only; Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing edible waste storage and enclosed processing systems (mills, dunnies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation also would be considered a food area).

Apply in small amounts directly into cracks and crevices using equipment capable of delivering a pin stream of insecticide in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases, conduits, motor housings, junction or switch boxes where cockroaches hide. Prior to application, de-energize electrical equipment. After application, allow time for oil to evaporate before starting motors or placing switches in the "ON" position.

3971-982-PC

(Continued on right panel)

U.S. Patent No. 3,887,710 assigned to and licensed by West Laboratories, Inc.



FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY

RESIDOL-PLUS

EPA Reg. No. 52-215

ACTIVE INGREDIENTS:

Petroleum Distillates	83.58%
2-(1-Methylethoxy) phenol methylcarbamate	1.00%
Coconut Oil	0.50%
INERT INGREDIENTS:	99.00%
	100.00%

CAUTION: Keep Out Of Reach Of Children.

MAY BE HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN.

Avoid breathing spray mist. Provide adequate ventilation of area being treated.

Avoid contact with skin, eyes or clothing. Wash thoroughly after using or before smoking or eating. Avoid contamination of food, food processing equipment and food handling surfaces. Do not allow children to contact treated surfaces until surfaces are completely dry. **DO NOT USE AS A SPACE SPRAY.** If poisoning occurs, get prompt medical aid.

TO PHYSICIAN—atrophine sulfate is antidotal.

(Read right panel for additional precautions.)

WEST



MANUFACTURED BY:
WEST CHEMICAL PRODUCTS, INC., 1000 Herrontown Road, Princeton, N.J. 08540.

EPA Est. 10190-US-910
EPA Est. 52-CA-111

Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

Applications of this product in the food areas of food handling establishments, other than as a crack and crevice treatment are not permitted.

SPOT TREATMENT ONLY:

Food Handling Establishments—(Places other than private residences in which exposed food is held, processed, prepared or served) and **Serving Areas**—Facilities where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held.

Apply as a spot treatment to selective surfaces such as baseboards, under elements of construction into cracks and crevices. Avoid treating surfaces likely to be contacted by food. (Do not apply when facility is in operation or foods are exposed.)

GENERAL TREATMENT:

Food Handling Establishments—(Places other than private residences in which exposed food is held, processed, prepared or served) and **Non-Food Areas**—Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Apply to baseboard areas around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

STORAGE AND DISPOSAL

STORAGE: Keep container closed when not in use. Do not store below 32° or above 100°F.

DISPOSAL: Do not contaminate water, food or feed by storage or disposal, or cleaning of equipment. In case of spill, flood area with water, washing to sewer or pick up and store in collection vessel. Wastes resulting from use of this product may be disposed of on site or at any approved waste disposal facility. Triple rinse empty container. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill. Plastic containers may be incinerated or if allowed by local authorities, by burning. If burned, stay away out of smoke.

Do not use in serving areas while food is exposed. Note that many products are not to be applied to carpeting, draperies, wallpaper or similar materials that may be stained. Avoid excessive wetting of plastics, rubber and asphalt materials such as tiles and floor coverings. Do not treat such materials without testing them first in an inconspicuous area. Provide adequate ventilation of areas being treated. This product is toxic to fish and wildlife.

(185)

CLASSIFIED BY UNDERWRITERS LABORATORIES INC. AS TO FIRE HAZARD ONLY. RESIDOL PLUS CLASSIFIED 25 TO 30 BETWEEN PARAFFIN OIL AND KEROSENE IN RESPECT TO FIRE HAZARD. 987P