

**DIRECTIONS FOR USE:**


**FLYING INSECTS:** Exposed stages of flies, fruit flies, mosquitoes, gnats, bees, wasps, hornets, indian meal moths, angoumois grain moths, mediterranean flour moths. To control these and similar small flying insects, turn off all ventilating equipment, close all windows and doors. Fog WEST FOG at the rate of 1/2 oz. per 1,000 cubic feet, using the Jet-Fogger, WEST 1600 Fogger, or Permanent Atomizer. Keep treated area closed for at least 10 minutes. Do not remain in treated area and ventilate the area after treatment is completed. Repeat as necessary.

**CRAWLING INSECTS:** Exposed stages of cockroaches, waterbugs, silverfish, ants, crickets, caddisflies, confused flour beetles, saw-toothed grain beetles.


**FOR SPACE SPRAY** — turn off all ventilating equipment, close all windows and doors. Fog WEST FOG at the rate of 1 oz. per 1,000 cubic feet, using the Jet-Fogger, WEST 1600 Fogger, or Permanent Atomizer. Keep treated area closed for at least 1 hour. Repeat as necessary. For contact or surface spray — apply WEST FOG using the WEST 124-S or 610-S Sprayer. Spray directly on insects, or where they have been seen. Spray WEST FOG at the rate of 1 gallon per 1,000 square feet, coating the surface with a dew-like mist.

Thoroughly treat all harborages and breeding areas — cracks, crevices, undersides of work tables, behind sinks and escutcheon plates, walls, window and door frames, elevator shafts and pits, behind and under equipment, laundry carts, garbage areas, warm, dark, moist areas, and spaces, shelves. Repeat as necessary.

Dispose of empty container in a safe place.



FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY



TM

**ACTIVE INGREDIENTS:**

- Petroleum Hydrocarbons ..... 100%
- \*N-Octyl Bicycloheptene Dicarboximide ..... 96.50%
- \*\*Technical Piperonyl Butoxide ..... 2.50%
- Pyrethrins ..... 0.50%
- \*U.S. Patent No. 2,476,512
- \*\*Equivalent to .4% of (Butylcarbityl) (6-Propylpiperonyl) ether and 0.1% related compounds.

WEST FOG is specially formulated for use in WEST equipment. WEST FOG is effective as a fog, contact, or surface spray.

**THIS PRODUCT HAS BEEN AUTHORIZED BY USDA FOR USE IN FEDERALLY INSPECTED MEAT, POULTRY, RABBIT AND EGG-PROCESSING PLANTS.**

EPA Reg. No. 52-216-AA

**CAUTION:** Keep Out Of Reach Of Children.  
HARMFUL IF SWALLOWED. DO NOT TAKE INTERNALLY.  
(See right panel for additional precautions.)

**NET CONTENTS: 6 GALLONS U.S.**

MANUFACTURED BY:

**WEST CHEMICAL PRODUCTS, INC.,** NEW YORK, N.Y. 11101, Branches in principal cities.

**CAUTION:**

Avoid contamination of food. Food processing plants should be fogged when not in operation. Food should be removed or covered during treatment. Food processing equipment should be covered or thoroughly cleaned before using. **STORE AWAY FROM HEAT OR OPEN FLAME.** Fabrics which are soiled or dusty may be stained by insecticidal fogs.

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes.

Classified by Underwriters' Laboratories, Inc. as to fire hazard only. West Fog Classed 20 to 25 between paraffin oil and kerosene in respect to fire hazard. See UL Index of Classified Products.

**INDEX**

ETHER	100-110
GASOLINE	90-100
KEROSENE	30-40
PARAFFIN	10-20

MADE IN U.S.A.