FOR INDUSTRIAL AND INSTITUTIONAL USE GNLY ACCENIN **IZZ** 52 -11: 24 Bi 1 8 7974 IN CALL FENC FOR SIGNAL CONTRACTOR STRATES

Recommended for cleaning, disinfecting, and sanitizing in hospitals, institutions, food plants, and commercial buildings.

ACTIVE INGREDIENTS:

	alpha- (p-Nonylphenyl)-omega-hydroxypoly (oxy (Providing 1.75% titratable iodine)
	Phosphoric Acid
	INERT INGREDIENT:
	Manufactured under the following U.S. Patents: 3,028,299
west	manufactured by

West agro-chemical, inc. A Subsidiary of WEST CHEMICAL PRODUCTS, INC. New York, N.Y. 11101

EPA Registration No. 52-219

DANGER:

•



xyethylene)-iodine complex18.05%			
		. 16. 00%	
		.65.95%	
99 2,977,315 2,931,777	Total	100.00%	

NET CONTENTS: ONE GALLON U.S.

Keep Out Of Reach Of Children

(See rear panel for First Aid and additional precautions.)

For 1

1

tion, lons For p to 5 For ounc HOS Use cage area ther cath Rins befo shou sero Con Hou Use wat lava area equ **F00** To

4-0000-113-2

zzz disinfectant

ZZZ DISINFECTANT has its own built-in indicator of germicidal activity. When the amber color disappears, a fresh solution should be propared. This product is not adversely affected by water hardness or low temperatures. This product is Tuberculocidal at a dilution of 3 ounces to 5 gallons of water.

DIRECTIONS FOR USE:

For general cleaning and disinfecting in one operation, use 3 ounces of ZZZ DISINFECTANT to 5 gallons of water.

For porous or extremely dirty surfaces, use 6 ounces to 5 gallons of water.

For sanitizing previously-cleaned surfaces, use 1 ounce of ZZZ DISINFECTANT in 5 gallons of water.

HOSPITALS:

Use as recommended above in animal rooms and cages, cafeterias, morgues, laboratories, operating areas, patient rooms, bedframes, walls and floors, thermometers, instruments, rubber gloves, tubing & catheters. Allow at least 10 minutes contact time. Rinse all food-handling surfaces with potable water before reuse. Before disinfecting, instruments should be cleaned to remove all adhering blood and serous exudates.

Commercial Buildings, Institutions, and General Housekeeping:

Use 3 ounces of ZZZ DISINFECTANT to 5 gallons of water for cleaning and disinfecting floors, walls, lavatories, shower rooms, refuse containers, kitchen areas, and lunch rooms. Rinse all food-handling equipment with potable water before reuse.

FOOD PLANTS:

To sanitize previously-cleaned food-processing

RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD IT.

4.0000-113-2



pitals,

18.05%

16.00% 35.95% 00.00%

LON U.S.

equipment and utensils, use 1 ounce of ZZZ DISIN-FECTANT to 5 gallons of water. Allow to drain but do not rinse. When used at this dilution (1:640), ZZZ DISINFECTANT does not require a potable water rinse, in accordance with the Federal Food Additive Regulation 121.2547.

DANGER:

CORROSIVE, CAUSES EYE DAMAGE AND SKIN IRRITA-TION. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician immediately.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.