

[52-227]

**DIRECTIONS FOR USE  
IN NON-FOOD AREAS**

Apply WESTICIDE using the WEST 124-S Sprayer at the rate of 1 gallon per 1,000 sq. ft., or coat surfaces with a dew-like mist.

**Ants, crickets, clover mites, earwigs, silverfish, spiders** — Spray cracks, crevices, window frames, baseboards, storage areas, around door frames and other areas frequented by the insects.

**Bed bugs** — Lightly spray mattress edges. Spray bed springs and frames. Spray perimeter of rooms and cracks and crevices.

**Cockroaches and water bugs** — Spray cracks and crevices, perimeter and area frequented or infested by the insects.


**Exposed stages of confused flour beetles, saw-toothed grain beetles, granary weevils, rice weevils, Mediterranean flour moths, Indian meal moths** — Lightly spray surfaces over which the insects crawl. Spray cracks and crevices and perimeter of infested areas.

**Empty storage bins** — After the bins have been emptied and thoroughly cleaned, apply WESTICIDE to all surfaces with particular attention to cracks and crevices to control exposed stages of confused flour beetles, saw-toothed grain beetles, granary weevils, rice weevils, Mediterranean flour moths, and Indian meal moths.

Repeat treatments as necessary.


CLASSIFIED BY UNDERWRITERS' LABORATORIES  
INC. AS TO FIRE HAZARD ONLY WESTICIDE  
CLASSIFIED 20 TO 30 BETWEEN PARAFFIN OIL  
AND KEROSENE IN RESPECT TO FIRE HAZARD.  
SEE UL INDEX OF CLASSIFIED PRODUCTS.

	INDEX	
ETHER		100-110
GASOLINE		90-110
KEROSENE		30-40
PARAFFIN		10-20



# westicide®

**WESTICIDE IS SPECIALLY FORMULATED FOR USE AROUND GRAIN, FEED, FLOUR, STORED PRODUCTS AND AIDS IN THE CONTROL OF STORED PRODUCT PESTS.**



MANUFACTURED BY

**WEST CHEMICAL PRODUCTS, INC.** NEW YORK, N. Y. 11101 Branches in principal cities.

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY **0870**

<b>ACTIVE INGREDIENTS:</b> .....	<b>99.75%</b>
Petroleum Hydrocarbons .....	96.79%
Malathion (O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate) .....	2.85%
**Piperonyl Butoxide, Technical .....	0.10%
Pyrethrins .....	0.01%

**INERT INGREDIENTS:** .....

\*\*Equivalent to 0.08% butylcarbitol (6-propylpiperonyl ether) and 0.02% related compounds.

EPA Est. 52-NY-1 EPA Reg. No. 52-227AA

**CAUTION:** Keep Out Of Reach of Children. Harmful if swallowed. Avoid breathing of spray mist. Avoid skin contact. Wash after handling.

(See additional cautions on right panel.)

**NET CONTENTS:**

**APPLICATION OF FOOD HANDLING**

**Limited to Crack and Crevice Treatment**  
Use the West 124-S sprayer in a stream pattern. Apply material directly into expansion joints, construction or the floor, wall and ceiling boxes or switch equipment legs, cockroaches, saw-toothed grain beetles, moths, and flour beetles. Take care to avoid exposed surfaces into the air. Avoid food processing applications of food handling as a crack and crevice treatment.

**CAUTION:**

Do not take internally. Do not use on human food. In case of contact with skin and water. Do not use in sealed areas. Do not use for food contact. If swallowed, do not induce vomiting. Do not reuse container for perforating or other purposes. Keep in safe place away from children.

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY **0870**

# pesticide®

**ALLY FORMULATED FOR USE AROUND GRAIN, FEED, PRODUCTS AND AIDS IN THE CONTROL OF STORED**

**ACTIVE INGREDIENTS: 99.75%**

Petroleum Hydrocarbons	96.79%
Malathion (O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate)	2.85%
**Piperonyl Butoxide, Technical	0.10%
Pyrethrins	0.01%

**INERT INGREDIENTS: 0.25%**

\*\*Equivalent to 0.08% butylcarbitol, 6-propyl piperonyl ether and 0.02% related compounds.

EPA Est. 52-NY-1 EPA Reg. No. 52-227AA

**CAUTION:** Keep Out Of Reach Of Children. Harmful if swallowed. Avoid breathing of spray mist. Avoid skin contact. Wash after handling.

(See additional cautions on right panel.)

NET CONTENTS:

**APPLICATIONS WITHIN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS**

**Limited to Crack and Crevice Treatment Only.** Use the West 124-S Sprayer set at fine pin-stream pattern. Apply a small amount of material directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, motor housing, junction boxes or switch boxes, conduits or hollow equipment legs where ants, crickets, earwigs, cockroaches, confused flour beetles, saw-toothed grain beetles, larvae of Indian meal moths, and flour moths hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

Applications of this product in the food areas of food handling establishments, other than as a crack and crevice treatment, are not permitted.

**CAUTION:**

- Do not take internally.
- Do not use on humans or pets.
- In case of contact, wash immediately with soap and water.
- Do not use in serving areas while food is exposed.
- Do not use for fogging.
- If swallowed, do not induce vomiting.
- Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place away from water supplies.