


FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY

West D-TRANS II™



DIRECTIONS FOR USE

SPACE SPRAY TO KILL FLIES, MOSQUITOES, SMALL FLYING MOTHS AND GNATS.

COVER OR REMOVE EXPOSED FOOD AND FOOD HANDLING SURFACES. CLOSE ROOM AND SHUT OFF ALL AIR CONDITIONING OR VENTILATING EQUIPMENT. Apply with mechanical or compressed air sprayer, or with fogger which gives small particle size. Direct spray upward toward upper corners of room and ceiling. Apply at the rate of 1 fluid ounce per 1000 cu. ft. of space to be treated. Leave room closed for one half hour. VENTILATE ROOM THOROUGHLY BEFORE RE-ENTRY. Repeat as necessary for insect control.

CONTACT OR SURFACE SPRAY TO KILL ROACHES, WATER BUGS AND ANTS:

COVER OR REMOVE FOOD BEFORE APPLICATION AS DESCRIBED UNDER SPACE SPRAY. Apply with a sprayer that gives large wetting droplets. Force spray into cracks and crevices in walls and floors, areas at base of machinery, behind cabinets, around pipes and openings, along baseboards and other insect harborage. Use one gallon of spray per 1000 sq. ft. of surface to be treated. For ants, spray trails and all points of entry into the building. Spray ant nests directly with a soaking application. In all cases contact as many insects as possible directly with the spray. Repeat applications as necessary for control.

3903-982-PC

FOG AND CONTACT SPRAY FOR USE IN INDUSTRIAL AND FOOD PROCESSING PLANTS

ACTIVE INGREDIENTS:

| | |
|--|-------|
| Petroleum distillates | 96.5% |
| N-Octyl bicycloheptene dicarboximide | 2.5% |
| *Piperonyl butoxide, technical | 0.5% |
| d-trans Allethrin (allyl homolog of Cinerin I) | 0.5% |

INERT INGREDIENT:

| | |
|--|--------|
| | 96.5% |
| | 100.0% |
| *Equivalent to 0.4% of (butylcarbityl) (6-propylpiperonyl) ether and 0.1% other related compounds. | |

EPA Reg. No. 52-229

CAUTION: Keep Out Of Reach Of Children.

HARMFUL IF SWALLOWED. DO NOT APPLY DIRECTLY TO FOOD.

(See right panel for additional precautions.)



MANUFACTURED BY:

WEST CHEMICAL PRODUCTS, INC., 1000 Herrontown Road, Princeton, N.J. 08540.

NET CONTENTS: Gallons

EPA Est. 10110-11501
EPA Est. 52-CA-1



STORAGE AND DISPOSAL

STORAGE: Keep container closed when not in use. Do not store below 32° or above 100°F.

DISPOSAL: Do not contaminate water, food or feed by storage or disposal or cleaning of equipment. In case of spill, flood area with water, washing to sewer or pick up and store in collection vessel. Wastes resulting from use of this product may be disposed of on site or at any approved waste disposal facility. Triple rinse empty container. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill.

CAUTION

Follow direction for use on left-hand panel for covering or removing food, utensils and food processing surfaces. Do not apply while food processing is underway. **THOROUGHLY CLEAN ALL FOOD PROCESSING OR STORAGE SURFACES BEFORE RE-USE.** If swallowed, do not induce vomiting. Call a physician.

(1284)

CLASSIFIED BY UNDERWRITERS LABORATORIES
INC. AS TO FIRE HAZARD ONLY WEST D TRANS II
CLASSED 20 TO 30 BETWEEN PARAFFIN OIL AND
KEROSENE IN RESPECT TO FIRE HAZARD 987P

Not Reviewed. Registrant claims to be in accordance with
Reregistration of Pesticide Product Guidance for Phase 2
Response, Page 2 12, Active to Inert Change in Status.