


[55-1]

HOUSE SIZE 450



POISON DANGER

KEEP OUT OF REACH OF CHILDREN

ACCEPTED
 APR 24, 72
 UNDER THE FEDERAL INSECTICIDE ACT
 REGISTERED UNDER NO. 55-1

DIRECTIONS: ...
 this on a warm night before retiring. Morning ...
 no ants as they are outside. But if the ants continue ...
 the treatment. Tell your friends what FATSCO ...
 More poison is required when used under ...
 doors. Move bait from colony to colony ...
 feet yards we suggest using FATSCO Ant Bait ...
 NOTE: Store in dark place.

FATSCO ANT POISON

FOR SWEET EATING ANTS:
FATSCO ANT POISON

Active ingredient: Sodium Arsenate
 Inert ingredients: ...

Net Wt. 1.0000 lb. (453.59 g)
 Mordant: Arsenic

KEEP OUT OF REACH OF CHILDREN!
 SEE ANTIDOTE ON TEMPLET & OTHER WALLS
 AND ON BACK AND SIDE PANELS

TRADE SIZE - 300

FATSCO
 Eastern Harbor, Md.

POISON DANGER

KEEP OUT OF REACH OF CHILDREN
 MAY BE FATAL IF SWALLOWED AVOID CONTACT WITH SKIN, EYES OR CLOTHING WASH THOROUGHLY AFTER USING

EPA REG. NO. 55-1

RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD IT

ANTIDOTE
 CALL A PHYSICIAN

Give 1 teaspoon of salt in a glass of warm water and repeat until vomit fluid is clear. Then give two tablespoons of epsom salts or milk of magnesia in water. Follow with

Directions: Saturate pieces of cotton with FATSACO Ant Poison and place in areas where ants are present. Repeat treatment as necessary. Do not use in areas where children or pets are present. For more information, call 1-800-335-1.


FATSCO ANT POISON
FOR SWEET EATING ANTS
FATSCO ANT POISON

KEEP OUT OF REACH OF CHILDREN

ACCEPTED
Apr 24, 72
UNDER THE FEDERAL INSECTICIDE ACT AND REGULATIONS FOR THE REGISTRATION OF PESTICIDES UNDER ACT 335-1 TO APPEAR ON THE LABEL

DIRECTIONS: Saturate pieces of cotton dripping wet with this on a warm night before retiring. Morning showers and no ants as they die outside. But if the ants continue repeat the treatment. More poison is required when used outdoors. Wait from colony to colony. For yards, suggest using FATSACO Ant Cans. NOTE: Store container in dark place. Do not use on plants.

FATSCO ANT POISON



FOR SWEET EATING ANTS:
FATSCO ANT POISON

Active ingredient Sodium Arsenate	3%
Inert Ingredients	97%
Total	100%
Total Arsenic calculated as water soluble	1.3%
Metallic Arsenic	

KEEP OUT OF REACH OF CHILDREN:
SEE ANTIDOTE TREATMENT & OTHER WARNINGS ON BACK AND SIDE PANEL.

WARD SIZE - 300
CONTENTS 2 FL. OZ.

FATSCO Benton Harbor, Mich.

POISON DANGER
KEEP OUT OF REACH OF CHILDREN
MAY BE FATAL IF SWALLOWED AVOID CONTACT WITH SKIN, EYES OR CLOTHING WASH THOROUGHLY AFTER USING

EPA REG NO 55-1
RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD IT

ANTIDOTE —
CALL A PHYSICIAN

Antidote: Pour one part of salt in a glass of warm water and repeat until the liquid is clear. Then give two tablespoons of warm salt or milk of magnesia in water. Follow with plenty of plain water. Have victim lie down and keep quiet.

[55-1]

DIRECTIONS: Saturate pieces of cotton, drip wet. Do this on a warm night before retiring. Repeat the treatment if ants continue to appear. But if the ants continue, repeat the treatment. More poison is required when ants are found what FATSCO did for you.

NOTE: Store container in dark place. For yards we suggest using FATSCO Ant Baits. Move bait from colony to colony doors. More bait from colony to colony doors. More bait from colony to colony doors. More bait from colony to colony doors.

FATSOCO ANT POISON

FOR SWEET EATING ANTS
FATSOCO ANT POISON

KEEP OUT OF REACH OF CHILDREN

HOUSE SIZE — 45¢

CONTENTS 1/2 FL OZ

FATSOCO Benton Harbor Mich

POISON DANGER

KEEP OUT OF REACH OF CHILDREN

MAY BE FATAL IF SWALLOWED. AVOID CONTACT WITH SKIN, EYES OR CLOTHING. WASH THOROUGHLY AFTER USING.

EPA REG. NO. 100-100000

RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND REUSE.

ANTIDOTE: Give a tablespoon of salt in a glass of warm water and repeat until vomit fluid is clear. Then give two tablespoons of epsom salts or milk of magnesia in water. Follow with plenty of milk and water. Have victim lie down and keep quiet.

ACCEPTED UNDER THE FEDERAL INSECT FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISONED UNDER NO 55-1 TO ATTACHED CO

APR 24, 72

DIRECTIONS: Saturate pieces of cotton dripping wet. Do this on a warm night before retiring. "Morning sweats" find no ants as they lie outside. But if the ants continue, repeat the treatment. Tell your friends what FATSOCO did for you.

More poison is required when used out of doors. Move bait from colony to colony.

NOTE: Store container in dark place. For yards we suggest using FATSOCO Ant Baits. Move bait from colony to colony doors. More bait from colony to colony doors. More bait from colony to colony doors.

FATSOCO ANT POISON

FOR SWEET EATING ANTS:
FATSOCO ANT POISON

Active Ingredient Sodium Arsenate	3%
Inert Ingredients	97%
Total	100%
Total Arsenic calculated as water soluble	
Metallic Arsenic	1.3%

KEEP OUT OF REACH OF CHILDREN:
SEE ANTIDOTE STATEMENT & OTHER WARNINGS ON BACK AND SIDE PANELS

YARD SIZE — 30¢

CONTENTS 2 FL OZ

FATSOCO Benton Harbor, Mich

POISON DANGER

KEEP OUT OF REACH OF CHILDREN

MAY BE FATAL IF SWALLOWED. AVOID CONTACT WITH SKIN, EYES OR CLOTHING. WASH THOROUGHLY AFTER USING.