

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460



OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

December 20, 2004

J. T. Eaton & Co.
c/o H.R. McLane, Inc.
7210 Red Road, Suite 206
Miami, FL 33143-5321

300
18

5-7 71937

Attention: Mr. H. R. McLane

- Subject** J. T. Eaton Bait Blocks® Rodenticide with Molasses/Peanut Butter Flavorizer™
EPA Reg. No. 56-42
Your application of February 21, 2004
- Purpose** The purpose of this submission is to revise your Confidential Statement of Formula (CSF), and label, under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA).
- CSF** Your revised CSF (Basic Formulation), dated September 5, 2003, is acceptable. All other versions are obsolete. A copy has been placed in our files
- Data** We reviewed the chemistry data (MRID No. 415391-01; 461985-01) and found them acceptable. We reviewed the acute toxicity data (MRID No. 450082-01 thru -06) and found them acceptable, provided the labeling is changed as modified below. Finally we reviewed the efficacy data (MRID No. 462072-01) and found them acceptable. However, in the future, you need to pay closer attention to the protocol, as outlined in the attached review.
- Label** The labeling submitted with the above letter, is acceptable, provided you submit one (1) copy of final printed labeling to us, with the following changes, before you ship your product.

Label-continued

1. Under "**CAUTION**", change the third sentence to:

May be harmful if swallowed or absorbed through the skin. Causes moderate eye irritation.
2. Under the "**FIRST AID**", add the "**IF IN EYES**" text consistent with PR Notice 2001-1.
3. Add this text as the first sentence in the "**NOTE TO PHYSICIAN**":

This material may reduce the clotting ability of the blood and cause bleeding.

Existing stocks Stocks of products with existing labels may be used for eighteen (18) months.

Consequence for non-compliance If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Questions If you have questions about this letter, please contact me at 703-305-5407 (by phone), 703-305-6596 (by fax), or peacock.dan@epa.gov (by E-Mail).

Sincerely yours,



Daniel B. Peacock, Biologist
Insecticide-Rodenticide Branch
Registration Division (7504C)

Enclosures

1. Stamped Label
2. Efficacy Review (November 17, 2004)
3. Minimum Type Sizes for Final Printed Labels

Letter USB Flash Drive 1, E:\Dan's Office Work\A Flash Drive 1\Diphacinone\56-42, 12-15-2004, revised CSF and label.wpd

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Keep away from humans, domestic animals and pets. Keep away from feed or foodstuffs. May be harmful or fatal if swallowed or absorbed through the skin because this material may reduce the clotting ability of blood and cause bleeding. This product should be handled with waterproof gloves. Do not get in eyes, on skin, or on clothing. Wash arms, hands, and face with soap and water after applying. If swallowed call a physician immediately.

FIRST AID

Have this label with you when obtaining treatment advice.

IF SWALLOWED: •Call a Poison Control Center, doctor, or 1-800-858-7378 immediately for treatment advice.
•Have person sip a glass of water if able to swallow.
•Do not induce vomiting unless told to by a poison control center or doctor.

IF ON SKIN OR CLOTHING: •Take off contaminated clothing.
•Rinse skin immediately with plenty of water for 15 to 20 minutes. •Call a poison control center, doctor or 1-800-858-7378 immediately for treatment advice.

NOTE TO PHYSICIAN

If ingested administer Vitamin K, intramuscularly or orally. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARD

This product is toxic to fish and wildlife. Do not apply this product directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters.

STORAGE AND DISPOSAL

Do not contaminate food, or water by storage or disposal.
STORAGE: Store in original container in a cool, dry, place inaccessible to children and pets and away from products with strong odors. **SPILL:** Sweep up and dispose of as in PESTICIDE DISPOSAL.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Non-Household use: Completely empty container into application equipment. Then dispose of empty container in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned stay out of smoke.

Household use: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local waste agency or 1-800 CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

J. EATON®

BAIT BLOCK® RODENTICIDE WITH MOLASSES / PEANUT BUTTER FLAVORIZER™

KILLS : NORWAY RATS ROOF RATS and HOUSE MICE

EPA Reg. No. 56-42 EPA Est. No. 56-OH-1

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panels for additional
precautionary Statements.

ACTIVE INGREDIENT:

Diphacinone CAS [82-66-6] -	0.005%
OTHER INGREDIENTS: - - -	99.995%
TOTAL - - - -	100.000%

Net Contents:

8 oz., 12 oz., 1 lb., 6 lbs., 10 lbs.
(Containing 4, 6, 8, 48, 80, x 2oz. Blocks)

Approved
with amendments
in EPA Letter Dated:

DEC 20 2004

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

56-42

Manufactured by
J. T. EATON & COMPANY, INC.

1393 East Highland Rd.
Twinsburg, Ohio 44087 U.S.A.
JT EATON® and BAIT BLOCK® are
Registered Trademarks and FLAVORIZER™
is a Trademark of J.T. EATON & CO., INC.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
READ THIS LABEL. Read this entire label and follow all use directions and use precautions.
IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use, in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife or in "tamper-resistant" bait stations. These stations must be resistant to destruction by dogs and by children under six years of age and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS

For control of Norway rats, roof rats, and house mice in and around homes, industrial buildings, and similar man made structures. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with foods. Do not broadcast the bait.

SELECTION OF TREATMENT AREAS

Determine areas where rats or mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain or snow. For best results, remove as much food-stuff, as possible, from the area to be baited.

APPLICATION DIRECTIONS:

- **For Rats: For the 8 oz. size:** This package contains enough bait to kill two (2) to seven (7) rats.
- **For the 12 oz. size:** This package contains enough bait to kill three (3) to seven (7) rats.
- Apply 2 to 8 blocks (4 to 16 oz. of bait) per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days.
- **For Mice:** While wearing waterproof gloves break each 2 oz. block into 3 pieces and place 1 or 2 pieces at 8 to 12 foot intervals. Larger placements (up to 3 pieces (2 oz.) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days.
- **Follow up:** Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and any left-over bait properly. To prevent reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish with fresh bait as often as needed.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.



3/3