

86-42

06/13/2011

1/7



**U.S. ENVIRONMENTAL PROTECTION AGENCY**  
Office of Pesticide Programs  
Registration Division (7505P)  
1200 Pennsylvania Ave., N.W.  
Washington, D.C. 20460

EPA Reg. Number:

56-42

Date of Issuance:

**JUN 13 2011**

**NOTICE OF PESTICIDE:**

Registration  
 Reregistration  
(under FIFRA, as amended)

Terms of Issuance:

Unconditional

J.T. Eaton™ Bait Block®  
Rodenticide with Peanut Butter  
Flavorizer™

Name and Address of Registrant (include ZIP Code):

J.T. Eaton & Co., Inc.  
c/o RegGuide  
509 Tower Valley Drive  
Hillsboro, MO 63050

Attention: Ms. Sharon M. Johnston

Decision 320717

$\frac{676}{1155}$  5-897662

Decision 446731

$\frac{R340}{1155}$  5-897658

**Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.**

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

EPA received your label amendment of June 9, 2011. EPA grants this request under the authority of section 3(c)(5) of the Federal Insecticide, Fungicide and Rodenticide Act, as amended.

Signature of Approving Official:

Rosanna Louie-Juzwiak  
Product Manager (07)  
Insecticide-Rodenticide Branch  
Registration Division (7505P)

Date:

**JUN 13 2011**

Notice of Reregistration (continued)  
EPA Reg. No. 56-42

With this accepted labeling, the product meets the risk management goals of the Reregistration Eligibility Decision (RED) for the 1998 Rodenticide Cluster and the Risk Mitigation Decision for Ten Rodenticides (RMD). Therefore, EPA reregisters the product listed above. This action is taken under the authority of section 4(g)(2)(c) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides.

**Confidential Statement of Formula**

The acceptable Confidential Statement of Formula (CSF) for this product is dated September 29, 2006 (Basic Formulation). All other versions are obsolete.

**Terms and Conditions of Registration**

This product is registered only subject to the registrant's commitment to control distribution of the product so that it will only be distributed to or sold in agricultural, farm and tractor stores or directly to PCOs and other professional applicators, and the registrant's commitment not to sell or distribute the product in channels of trade likely to result in retail sale in hardware and home improvement stores, grocery stores, convenience stores, drug stores, club stores, big box stores, and other general retailers.

This product may not be sold in packaging that holds less than 4 pounds of bait.

**Existing Stocks Provisions**

- The registrant may not distribute or sell existing stocks of this product after June 4, 2011 unless they conform to the terms and conditions of registration as amended today.
- Any person other than the registrant may sell and distribute existing stocks of this product with the previously approved label until such stocks are exhausted.
- Any person may use existing stocks of this product with the previously approved label until such stocks are exhausted.

Submit one (1) copy of final printed labeling before you release the product for shipment. Amended labeling will supersede all previously accepted labels. A copy of your label stamped "Accepted" is enclosed for your records.

Follow the enclosed "Minimum Type Size Requirements for Final Printed Label".

If you have any questions or comments regarding this letter, please contact Mr. Dan Peacock by phone (703- 305-5407) or e-mail (peacock.dan@epa.gov).

- Enclosures:
1. Stamped Label
  2. Minimum Type Sizes for Final Printed Label

Page 3

Notice of Reregistration (continued)  
EPA Reg. No. 56-42

Dan Peacock, C:\Documents and Settings\dpeacock\Desktop\Backup, 16gb Flash  
Drive\Diphacinone\Re-Reg\56-42\56-42, Rereg Notice + RMD, 6-9-2011.docx

4/7

000056-00042.20110609

**J.T. EATON™**

**BAIT BLOCK® RODENTICIDE**  
with PEANUT BUTTER FLAVORIZER™

This product may only be used inside and within 50 feet of buildings or inside of transport vehicles (ships, trains or aircraft).

**KILLS RATS & MICE**

<b>Active Ingredient:</b>		JUN 13 2011
Diphacinone (CAS# 82-66-6) .....	<b>ACCEPTED</b>	0.005%
<b>Other Ingredients</b> .....		99.995%
<b>Total</b> .....		100.000%

**Under the Federal Insecticide, Fungicide,  
and Rodenticide Act, as amended, for the  
pesticide registered under:**

EPA Reg. No. 56-42      EPA Est. No.

EPA Reg. No: 56-42  
Keep Out of Reach of Children

**CAUTION**

See side [back] panel for additional precautionary statements.

**J.T. Eaton & Co., Inc.**  
1393 East Highland Road  
Twinsburg, OH 44087

Contains Natural Peanut Butter

Net Contents: 4 [9] [21] lbs  
Contains: 32 x 2 oz. Bait Blocks, [72 x 2 oz. Bait Blocks] [168 x 2 oz. Bait Blocks]

J.T. Eaton and Flavorizer are Trademarks of J.T. Eaton & Co., Inc.  
Bait Block is a registered trademark of J.T. Eaton & Co., Inc.

87

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals**

**CAUTION:** Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Keep away from children, domestic animals and pets.

**Personal Protective Equipment (PPE):**

All handlers (including applicators) must wear long-sleeved shirt, long pants, shoes, socks and waterproof gloves. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

**User Safety Requirements:**

- Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing.
- As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet and change into clean clothing.

<b>FIRST AID</b>	
Have the label with you when obtaining treatment advice.	
<b>If Swallowed</b>	<ul style="list-style-type: none"> <li>• Call a poison control center, doctor or 1-800-222-1222 immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to by a poison control center or doctor.</li> </ul>
<b>If on Skin or Clothing</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Immediately rinse skin with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center, doctor or 1-800-222-1222 immediately for treatment advice.</li> </ul>
<b>If in Eyes</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center, doctor or 1-800-222-1222 immediately for treatment advice.</li> </ul>

**TREATMENT FOR PET POISONING**

If animal eats bait, call a veterinarian at once.

**NOTE TO PHYSICIAN OR VETERINARIAN**

**Anticoagulant Diphacinone:** If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. **For humans or dogs** that have ingested this product and/or have obvious poisoning symptoms (bleeding or prolonged prothrombin times), give Vitamin K<sub>1</sub> intramuscularly or orally.

**Environmental Hazards**

This pesticide is toxic to mammals and birds. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff also may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL.** Read this entire label and follow all use directions and use precautions. Use only for sites, pests and application methods described on this label.

**IMPORTANT:** Do not expose children, pets or other non-target animals to rodenticides. To help prevent accidents:

1. Store product not in use, in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and non-target wildlife or in "tamper-resistant" bait stations. These stations must be resistant to destruction by dogs and by children under six years of age and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears or other potentially destructive animals or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled and unconsumed bait as specified on this label.

**Note:** Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait states must be used if children, pets, non-target mammals or birds may access the bait.

## USE RESTRICTIONS

This product may only be used for control of Norway rats, roof rats and house mice in and around homes, industrial, commercial, agricultural and public buildings and similar man-made structures. **Do not apply further than 50 feet from buildings.** Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment or milk or meat handling equipment or surfaces that come into direct contact with food. When used in USDA-inspected facilities, this product must be applied in tamper-resistant bait stations. Do not broadcast bait. Do not use in sewers.

Do not sell this product in individual containers holding less than 4 pounds of bait.

## SELECTION OF TREATMENT AREAS

Determine areas where rats or mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls or in locations where signs of rodents have been seen. Protect bait from rain or snow. Remove as much foodstuff as possible from the area to be baited.

## APPLICATION DIRECTIONS

**Rats:** Apply 2 to 8, two-ounce blocks (4 to 16 ounces) per placement. Space placements at intervals of 15 to 30 feet in infested areas. Maintain an uninterrupted supply of fresh bait for at least 10 days or until fresh signs of rat activity cease to appear.

**Mice:** While wearing waterproof gloves, break each 2 oz. block into 3 pieces and place 1 or 2 pieces at 8 to 10 foot intervals. Larger placements (up to 3 pieces (2 oz.)) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until fresh signs of mouse activity cease to appear.

**Follow-up:** Replace contaminated or spoiled bait immediately. Wearing waterproof gloves, collect and dispose of all dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborages as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish with fresh bait as often as needed.

### Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

**Pesticide Disposal:** Wastes resulting from the use of this product may be placed in trash or delivered to an approved waste disposal facility.

**Container Handling:** Non-refillable container. Do not reuse or refill this container.

[Plastic] Offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by incineration.

[Paper] Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration.

NOTICE: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Product Batch Code No. \_\_\_\_\_