



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

September 23, 2015

J.T. Eaton & Company, Inc.
c/o
Sharon Johnston
RegGuide
509 Tower Valley Drive
Hillsboro, MO 63050

Subject: Label Amendment –To add use directions for a 1-ounce bait block size
Product Name: Bait Block Rodenticide with Peanut Butter Flavorizer
EPA Registration Number: 56-42
Application Date: August 6, 2015
Decision Number: 508398

Dear Ms. Johnston:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2
EPA Reg. No. 56-42
Decision No. 508398

with FIFRA section 6. If you have any questions, please contact Gene Benbow by phone at 703-347-0235, or via email at Benbow.Gene@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to be 'MS' with a long horizontal stroke extending to the right.

Mark Suarez
Product Manager 07
Invertebrate & Vertebrate Branch 3
Registration Division (7505P)
Office of Pesticide Programs

Enclosure

J.T. EATON™

BAIT BLOCK® RODENTICIDE
with PEANUT BUTTER FLAVORIZER™

KILLS NORWAY RATS, ROOF RATS & HOUSE MICE

Active Ingredient:

Diphacinone (CAS# 82-66-6) 0.005%

Other Ingredients 99.995%

Total 100.000%

EPA Reg. No. 56-42

EPA Est. No.

Keep Out of Reach of Children

CAUTION

See side [back] panel for additional precautionary statements.

J.T. Eaton & Co., Inc.

1393 East Highland Road

Twinsburg, OH 44087

Contains Natural Peanut Butter

Net Contents: 4 to 50 lbs

Contains: 32 x 2 oz. Bait Blocks to 400 x 2 oz. Bait Blocks

64 x 1 oz. Bait Blocks to 800 x 1 oz. Bait Blocks

ACCEPTED

09/23/2015

Under the Federal Insecticide, Fungicide
and Rodenticide Act as amended, for the
pesticide registered under

EPA Reg. No. **56-42**

J.T. Eaton and Flavorizer are Trademarks of J.T. Eaton & Co., Inc.

Bait Block is a registered trademark of J.T. Eaton & Co., Inc.

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Keep away from children, domestic animals and pets.

Personal Protective Equipment (PPE):

All handlers (including applicators) must wear long pants, shoes, socks and waterproof gloves. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

User Safety Requirements:

- Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing.
- As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet and change into clean clothing.

FIRST AID

Have the label with you when obtaining treatment advice.

If Swallowed	<ul style="list-style-type: none">• Call a poison control center, doctor or 1-800-222-1222 immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to by a poison control center or doctor.
If on Skin or Clothing	<ul style="list-style-type: none">• Take off contaminated clothing.• Immediately rinse skin with plenty of water for 15-20 minutes.• Call a poison control center, doctor or 1-800-222-1222 immediately for treatment advice.
If in Eyes	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center, doctor or 1-800-222-1222 immediately for treatment advice.

TREATMENT FOR PET POISONING

If animal eats bait, call a veterinarian at once.

NOTE TO PHYSICIAN OR VETERINARIAN

Anticoagulant Diphacinone: If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. **For humans or dogs** that have ingested this product and/or have obvious poisoning symptoms (bleeding or prolonged prothrombin times), give Vitamin K₁ intramuscularly or orally.

Environmental Hazards

This pesticide is toxic to mammals and birds. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff also may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL. Read this entire label and follow all use directions and use precautions. Use only for sites, pests and application methods described on this label.

IMPORTANT: Do not expose children, pets or other non-target animals to rodenticides. To help prevent accidents:

1. Store product not in use, in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and non-target wildlife or in "tamper-resistant" bait stations. These stations must be resistant to destruction by dogs and by children under six years of age and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears or other potentially destructive animals or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled and unconsumed bait as specified on this label.

Note: Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait states must be used if children, pets, non-target mammals or birds may access the bait.

USE RESTRICTIONS

This product can only be used to control Norway rats, roof rats and house mice *in and within* 100 feet of man-made structures constructed in a manner so as to be vulnerable to commensal rodent invasions and/or to harboring or attracting rodent infestations. Examples of such structures include homes and other permanent or temporary residences, food processing facilities, industrial and commercial buildings, trash receptacles, agricultural and public buildings, transport vehicles (ships, trains, aircraft), docks and port of terminal buildings and related structures around and associated with these sites. Fence and perimeter baiting, beyond 100 feet from a structure as defined above, is prohibited. Do not place near or inside ventilation duct openings. This product must not be applied directly to food or feed crops. Do not contaminate water, food, feedstuffs, food or feed handling equipment or milk or meat handling equipment or surfaces that come into direct contact with food. When used in USDA-inspected facilities, this product must be applied in tamper-resistant bait stations. Do not broadcast bait. Do not use in sewers. Burrow baiting with this product is prohibited.

Do not sell this product in individual containers holding less than 4 pounds of bait.

SELECTION OF TREATMENT AREAS

Determine areas where rats or mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, beside burrows, in corners and concealed places, between floors and walls or in locations where signs of rodents have been seen. Protect bait from rain or snow. Remove as much foodstuff as possible from the area to be baited.

APPLICATION DIRECTIONS

Rats: Apply 2 to 8, two-ounce blocks [4 to 16 one-ounce blocks] (4 to 16 ounces) per placement. Space placements at intervals of 15 to 30 feet in infested areas. Maintain an uninterrupted supply of fresh bait for at least 10 days or until fresh signs of rat activity cease to appear.

Mice: While wearing waterproof gloves, break each 2 oz. block into 3 pieces and place 1 or 2 pieces at 8 to 10 foot intervals [OR place 1 one-ounce blocks at 8 to 10 foot intervals]. Larger placements (up to 3 pieces [2 blocks] (2 oz.)) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until fresh signs of mouse activity cease to appear.

Follow-up: Replace contaminated or spoiled bait immediately. Wearing waterproof gloves, collect and dispose of all dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborages as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish with fresh bait as often as needed.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

Pesticide Disposal: Wastes resulting from the use of this product may be placed in trash or delivered to an approved waste disposal facility.

Container Handling: Non-refillable container. Do not reuse or refill this container.

[Plastic] Offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by incineration.

[Paper] Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration.

NOTICE: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Product Batch Code No. _____