## PRECAUTIONARY STATEMENTS

## HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Keep away from feed or foodstuffs. Wear rubber gloves when handling this product.

## FIRST AID

Have this label with you when obtaining treatment advise.

minutes. Remove contact lenses, if present after 5 minutes, then continue

rinsing. Call a poison control center or doctor for treatment advice.

Tiave the laber with year when establing treatment device:	
If swallowed	<ul> <li>Call a Poison Control Center, doctor or 1-800-858-7378 immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to by a poison control center or doctor.</li> </ul>
lf on skin or clothing	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15 to 20 minutes.</li> <li>Call a poison control center, doctor or 1-800-858-7378 immediately for treatment advice.</li> </ul>
If in eves	• If in eyes hold eye open and rinse slowly and gently with water for 15 to 20

NOTE TO PHYSICIAN:

If ingested, administer Vitamin K, intramuscularly, or orally, as Indicated in bishydroxy-coumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

**ENVIRONMENTAL HAZARD** This product is toxic to fish and-wildlife. Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters.

Do not contaminate water, food, or feed, by storage or disposal.

STORAGE: Store in original container in a cool, dry place inaccessible to children and pets.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of below ground, (buried), on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty container and dispose of in a sanitary landfill or by incineration, or , if allowed by State and local authorities, by burning. If burned stay out of smoke.

USE RESTRICTIONS: This product is only for use in manual, subterranean applications to control valley pocket gophers (Thomomys bottae), northern pocket gophers (T. talpoides), Mazama pocket gophers (T. mazama), Townsend's pocket gophers (T. townsendi), talpoides), Mazama pocket gophers (T. mazama), Townsend's pocket gophers (T. townsendi), giant pocket gophers (T. bulbivorus), Sierra pocket gophers (T. monticola), and plains pocket


NOTE: This label must be in the possession of the user at the time of pesticide application.

gophers (Geomys bursarius) This product is to be used in RANGELAND, CROPLAND, (grain fields, forage crops, hay and, alfalfa crops and vegetable crops), FOREST and NONCROP AREAS including, parks, nurseries and around homes. Do not apply this product above the ground surface. Do not apply this product by use of a mechanical burrow builder machine or any other type of mechanical application equipment, including mechanized probes. Do not broadcast bait.

BAITING:

Place baits in main runways. To locate main runways probe 12 inches to 18 inches from the surface mound on the side which is flattened or depressed using a burrow probe or a smooth metal rod. When resistance on probe suddenly decreases, probe is in the main runway. Open the runway with the probe, a spade or a shovel. Place one BAIT BLOCK into each opening of the runway and cover the opening securely to exclude light. Do not permit the loose soil to cover bait.

Place baits at two or three locations in each main burrow (runway) system. A pocket gopher will normally travel to all portions of its burrow system within a few days. As some gophers may die above ground, check the area periodically for 10 to 15 days after treatment. Bury or incinerate (if permitted locally) any dead animals found. If pocket gopher activity persists 2 weeks after treatment bait the active burrow a second time.



EPA Reg. No. 56-57 EPA Est. No. 56-OH-1

If in eves

JTEATON.

ACCEPTED ANSWER® FOR CONTROL OF POCKET-GOPHERS

> ACTIVE INGREDIENT: Diphacinone: CAS [82-66-6] 0.005% OTHER INGREDIENTS: - - 99,995% TOTAL - 100.000%

Manufactured in the U.S.A.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not In strict accordance with directions given herewith. The efficacy of the product may be reduced under high moisture conditions.

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET WT. 1: 10: 12: 50; POUND (S)

MAR 2 4 20104

Boder the Federal Imendicide,

redistored under Reg. No.

Pendeide, and Rodentiolds Act. as amended for the pesticition

MFG. by J. T. EATON & COMPANY, INC. 1393 East Highland Rd. Twinsburg, Ohio 44087 U.S.A. J. T. EATON®, BAIT BLOCK®, AND ANSWER® are registered Trademarks of the J.T. EATON & CO., INC.

**BAR CODE**