

56-69

05-17-2004

1/3

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460



OFFICE OF  
PREVENTION, PESTICIDES  
AND TOXIC SUBSTANCES

May 17, 2004

300  
17  
S-75773

J. T. Eaton and Company, Inc.  
c/o H.R. McLane, Inc.  
7210 Red Road, Suite 206A  
Miami, FL 33143-5321

Attention: Mr. H. R. McLane

**Subject: J.T. Eaton Answer® for Rats Feeder Box  
EPA Reg. No. 56-69  
Our letter of February 19, 2004  
Your resubmission of March 25, 2004  
Revised labeling**

**Purpose** Your submission revises your label according to our February 19, 2004, letter.

**Label review** The labeling submitted with the above letter, under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) is acceptable. A copy of the stamped label is enclosed for your records.

At your next printing, modify the text under "CAUTION" as follows:

**CAUTION:** May be harmful if swallowed or absorbed through the skin. Keep away from humans, domestic animals, and pets. Keep away from feed or foodstuffs. Wear gloves when handling this product. Wash thoroughly with soap and water after handling bait.

**Existing stocks** Stocks of existing labels may be used for eighteen (18) months.

**Questions** If you have questions about this letter, please contact me at 703-305-5407 (by phone), 703-305-6596 (by fax), or [peacock.dan@epa.gov](mailto:peacock.dan@epa.gov) (by E-Mail).

Sincerely yours,



Daniel B. Peacock, Biologist  
Insecticide-Rodenticide Branch  
Registration Division (7504C)

**Enclosure** 1. Stamped label

**Letter** Dan Peacock, Disk147,A:\Chlorophainone\56-69, revised label, 4-27-2004.wpd

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL.** Read this entire label and follow all use directions and use precautions.

**IMPORTANT:** Do not expose children, pets, or other nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use, in a location out of reach of children and pets.

2. Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife or in "tamper-resistant" bait stations. These stations must be resistant to destruction by dogs and by children under six years of age and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.

3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

### USE RESTRICTIONS

THIS IS NOT A TAMPER-PROOF OR TAMPER-RESISTANT BAIT STATION. DO NOT USE THIS PRODUCT IN AREAS ACCESSIBLE TO CHILDREN, PETS DOMESTIC ANIMALS, OR NONTARGET WILDLIFE. DO NOT USE THIS PRODUCT OUTDOORS.

This product may be used to control Norway Rats (*Rattus norvegicus*), Roof Rats (*Rattus rattus*), and House Mice (*Mus musculus*) in homes, and in industrial, commercial, or agricultural buildings. Do not place feeder boxes in areas where there is a possibility of contaminating food, water, or surfaces that come in direct contact with either.

### SELECTION OF TREATMENT AREAS

Determine areas where rats or mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, beside burrows, inside buildings, or in corners and concealed places.

### APPLICATION DIRECTIONS:

The amount of bait in one 4 ounce Feeder Box of this product is unlikely to be sufficient to kill more than 1 or 2 rats.

• **For Rats:** Apply 1 to 4 feeder Boxes (4 to 16 oz. of bait) per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days.

• **For Mice:** Open Feeder box, while wearing gloves, and apply 1/4 to 1/2 ounce of bait at 8 to 12 foot intervals. Larger placements (up to 2 ounces) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days.

• **For Rats and Mice:** Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and any left-over bait properly. To prevent reinfestation, limit as many sources of food, water, and harborages as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish with fresh bait as often as needed.

FOR INDOOR USE ONLY

**EATON**  
**ANSWER<sup>®</sup> for RATS**  
**FEEDER BOX**

**Kills**  
**Rats and Mice**



Manufactured in U.S.A.

CONVENIENT  
FEEDER BOX  
REMOVE TAB



EPA Reg. No. 56-69

EPA Est. No. 56-OH-1

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

See side panel for additional precautionary Statements

### ACTIVE INGREDIENT:

Chlorophacinone CAS [36-91-8] - 0.005%

OTHER INGREDIENTS: - - - - - 99.995%

TOTAL - - - - - 100.000%

### FIRST AID

Have label with you when obtaining treatment advise, incl. 1-800-858-7378.

If swallowed  
• Call a Poison Control Center, or doctor immediately for treatment advice.  
• Have person sip a glass of water if able to swallow.  
• Do not induce vomiting unless told to by a poison control center or doctor.

If on skin or clothing  
• Take off contaminated clothing.  
• Rinse skin immediately with plenty of water for 15 to 20 minutes.  
• Call a poison control center, doctor or 1-800-858-7378 immediately for treatment advice.

### NOTE TO PHYSICIAN

This material may reduce the clotting ability of blood and cause bleeding. If ingested administer Vitamin K, intramuscularly or orally. Repeat as necessary based on monitoring of prothrombin times.

**Net Weight:**  
**4 Ounces of Bait in a "Feeder Box"**

Manufactured by  
**J. T. EATON & COMPANY, INC.**  
1393 East Highland Road, Twinsburg, Ohio 44087 U.S.A.  
.JT EATON<sup>®</sup> is a Trademark of J.T. EATON & CO., INC.

## PRECAUTIONARY STATEMENTS

### HAZARD TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Keep away from humans, domestic animals and pets. Keep away from feed or foodstuff. Avoid contact with skin, eyes or clothing. May be harmful or fatal if swallowed or absorbed through the skin because This material may reduce the clotting ability of the blood and cause bleeding. Wear gloves when handling this product. Wash thoroughly with soap and water after handling bait.

### ENVIRONMENTAL HAZARD

This product is toxic to fish and wildlife. Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters.

### STORAGE AND DISPOSAL

**STORAGE:** Store only in original container in a cool, dry, place inaccessible to children and pets.

**DISPOSAL: IF FEEDER BOX IS EMPTY:** Do not reuse empty container. Place in trash or offer for recycling if available.

**IF PARTLY FILLED:** Call your local solid waste agency or 1-800 CLEANUP for disposal instructions. Never place any unused product down and indoor or outdoor drain. 03-25-04

**NOTICE:** Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith. The efficacy of the product may be reduced under high moisture conditions.

CONVENIENT  
FEEDER BOX  
REMOVE TAB

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

MAY 17 2004

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

56-69