

PN 14 56-70 10/19/95

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (75-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.

56-70

DATE OF ISSUANCE

OCT 19 1995

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

TERM OF ISSUANCE

NAME OF PESTICIDE PRODUCT

J.T. Eaton AC Formula 90 Ready-To-
Use Rodenticide

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Michael E. R. Godfrey
J.T. Eaton & Co., Inc.
1393 E. Highland Road
Twinsburg, OH 44087

5494951 165 / 18

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) section 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. There are no records in our files of placepack-penetration data for house mice that would be relevant to this product. Since your proposed label directs users to apply 1.5-oz. placepacks unopened, such data are required for this product. Submission of the data, which should be generated according to procedures outlined in our Protocol 1.218, is due on or before July 1, 1996.

3. Make the labeling changes listed below before you release the product for shipment:

a. Revise the EPA Registration Number to read, "EPA Reg. No. 56-70."

4. Submit one copy of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

[Signature]

DATE OCT 19 1995

Bedwards A: 56-70.1 10/19/95

7/17

-2-

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,



Robert A. Forrest
Product Manager (14)
Insecticide-Rodenticide Branch
Registration Division (7505C)

- Enclosure:
- 1) Stamped label
 - 2) A-79 Enclosure

CONCURRENCES

SYMBOL								
SURNAME								
DATE								

5727

PLACE PACK LABEL

J. T. EATON
A C FORMULA 90
Ready-to-use
RODENTICIDE -

Kills Norway Rats, Roof Rats and House Mice.
Rodents may consume a lethal dose in one feeding with first dead rodents appearing four or five days after treatment begins.

ACTIVE INGREDIENTS,	
Chlorophacinone,	
2-[(p-chlorophenyl)phenylacetyl]	
1,3-indandione,	0.005%
INERT INGREDIENTS,	
	<u>99.995%</u>
TOTAL :	100.000%

KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY
STATEMENTS

J. T. Eaton & Co. Inc.
1393 East Highland Road
Twinsburg, OH. 44087, U. S. A.

EPA Reg. No. 56-TN
EPA Est. No. 56-OH-1

NET CONTENTS: 1.5 oz.

ACCEPTED
with COMMENTS
in EPA Letter Dated

OCT 19 1995

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

56-76

47-7

RIGHT PANEL DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS : For control of Norway Rats, Roof Rats and house mice in and around homes, industrial and agricultural buildings, and similar man-made structures. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

SELECTION OF TREATMENT AREAS: Determine areas where rats and mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain or snow. Remove as much food as possible.

APPLICATION DIRECTIONS:

Rats: Apply 3 to 10 place packs per bait placement. Maintain an uninterrupted supply of fresh bait for at least 10 days.

Mice: Apply one place pack per bait placement. Space place packs at 8- to 12-foot intervals. Maintain an uninterrupted supply of fresh bait for at least 15 days.

Rats and Mice: Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and leftover bait properly. To prevent reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

[LEFT PANEL]

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container, in a cool, dry place inaccessible to children and pets.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty container. Then dispose of empty container in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned stay out of smoke.

PRECAUTIONARY STATEMENTS:

HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Keep away from humans, domestic animals and pets. Keep away from feed or foodstuffs. May be harmful or fatal if swallowed or absorbed through the skin because this material may reduce the clotting ability of blood and cause bleeding.

NOTE TO PHYSICIAN : If ingested, administer Vitamin K₁ intramuscularly or orally, as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not apply this product directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

A C FORMULA 90 is a trademark of J.T. EATON & CO., INC.

NO PREBAITING REQUIRED
JUST USE AS DIRECTED

9/27

J. T. EATON
A C FORMULA 90
Ready-to-use
RODENTICIDE.

Kills Norway Rats, Roof Rats and House Mice.
Rodents may consume a lethal dose in one feeding with first dead rodents appearing four or five days after treatment begins.

ACTIVE INGREDIENTS,	
Chlorophacinone,	
2-[(p-chlorophenyl)phenylacetyl]	
1,3-indandione,	0.005%
INERT INGREDIENTS,	<u>99.995%</u>
TOTAL :	100.000%

KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY
STATEMENTS

J. T. Eaton & Co. Inc.
1393 East Highland Road
Twinsburg, OH. 44087, U. S. A.

EPA Reg. No. 56-tn
EPA Est. No. 56-OH-1

NET CONTENTS: 4.5 oz.

3 x 1.5 oz. place packs

ACCEPTED
with COMMENTS
in EPA Letter Dated

OCT 19 1995

Under the Federal Insecticide,
Fungicide and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

56-70

RIGHT PANEL DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooped livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

77

USE RESTRICTIONS : For control of Norway Rats, Roof Rats and house mice in and around homes, industrial and agricultural buildings, and similar man-made structures. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

SELECTION OF TREATMENT AREAS: Determine areas where rats and mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain or snow. Remove as much food as possible.

APPLICATION DIRECTIONS:

The amount of bait in this package is unlikely to be sufficient to kill more than one or two rats.

Rats: Apply 3 to 10 place packs per bait placement. Maintain an uninterrupted supply of fresh bait for at least 10 days.

Mice: Apply one place pack per bait placement. Space place packs at 8- to 12-foot intervals. Maintain an uninterrupted supply of fresh bait for at least 15 days.

Rats and Mice: Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and leftover bait properly. To prevent reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

[LEFT PANEL]

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container, in a cool, dry place inaccessible to children and pets.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty container. Then dispose of empty container in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned stay out of smoke.

PRECAUTIONARY STATEMENTS:

HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Keep away from humans, domestic animals and pets. Keep away from feed or foodstuffs. May be harmful or fatal if swallowed or absorbed through the skin because this material may reduce the clotting ability of blood and cause bleeding.

NOTE TO PHYSICIAN : If ingested, administer Vitamin K₁ intramuscularly or orally, as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not apply this product directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

A C FORMULA 90 is a trademark of J.T. EATON & CO., INC.

NO PREBAITING REQUIRED
JUST USE AS DIRECTED

J. T. EATON
A C FORMULA 90
Ready-to-use
RODENTICIDE

Kills Norway Rats, Roof Rats and House Mice.
Rodents may consume a lethal dose in one feeding with first dead rodents appearing four or five days after treatment begins.

ACTIVE INGREDIENTS,	
Chlorophacinone,	
2-[(p-chlorophenyl)phenylacetyl]	
1,3-indandione,	0.005%
INERT INGREDIENTS,	<u>99.995%</u>
TOTAL :	100.000%

KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY
STATEMENTS

J. T. Eaton & Co. Inc.
1393 East Highland Road
Twinsburg, OH. 44087, U. S. A.

EPA Reg. No.56-tn
EPA Est. No. 56-OH-1

NET CONTENTS: 12 oz.

8 x 1.5 oz. place packs

ACCEPTED
with COMMENTS
to EPA Letter Dated
OCT 19 1995
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
56-70

14/71

RIGHT PANEL DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

11/7/70

USE RESTRICTIONS : For control of Norway Rats, Roof Rats and house mice in and around homes, industrial and agricultural buildings, and similar man-made structures. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

SELECTION OF TREATMENT AREAS: Determine areas where rats and mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain or snow. Remove as much food as possible.

APPLICATION DIRECTIONS:

The amount of bait in this package is unlikely to be sufficient to kill more than 3 to 9 rats.

Rats: Apply 3 to 10 place packs per bait placement. Maintain an uninterrupted supply of fresh bait for at least 10 days.

Mice: Apply one place pack per bait placement. Space place packs at 8- to 12-foot intervals. Maintain an uninterrupted supply of fresh bait for at least 15 days.

Rats and Mice: Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and leftover bait properly. To prevent reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

[LEFT PANEL]

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container, in a cool, dry place inaccessible to children and pets.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty container. Then dispose of empty container in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned stay out of smoke.

PRECAUTIONARY STATEMENTS:

HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Keep away from humans, domestic animals and pets. Keep away from feed or foodstuffs. May be harmful or fatal if swallowed or absorbed through the skin because this material may reduce the clotting ability of blood and cause bleeding.

NOTE TO PHYSICIAN : If ingested, administer Vitamin K₁ intramuscularly or orally, as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not apply this product directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

A C FORMULA 90 is a trademark of J.T. EATON & CO., INC.

NO PREBAITING REQUIRED
JUST USE AS DIRECTED

J. T. EATON
A C FORMULA 90
Ready-to-use
RODENTICIDE

Kills Norway Rats, Roof Rats and House Mice.

Rodents may consume a lethal dose in one feeding with first dead rodents appearing four or five days after treatment begins.

ACTIVE INGREDIENTS,

Chlorophacinone,

2-[(p-chlorophenyl)phenylacetyl]

1,3-indandione, 0.005%

INERT INGREDIENTS,

99.995%

TOTAL :

100.000%

KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY
STATEMENTS

J. T. Eaton & Co. Inc.
1393 East Highland Road
Twinsburg, OH. 44087, U. S. A.

EPA Reg. No. 56-tn
EPA Est. No. 56-OH-1

NET CONTENTS: 2 LB. 5.5 OZ.

25 x 1.5 oz. place packs

ACCEPTED
with COMMENTS
EPA Letter Dated

OCT 19 1995

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

56-70

J. T. EATON
A C FORMULA 90
Ready-to-use
RODENTICIDE .

Kills Norway Rats, Roof Rats and House Mice.
Rodents may consume a lethal dose in one
feeding with first dead rodents appearing
four or five days after treatment begins.

ACTIVE INGREDIENTS,	
Chlorophacinone,	
2-[(p-chlorophenyl)phenylacetyl)]	
1,3-indandione,	0.005%
INERT INGREDIENTS,	<u>99.995%</u>
TOTAL :	100.000%

<p>KEEP OUT OF REACH OF CHILDREN CAUTION SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS</p>

J. T. Eaton & Co. Inc.
1393 East Highland Road
Twinsburg, OH. 44087, U. S. A.

EPA Reg. No.56-tn
EPA Est. No. 56-OH-1

NET CONTENTS: 9 LB. 6 OZ.

100 x 1.5 oz. place packs

134

RIGHT PANEL DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS : For control of Norway Rats, Roof Rats and house mice in and around homes, industrial and agricultural buildings, and similar man-made structures. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

SELECTION OF TREATMENT AREAS: Determine areas where rats and mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain or snow. Remove as much food as possible.

APPLICATION DIRECTIONS:

Rats: Apply 3 to 10 place packs per bait placement. Maintain an uninterrupted supply of fresh bait for at least 10 days.

Mice: Apply one place pack per bait placement. Space place packs at 8- to 12-foot intervals. Maintain an uninterrupted supply of fresh bait for at least 15 days.

Rats and Mice: Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and leftover bait properly. To prevent reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

[LEFT PANEL]

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container, in a cool, dry place inaccessible to children and pets.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty container. Then dispose of empty container in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned stay out of smoke.

PRECAUTIONARY STATEMENTS:

HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Keep away from humans, domestic animals and pets. Keep away from feed or foodstuffs. May be harmful or fatal if swallowed or absorbed through the skin because this material may reduce the clotting ability of blood and cause bleeding.

NOTE TO PHYSICIAN : If ingested, administer Vitamin K₁ intramuscularly or orally, as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not apply this product directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

A C FORMULA 90 is a trademark of J.T. EATON & CO., INC.

NO PREBAITING REQUIRED
JUST USE AS DIRECTED