

PM 14

56-70

pg 1/7

5498578

300
18

JAN 3 1996

Michael E.R. Godfrey
J.T. Eaton & Co., Inc.
1393 E. Highland Road
Twinsburg, OH 44087

Dear Mr. Godfrey:

Subject: J.T. Eaton AC Formula 90 Ready-to-Use Rodenticide
EPA Registration No. 56-70
Amendment dated October 2, 1995 - Abbreviated label for Mice Only
and Alternate Brand name

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable provided that you:

1. Revise the EPA Reg. No. to read "EPA Reg. No. 56-70".
2. Data requirements for this product outlined in the Registration Notice dated October 19, 1995 still apply and are due on or before July 1, 1996.
3. Submit one copy of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions. A stamped copy of the labeling is enclosed for your records. If you have any questions about this letter, please contact Beth Edwards at (703) 305-5400 or (703) 305-6600.

Sincerely yours,



for Robert A. Forrest
Product Manager (14)
Insecticide-Rodenticide Branch
Registration Division (7505C)

Enclosure

B Edwards A: 56/70.2

1/3/96

77
ACCEPTED
with COMMENTS
in EPA Letter Dated
JAN 3 1996

J. T. EATON
ANSWER
KILLS MICE.

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
56-70

Mice may consume a lethal dose in one feeding
with first dead mice appearing four or five
days after treatment begins.

ACTIVE INGREDIENTS,	
Chlorophacinone,	
2-[(p-chlorophenyl)phenylacetyl]	
1,3-indandione,	0.005%
INERT INGREDIENTS,	<u>99.995%</u>
TOTAL :	100.000%

<p>KEEP OUT OF REACH OF CHILDREN CAUTION SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS</p>

J. T. Eaton & Co. Inc.
1393 East Highland Road
Twinsburg, OH. 44087, U. S. A.

EPA Reg. No. 56-TN
EPA Est. No. 56-OH-1

NET CONTENTS: 1.5 oz.

NET WT. 1.5 OZ.
NET WT. 42.5 G.
NET WT. 1.5 OZ.
NET WT. 42.5 G.
NET WT. 1.5 OZ.
NET WT. 42.5 G.

ACCEPTED
with COMMENTS
in EPA Letter Dated

377

JAN 3 1996

J. T. EATON
ANSWER
KILLS MICE.

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

56-70

Mice may consume a lethal dose in one feeding
with first dead mice appearing four or five
days after treatment begins.

ACTIVE INGREDIENTS,

Chlorophacinone,

2-[(p-chlorophenyl)phenylacetyl]

1,3-indandione,

0.005%

INERT INGREDIENTS,

99.995%

TOTAL :


100.000%

KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY
STATEMENTS

J. T. Eaton & Co. Inc.
1393 East Highland Road
Twinsburg, OH. 44087, U. S. A.

EPA Reg. No. 56-TN
EPA Est. No. 56-OH-1

NET CONTENTS: 9 lb. 6 oz.
(100 1.5 oz. place packs).



RIGHT PANEL **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.

2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooped livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.

3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS : For control of house mice in and around homes, industrial and agricultural buildings, and similar man-made structures. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

SELECTION OF TREATMENT AREAS: Determine areas where mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where mice or their signs have been seen. Protect bait from rain or snow. Remove as much food as possible.

APPLICATION DIRECTIONS:

Apply one place pack per bait placement. Space place packs at intervals of 8- to 12-feet. Maintain an uninterrupted supply of fresh bait for at least 15 days. Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and leftover bait properly. To prevent reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

[LEFT PANEL]

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container, in a cool, dry place inaccessible to children and pets.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty container. Then dispose of empty container in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned stay out of smoke.

PRECAUTIONARY STATEMENTS:

HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Keep away from humans, domestic animals and pets. Keep away from feed or foodstuffs. May be harmful or fatal if swallowed or absorbed through the skin because this material may reduce the clotting ability of blood and cause bleeding.

NOTE TO PHYSICIAN : If ingested, administer Vitamin K₁ intramuscularly or orally, as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

777

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not apply this product directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

ANSWER is a trademark of J.T. EATON & CO., INC.

NO PREBAITING REQUIRED
JUST USE AS DIRECTED