

56-70

05-17-2004

44

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460



OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

May 17, 2004

300
—
17 5-760431

J. T. Eaton and Company, Inc.
c/o H.R. McLane, Inc.
7210 Red Road, Suite 206A
Miami, FL 33143-5321

Attention: Mr. H. R. McLane

**Subject: J.T. Eaton AC Formula 90 Ready-to-Use Rodenticide
EPA Reg. No. 56-70
Our letter of February 19, 2004
Your resubmission of March 29, 2004
Revised labeling**

Purpose Your submission revises your label according to our February 19, 2004, letter.

Label review The labeling submitted with the above letter, under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) is acceptable. A copy of the stamped label is enclosed for your records.

Note: We note that you also submitted the "mouse only" label, under the alternate brand name of "J.T. Eaton Answer Kills Mice". We assume that the outer containers have the identical text as the submitted place pack labels. When you submit labeling again for this product, submit copies of both the place pack and outer labels.

Existing stocks Stocks of existing labels may be used for eighteen (18) months.

Questions If you have questions about this letter, please contact me at 703-305-5407 (by phone), 703-305-6596 (by fax), or peacock.dan@epa.gov (by E-Mail).

Sincerely yours,



Daniel B. Peacock, Biologist
Insecticide-Rodenticide Branch
Registration Division (7504C)

Enclosure 1. Stamped label

Letter Dan Peacock, Disk147,A:\Chlorophainone\56-70, revised label, 4-27-2004.wpd

DIRECTIONS FOR USE

SIDE OF LABEL

Page 4 of 5

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL. Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use, in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in "tamper-resistant" bait stations. These stations must be resistant to destruction by dogs and by children under six years of age and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS

For control of Norway Rats, Roof Rats, and House Mice in and around homes, industrial, and agricultural buildings and similar man made structures. Do not place bait in areas where there is a possibility of contaminating food, water, or surfaces that come in direct contact with food. Do not broadcast bait.

SELECTION OF TREATMENT AREAS

Determine areas where rats and mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain or snow. Remove as much food as possible.

APPLICATION DIRECTIONS:

The amount of bait in 3 x 1.5 ounce place pack of this product is unlikely to be sufficient to kill more than 1 or 2 rats.

- **For Rats:** Apply 3 to 10 place packs, (4.5 to 15 oz. of bait), per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days.
- **For Mice:** Apply one place pack per bait placement. Space place packs at intervals of 8 to 12 feet. Maintain an uninterrupted supply of fresh bait for at least 15 days.
- **For Rats and Mice:** Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and any leftover bait properly. To prevent reinfestation, limit as many sources of food, water, and harborages as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish with fresh bait as often as needed. 03-29-04.

FRONT OF LABEL

JTEATON[®]
AC[™] FORMULA
90[™] READY-TO-USE
RODENTICIDE

ACCEPTED

MAY 17 2004

EPA Reg. No. 56-OH-1

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 56-7000-0000

KILLS NORWAY RATS, ROOF RATS AND HOUSE MICE.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side panels for additional Precautionary Statements.

Net Weight: _____

1.5 Oz. Place pack.

EPA Reg. No. 56-OH-1

ACTIVE INGREDIENT: Chlorophacinone 99.8%

OTHER INGREDIENTS: 0.2%

TOTAL: 100.0%

Manufacture in U.S.A.

BAR CODE

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

SIDE OF LABEL

CAUTION: Keep away from humans, domestic animals and pets. Keep away from feed or foodstuffs. May be harmful if swallowed or absorbed through the skin. Wear gloves when handling this product. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling bait.

FIRST AID

Have this label with you when obtaining treatment advise.

If swallowed	<ul style="list-style-type: none"> • Call a Poison Control Center, doctor or 1-800-858-7378 immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by a poison control center or doctor.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center, doctor or 1-800-858-7378 immediately for treatment advice.

NOTE TO PHYSICIAN: If swallowed or absorbed through the skin this material may reduce the clotting ability of the blood and cause bleeding. If ingested administer Vitamin K, intramuscularly, or orally, as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARD: This product is toxic to fish and wildlife. Do not apply this product directly to water.

STORAGE AND DISPOSAL

STORAGE: Store this product in its original container in a dry, cool area out of reach of children and pets. Do not contaminate water, foodstuffs, feed, or seed by storage or disposal. **PRODUCT DISPOSAL:** As a responsible environmental practice, where possible, it is recommended that all of the contents of the container be used, carefully following label directions and precautions.

IF EMPTY: Do not reuse this container. Place in trash or offer for recycling if available.

IF PARTLY FILLED: Call your local waste agency or 1-800 CLEANUP for disposal instructions.

SPILL: Collect product and use as directed, or dispose of material according to IF PARTLY FILLED directions above. 03-29-04

DIRECTIONS FOR USE

414

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL. Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use, in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in "tamper-resistant" bait stations. These stations must be resistant to destruction by dogs and by children under six years of age and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS

For control of House Mice in and around homes, industrial and agricultural buildings and similar man made structures. Do not place bait in areas where there is a possibility of contaminating food, water, or surfaces that come in direct contact with food. Do not broadcast bait.

SELECTION OF TREATMENT AREAS

Determine areas where mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where mice or their signs have been seen. Protect bait from rain or snow. Remove as much food as possible.

APPLICATION DIRECTIONS:

Apply one place pack per bait placement. Space place packs at intervals of 8 to 12 feet. Maintain an uninterrupted supply of fresh bait for at least 15 days. Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and leftover bait properly. To prevent reinfestation limit sources of rodent food, water and harborage as much as possible. If reinfestation occurs repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed. 03-29-04



EPA Reg. No. 56-70 EPA Est. No. 56-OH-1


ACTIVE INGREDIENT:
Chlorophacinone CAS [36-91-8] - 0.005%
OTHER INGREDIENTS: - 99.995%
TOTAL - - - 100.000%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See side panels for additional Precautionary Statements



Manufactured in U.S.A.



Net Weight: 1.5 Oz. Place pack.

BAR CODE

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Keep away from humans, domestic animals and pets. Keep away from feed or foodstuffs. May be harmful if swallowed or absorbed through the skin. Wear gloves when handling this product. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling bait.

FIRST AID

Have label with you when obtaining treatment advise.

If swallowed	<ul style="list-style-type: none"> • Call a Poison Control Center, doctor or 1-800-858-7378 immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by a poison control center or doctor.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center, doctor or 1-800-858-7378 immediately for treatment advice

NOTE TO PHYSICIAN: If swallowed or absorbed through the skin this material may reduce the clotting ability of the blood and cause bleeding. If ingested administer Vitamin K, intramuscularly or orally, as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARD: This product is toxic to fish and wildlife. Do not apply this product directly to water.

STORAGE AND DISPOSAL

STORAGE: Store this product in its original container in a dry, cool, secured area. Do not contaminate water, foodstuffs, feed, or seed by storage or disposal. **PRODUCT DISPOSAL:** As a responsible environmental practice, where possible, it is recommended that all of the contents of the container be used, carefully following label directions and precautions.

IF EMPTY: Do not reuse this container. Place in trash or offer for recycling if available.

IF PARTLY FILLED: Call your local waste agency or 1-800 CLEANUP for disposal instructions.

SPILL: Collect product and use as directed, or dispose of material according to, IF PARTLY FILLED directions above. . 08-01-03