

D
Act.
Comments

200/10

DIRECTIONS: Apply enough TISIT to completely cover the hair and scalp, or any other infested area except the eyelashes and eyebrows. Let it remain on the body no longer than 10 minutes. Wash with a sufficient amount of warm water. Soap or shampoo can be used if so desired. Remove dead lice and eggs from hair with fine comb. Treatment should be limited to no more than two consecutive applications within 24 hours.

CAUTION: Wash hands well with soap and warm water after use. Avoid contamination of food. When TISIT is applied, all clothing must be sterilized in order to prevent reinfestation with body lice.

EPA EST. 57-MO-1

Tisit

REG. U. S. PAT. OFF.
A PARASITICIDE

**KILLS
HEAD, CRAB
and
BODY LICE
on Contact**

**CAUTION: KEEP OUT OF REACH OF CHILDREN
FOR EXTERNAL USE ONLY**

200/10
RW

TAKE WELL BEFORE USING
4 FL. OZ.

THE PFEIFFER CO.
ST. LOUIS, MO. 63108

WARNING: Keep away from the eyes and do not allow to come in contact with mucous membranes. If product should get into the eyes, immediately flush with plenty of water. If infestation of eye lashes and eyebrows is present, consult a physician. Harmful if swallowed. Do not inhale. Should not be used by ragweed sensitized persons. If signs of infection or skin irritation appear, consult a physician.

Active Ingredients: Pyrethrins — 0.166%, Piperonyl butoxide technical — 2.000% (equivalent to 1.60% (butylcarbityl) (6-propylpiperonyl) ether and 0.40% related compounds), Deodorized Kerosene — 5.004%.

Inert Ingredients: 92.83%
EPA REG. NO. 57-29

HD 47 C

REG. U.S. PAT OFF - Re
~~EXTERNAL USE ONLY~~

11

80/10

ACCEPTED WITH COMMENTS

A PARASITICIDE

Tisit

Tisit

REG. U. S. PAT. OFF.

A PARASITICIDE


**KILLS
HEAD CRAB**

**and
BODY LICE**

on Contact

**CAUTION: KEEP OUT OF REACH OF CHILDREN
FOR EXTERNAL USE ONLY.**

**THE PFEIFFER CO.
ST. LOUIS, MO. 63108**



ACCEPTED

MAY 16 1975

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 57-29

Comments

Tisit

REG. U. S. PAT. OFF.

A PARASITICIDE


**KILLS
HEAD CRAB**

**and
BODY LICE**

on Contact

**CAUTION: KEEP OUT OF REACH OF CHILDREN
FOR EXTERNAL USE ONLY.**

4 FL. OZ.



DIRECTIONS: Apply enough TISIT to completely cover the hair and scalp, or any other infested area except the eyelashes and eyebrows. Let it remain on the body no longer than 10 minutes. Wash with a sufficient amount of warm water. Soap or shampoo can be used if so desired. Remove dead lice and eggs from hair with fine comb. Treatment should be limited to no more than two consecutive applications within 24 hours.

CAUTION: Wash hands well with soap and warm water after use. Avoid contamination of food. When TISIT is applied, all clothing must be sterilized in order to prevent reinfestation with body lice.

EPA EST. 57-MO-1

WARNING: Keep away from the eyes and do not allow to come in contact with mucous membranes. If product should get into the eyes, immediately flush with plenty of water. If infestation of eyelashes and eyebrows is present, consult a physician. Harmful if swallowed. Do not inhale. Should not be used by ragweed sensitized persons. If signs of infection or skin irritation appear, consult a physician.

Active Ingredients: Pyrethrins — 0.166%, Piperonyl butoxide technical — 2.000% (equivalent to 1.60% (butylcarbityl) (6-propylpiperonyl) ether and 0.40% related compounds), Deodorized Kerosene — 5.004%.

Inert Ingredients: 92.83%.

EPA REG. NO. 57-29

NO 47 C