


ACCEPTED
FEB 05 1974
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTERED
 UNDER NO. *Comm. 59-123*

PULVEX
**Zema
 Dip**

**FAST RELIEF FOR SCRATCHING AND
 ITCHING DOGS WITH FLEAS OR LICE**
**RAPIDO ALIVIO DEL PICOR Y RASCAZON
 CAUSADOS POR PULGAS Y PIOJOS EN
 LOS PERROS**



**Net Contents
 4 Fluid Ounces**

EPA Reg. No. 59-123



CAUTION: KEEP OUT OF REACH OF CHILDREN. See other cautions on back panel.
PRECAUCION: MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS. Véanse otras precauciones en el reverso.

DIRECTIONS FOR USE

TO KILL TICKS, FLEAS AND LICE: Stir four tablespoonfuls (2 fl. oz.) of Zema Dip into one gallon of water. Sponge or swab dog with this emulsion until thoroughly wet. Allow dog to dry in a warm place, without rinsing or toweling.

Zema Dip gives long protection against reinfestation, and applications at intervals of 2 or 3 weeks will control ticks, fleas and lice on dogs. Repeat application as required, but not more frequently than once a week.

SARCÓPTIC MANGE: Stir four tablespoonfuls (2 fl. oz.) of Zema Dip into one gallon of water. Using a brush, wet dog thoroughly with this emulsion, making sure that mange scabs and lesions are penetrated. Allow dog to dry in a warm place, without rinsing or toweling. Repeat weekly until condition clears up.

CAUTION: Do not use on nursing pups, or on bitches nursing pups. Do not use on cats. Never use a solution stronger than recommended.

Malathion is a cholinesterase inhibitor. Do not use Zema Dip on animals simultaneously, or within a few days before or after treatment, with or exposure to cholinesterase inhibiting drugs, pesticides or chemicals. Consult veterinarian at first sign of an adverse reaction. Atropine is antidotal. Not for human use. Harmful if swallowed. May be absorbed through skin. Avoid handling. Wash hands after use. Avoid contamination of food. Keep away from children.

ACTIVE INGREDIENTS: Aromatic Petroleum Distillates 66.15%; Malathion, (0,0-dimethyl dithiophosphate of diethyl mercaptosuccinate) 16.00%; Gamma Isomer of Benzene Hexachloride from Lindane 2.00%; Petroleum Distillates 1.87%; Captan, (N-trichloromethylthio-4-cyclohexene-1, 2-dicarboximide) 0.75%; **INERT INGREDIENTS** 13.23%.

INSTRUCCIONES DE USO

PARA MATAR GARRAPATAS, PULGAS Y PIOJOS: Echense cuatro cucharadas (2 oz. fl.) de Zema Dip en un galón de agua y revuélvase. Aplíquese esta emulsión al perro con una esponja hasta que esté completamente mojado, y déjese que se seque solo en un lugar caliente, sin secarlo ni lavarlo nuevamente.

Zema Dip proporciona una protección duradera contra reinfestación, y aplicándolo a intervalos de 2 o 3 semanas controla las garrapatas, pulgas y piojos. Repítase la aplicación según se requiera, pero no más de una vez por semana.

SARNA SARCÓPTICA: Echense cuatro cucharadas (2 oz. fl.) de Zema Dip en un galón de agua y revuélvase. Empleando un cepillo, mójase el perro completamente con esta emulsión, asegurándose de que penetre en las lesiones y costras de la sarna. Déjese que el perro se seque solo en un lugar caliente, sin secarlo ni lavarlo nuevamente. Repítase semanalmente hasta que se cure.

PRECAUCIONES: No emplearlo en cachorros lactantes ni en perras que estén criando. No emplearlo en gatos. No usar nunca una solución más fuerte que la recomendada. El malathion es un inhibidor de la colinesterasa. No emplear el Zema Dip en animales simultáneamente, o dentro de pocos días antes o después de un tratamiento con o exposición a drogas, pesticidas o sustancias químicas que inhiban la colinesterasa. Consulte a un veterinario a los primeros signos de reacción adversa. La atropina es un antidoto. No es para emplearlo en seres humanos. Es nocivo si se traga. Puede ser absorbido por la piel. Evítese el manipularlo. Lávense las manos después de usarlo. Evítese la contaminación de los alimentos. Manténgase fuera del alcance de los niños.

PULVEX DIVISION
 Cooper U.S.A., Inc.
 Chicago, Illinois 60614

ACCEPTED WITH COMMENTS