

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (HH-567) WASHINGTON, D.C. 20460	EPA REGISTRATION NO.	DATE OF ISSUANCE
	TERM OF ISSUANCE	APR 2 1982
NOTICE OF PESTICIDE: <input type="checkbox"/> REGISTRATION <input checked="" type="checkbox"/> REREGISTRATION <i>(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</i>	NAME OF PESTICIDE PRODUCT	
	NAME AND ADDRESS OF REGISTRANT (Include ZIP code)	
<p>NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p>		
<input type="checkbox"/> ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL		DATE



Wellcome Animal Health Division

Del-Tox[®]

Delnav[®] Emulsifiable Liquid

- Kills: Ticks, Lice, Horn Flies, Keds and Wool Maggots on Cattle, Swine, Sheep, Goats and Horses
- Makes 50 Gallons of Spray or Dip
- No Waiting Period Between Last Application and Slaughter
- Protects Against Reinfestation

Active Ingredients

Permethrin
Methoxychlor
Piperonyl Butoxide
p,p'-DDT

Inert Ingredients

Water, Emulsifiers, Stabilizers, etc.

**KEEP OUT OF REACH OF CHILDREN
WARNING**

**SEE BACK PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS**

Net Contents One Quart (U.S. Measure)



ACCEPTED
AUG 30 1983
EPA Reg. No. 59-128

Del-Tox
Delnav[®] Emulsifiable Liquid

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

WARNING

STATEMENT OF PRACTICAL TREATMENT

NOTE TO PHYSICIAN, VETERINARIAN

ENVIRONMENTAL HAZARDS

PHYSICAL OR CHEMICAL HAZARDS

DIRECTIONS FOR USE

Spray or Dip

Long Lasting
Spraying, Mixing
Dipping, etc.

Amount

Back Rubbers
Pour On

STORAGE
PESTICIDE
CONTAINER

DEL-TOX IS A TRADE MARK

FOX[®] Insecticidal Liquid

Horn Flies, Keds and Wool Maggots on Cattle, Swine, Horses • Makes 50 Gallons of Spray or Dip
 7 Days Between Last Application and Slaughter
 Reinfestation

KEEP OUT OF REACH OF CHILDREN
WARNING
 READ LABEL PANEL FOR ADDITIONAL
 CAUTIONARY STATEMENTS

1 Quart (U.S. Measure)

PER

ACCEPTED
 AUG 30 1983
 Fungicide, Insecticide, Miticide, Rodenticide
 EPA Reg. No. 59-128
 59-128

Del Tox
 Delmas[®] Emulsifiable Liquid

PRECAUTIONARY STATEMENTS
 HAZARDOUS TO HUMANS & DOMESTIC ANIMALS
WARNING

STATEMENT OF PREVENTIVE TREATMENT

ENVIRONMENTAL HAZARD

PHYSICAL OR CHEMICAL HAZARD

DIRECTIONS FOR USE

Spray or Dip: Mix 1 quart of Del Tox with 50 gallons of water. Mix thoroughly before use. Reapply every 7-10 days. The use of Del Tox is not recommended for use on animals at slaughter.

Long Lasting Protection: Del Tox provides long lasting protection against reinfestation of animals. A single treatment is usually sufficient and a second application after 21 days is recommended for complete control. Del Tox is valuable in providing up to 7 days of protection against reinfestation.

Spraying: Mix Del Tox with water and spray thoroughly. Spray to thoroughly wet the animal. Do not allow animals to drink from run-off pools.

Dipping: Thoroughly wet the animal. After animals are dipped to prevent reinfestation, it is necessary to treat animals under the tail and between the legs. *In quarantine dipping for fever tick control, animals must be dipped and individual hand immersion of the tail is essential to successful dipping.*

Replenishment: Add 1 quart of Del Tox to each 50 gallons fresh water added to dip tank. Replenish as needed for outside test.

Amount Del Tox	Volume of Water Spray or Dip	Volume of Oil Back Rubber Use Only
1 Pt	12 Gal	1 Gal and 3 Qts
1 Qt	4 Gal	2 1/2 Gal
1 Qt	4 Gal	5 Gal

Back Rubbers: Apply Del Tox to the back rubbers and line on beef cattle dilute Del Tox with water at 1:20 ratio. Dilute Del Tox with water at 1:20 ratio. Charge back rubbers with Del Tox spray animals with this solution.

Pour On: Pour Del Tox on the back of each animal dilute 1 quart of Del Tox with 12 gallons of water and apply to the back of each animal. Do not re-apply until the next day.

STORAGE AND DISPOSAL

STORAGE: Store Del Tox in its original container. Do not store in open flame.

PESTICIDE DISPOSAL: Do not mix with other pesticides. Do not mix with food or feed. Do not mix with water. Do not mix with other chemicals.

CONTAINER DISPOSAL: Do not reuse. Do not reuse. Do not reuse.

LEFT SIDE OF LABEL