

Kerol Disinfectant

Permitted for Official Disinfection
Phenol Coefficient 3-A.O.A.C. Method

Active Ingredients	
Cresylic Acid.....	50%
Soap.....	23%
Inert Ingredients.....	27%
	<hr/>
	100%

red

DANGER  **POISON:** Keep out of reach of children.

See other precautions and antidote on back panel.

Net Contents One Gallon (U.S. Measure) EPA Reg. No. 59-150

SOLD TO GRADUATE VETERINARIANS ONLY



ACCOTE

MADE IN U.S.A. 1973

Active Ingredients
 Cresylic Acid..... 50%
 Soap..... 23%
 Inert Ingredients..... 27%
 100%

red

DANGER  **POISON:** Keep out of reach of children.

See other precautions and antidote on back panel.

Net Contents One Gallon (U.S. Measure) EPA Reg. No. 59-150

SOLD TO GRADUATE VETERINARIANS ONLY



Wellcome

ACCEPTED

CUST. Wm. COOPER U.S.A. DESIGN- KEROL DISINFECTANT
 ENG. 2244-2 S.O. 242-7488 SIZE 402X610X907 1 GAL. F. C.E. B.P. DATE 10/27/72

READ BEFORE SIGNING: Customer agrees that: 1) Continental Can Company, Inc. shall not be liable for any error in the attached unless this proof is returned to Continental with signature plainly noted in writing; 2) the failure of any part of the attached to comply with any local state or Federal law or regulation; 3) any part of the attached which infringes the property rights of others acquired with the material in thereof; 4) change registration, copyright, letters patent or otherwise and; 5) product in colors not being exactly the same as the hand printed colors, if any, in the attached, although Continental will duplicate the colors as closely as possible; 6) Customer shall indemnify and hold Continental harmless against the liability described in 1) above, including attorney fees and court costs or for consequential damages; and 7) the liability of Continental for uncorrected errors plainly noted in the attached shall not exceed the actual cost of the containers bearing the noted error. Changes, non-specs and delay product. CONTINENTAL CAN COMPANY, INC.

CHANGE AS DETAILED APPROVED AS SUBMITTED CUSTOMER SIGNATURE _____ DATE _____

NO. PROOFS _____
 PROOF DATE _____
 CHANGE A _____
 CHANGE B _____
 CHANGE C _____

Kerol Disinfectant

DIRECTIONS FOR USE

General Disinfection--(Livestock)

Kerol is recommended for use in disinfecting stables, barns, kennels, cattle cars, boats and other vehicles used to house or transport livestock affected with any contagious, infectious or communicable disease.

Keep your premises and equipment clean, and use Kerol as a disinfectant against many infectious disease organisms.

Routine Disinfecting: Do not use in milking stalls, milking parlors, milk houses or poultry houses. Follow these 6 steps for effective disinfecting: (1) Remove all animals and feeds from premises, cars, boats, trucks and crates. Remove all litter and manure from floors, walls and surfaces of barns, pens, stalls, chutes and other facilities and fixtures occupied or traversed by animals. Empty all troughs, racks and other feeding and water apparatus. (2) For general disinfection use 4½ fluid ounces to one gallon of water. (3) Saturate all surfaces with disinfecting solution. Immerse all halters, ropes and other types of equipment used in handling and restraining animals as well as forks, shovels and scrapers. (4) Ventilate buildings, cars, boats and other closed spaces. (5) Do not house livestock or employ equipment until treatment has been absorbed, set or dried. (6) All treated feed racks, mangers, troughs, automatic feeders, fountains and waterers must be thoroughly scrubbed with detergents and rinsed with potable water prior to reuse.

Official Disinfecting: When using Kerol in

Important

Do not reuse empty container. Wash thoroughly with water and detergent. Discard in a safe place.

Tuberculosis

Kerol is a tuberculocide permitted for use by the Animal Health Programs, Veterinary Service, Animal and Plant Health Service, U.S. Department of Agriculture, in official disinfection programs involving domestic animal housing and transportation facilities. Disinfect as directed under General Disinfection.

Brucellosis (Contagious Abortion)

Kerol is especially recommended for clean-up and disinfection of premises after Brucellosis reactors have been removed from the herd. Apply as suggested under General Disinfection or as officially directed.

Hog Cholera

Pens and equipment should be disinfected as directed under General Disinfection or as officially directed.

DANGER

May be fatal if swallowed or absorbed through skin. May produce severe burns. Do not get in eyes, on skin or on clothing. Avoid breathing spray mist. Wash thoroughly after handling. Remove and wash contaminated clothing before reuse.

Antidote

Human--Internal: If swallowed, call a Physician immediately. Administer two or three tablespoons of olive oil and induce vomiting. Lastly give albuminous drinks, milk or white of egg. External: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, get prompt medical attention.

houses. Follow these 6 steps for effective disinfecting: (1) Remove all animals and feeds from premises, cars, boats, trucks and crates. Remove all litter and manure from floors, walls and surfaces of barns, pens, stalls, chutes and other facilities and fixtures occupied or traversed by animals. Empty all troughs, racks and other feeding and water appliances. (2) For general disinfection use 4½ fluid ounces to one gallon of water. (3) Saturate all surfaces with disinfecting solution. Immerse all halters, ropes and other types of equipment used in handling and restraining animals as well as forks, shovels and scrapers. (4) Ventilate buildings, cars, boats and other closed spaces. (5) Do not house livestock or employ equipment until treatment has been absorbed, set or dried. (6) All treated feed racks, mangers, troughs, automatic feeders, fountains and waterers must be thoroughly scrubbed with detergents and rinsed with potable water prior to reuse.

Official Disinfecting: When using Kerol in an official clean-up and disinfecting program after disposal of diseased animals, follow the directions issued by U.S.D.A.—Agricultural Research Service or the State—Federal Regulatory Veterinarian.

osis reactors have been removed from the herd. Apply as suggested under General Disinfection or as officially directed.

Hog Cholera

Pens and equipment should be disinfected as directed under General Disinfection or as officially directed.

DANGER

May be fatal if swallowed or absorbed through skin. May produce severe burns. Do not get in eyes, on skin or on clothing. Avoid breathing spray mist. Wash thoroughly after handling. Remove and wash contaminated clothing before reuse.

Antidote

Human—Internal: If swallowed, call a Physician immediately. Administer two or three tablespoons of olive oil and induce vomiting. Lastly give albuminous drinks, milk or white of egg. External: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, get prompt medical attention.

COOPER U.S.A., INC.
Veterinary Division
 Chicago, Illinois 60614 USA
 A Wellcome Company

KEROL DISINFECTANT
B.P. **DATE 10/27/72**

Unless this product is returned to the manufacturer with this check properly filled out, the property of the purchaser is assumed. The purchaser is liable for any loss or damage to the property of the purchaser. The manufacturer is not responsible for any loss or damage to the property of the purchaser. The manufacturer is not responsible for any loss or damage to the property of the purchaser. The manufacturer is not responsible for any loss or damage to the property of the purchaser.

DATE

NO. PROOFS	10
PROOF DATE	11-13-72
CHANGE A	3-1-73
CHANGE B	
CHANGE C	

ARTIST: BART