


Screw Worm & Ear Tick Killer



Pressurized

Active Ingredients

Gamma Isomer of Benzene Hexachloride (From Lindane)	3.0%
Xylene	30.0%
Inert Ingredients	67.0%
	<hr/>
	100.0%

CAUTION: Keep out of reach of children.
See other cautions and warning on back panel.

Blue Color Added.

Net Contents 1 Pound

EPA Reg. No. 59-164-AA



Screw Worm & Ear Tick Killer (Pressurized)

DIRECTIONS FOR USE

For Control of Screw Worm Larvae

On cattle, sheep, goats and horses. Point nozzle towards wound to be treated. Release spray by pushing nozzle forward or to either side. Hold nozzle 4 inches away from wound during application, and continue to spray until it is completely covered and wet. Work thoroughly into wounds and open holes. Spray a light application on drainage area below wounds. Color has been added to this product to enable easy identification of treated wounds. Repeat application twice weekly until wound is healed. Some strains of screw worms may develop resistance to lindane. This will be observed by lack of response to treatment.

Protect Uninfested Wounds

Spray all wounds on cattle, sheep, goats and horses, such as wire cuts, shear cuts, docking and dehorning, as soon as possible to avoid infestation. Repeat at 7 day intervals until healed.

Young Calves

Young calves over 3 months old spray sparingly. Never use more than necessary for adequate coverage of affected area.

To Kill Fleece Worm

Spray directly on infested area and drainage area below. Repeat as necessary.

To Kill Spinose Ear Tick

In cattle, horses, goats and sheep. Grasp animal's ear firmly and direct spray downward into the ear. Release spray for three seconds per ear in treating cattle and two seconds per ear in treating smaller animals. Do not use on calves under the age of 3 months.

CAUTION

Harmful if swallowed. May be absorbed through skin. Avoid inhalation of spray mist and contamination with hands as much as possible. If sprayed on skin or in eyes, wash thoroughly. Do not use on dogs, cats or other household pets or humans.

For external use only. Do not use more than necessary, especially on young calves. Do not use this product on lactating dairy animals. Avoid contamination of feed and feedstuffs. Apply this product only as specified on this label.

WARNING

FLAMMABLE—NEVER SPRAY NEAR OR TOWARD OPEN FLAME
Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

COOPER U.S.A., INC.

Chicago, Illinois 60614 USA

A Wellcome Company

VEEL-WGM-WWH

