

Screwworm & Ear Tick Killer

(Matagusanos Larvicida)

Pressurized - Presurizado

Active Ingredients

Lindane (gamma isomer of benzene hexachloride) 3.0%
Inert Ingredients 97.0%

Ingredientes Activos

Lindano (isomero gamma de benceno hexacloruro de benceno) 3.0%
Ingredientes Inertes 97.0%

Violet Color Added - Adición de color violeta

KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS
MANTENERLO LEJOS DEL ALCANCE DE LOS NIÑOS
PRECAUCION
LEER EL REVERSO PARA OTRAS INDICACIONES DE PRECAUCION

Net Contents 14 oz Awdp. EPA Est. 1171514 1
Contenido neto 14 onzas Awdp EPA Reg No 59 164



Coopers Animal Health Inc.
Kansas City, MO 64113, U.S.A.
E 3 0266442

Screwworm & Ear Tick Killer

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed. May be absorbed through skin. Avoid inhalation of spray mist and contamination with hands as much as possible. If sprayed on skin or in eyes, wash thoroughly. Applicators must wear the following protective clothing during the treatment process: elbow length, waterproof gloves, a waterproof apron, and unlined, waterproof boots. Do not use on dogs, cats, or other household pets or humans.

For external use only. Do not use more than necessary, especially on young calves. Do not use this product on lactating dairy animals. Avoid contamination of feed and feedstuffs. Apply this product only as specified on this label.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING. Vomiting may cause asphyxiation pneumonia. If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated. If On Skin: Remove contaminated clothing and wash skin thoroughly with soap and water. If In Eyes: Flush eyes with plenty of water. Call a physician immediately. Note To Physician: Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally.

PHYSICAL OR CHEMICAL HAZARDS

Extremely flammable, contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For Control of Screwworm Larvae: On cattle, sheep, goats and horses, point nozzle towards wound to be treated. Release spray by pushing nozzle forward or to either side. Hold nozzle 4 inches away from wound during application, and continue to spray until it is completely covered and wet. Work thoroughly into wounds and open holes. Spray a light application on drainage areas below wounds. Color has been added to this product to enable easy identification of treated wounds. Repeat application twice weekly until wound is healed. Some strains of screwworms may develop resistance to lindane. This will be observed by lack of response to treatment. Protect Uninfected Wounds. Spray all wounds on cattle, sheep, goats, and horses, such as wirecuts, shear cuts, docking and dehorning, as soon as possible to avoid infestation. Repeat at 7 day intervals until healed. Young calves. Young calves over 3 months old spray sparingly. Never use more than necessary for adequate coverage of affected area. To Kill Fleas or Worms: Spray directly on infested areas and drainage areas below. Repeat as necessary. To Kill Spanish Ear Tick, in cattle, horses, goats and sheep, grasp animal's ear firmly and direct spray downward into the ear. Release spray for three seconds per ear in treating cattle and two seconds per ear in treating smaller animals. Do not use on calves under the age of 3 months.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Storage: Store in cool, dry place away from heat or open flame. Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or residue is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Container Disposal: Replace cap and discard container as trash. Do not incinerate or puncture.

**INDICACIONES DE PRECAUCION
RIESGOS PARA LOS HUMANOS Y ANIMALES DOMESTICOS
PRECAUCION**

Peligroso si se ingiere. Puede ser absorbido por la piel. Procurar no inhalar el rocío ni contaminarse las manos. En caso de salpicarse la piel o los ojos, lavarse bien. Los encargados de aplicarlo deben usar la siguiente ropa protectora durante el proceso de tratamiento: Guantes largos hasta el codo e impermeables, delantal impermeable, y botas impermeables sin forro. No emplearlo en perros, gatos u otros animales domésticos o humanos. Sólo para uso externo. No usar más de la cantidad necesaria, especialmente en terneros nuevos. No usar este producto en animales de leche lactantes. Procurar no contaminar los alimentos y productos alimenticios. Aplicar este producto solamente de acuerdo a lo especificado en la etiqueta.

INDICACIONES DEL TRATAMIENTO PRACTICO

En caso de ingerirse: Llamar de inmediato al médico o al Centro de Control de Envenenamientos. En caso de tragarse, hacer un lavado gástrico. NO INDUCIR VÓMITO. El vómito puede causar neumonía por aspiración. En caso de inhalarse: Sacar la víctima al aire libre. Aplicar respiración artificial en caso de ser necesario. Contacto con la piel: Sacar la ropa contaminada y lavar la piel con bastante agua y jabón. Contacto con los ojos: Enjuagar los ojos con bastante agua. Llamar a un médico de inmediato. Aviso para el médico: El solvente presenta peligro de inhalación. En caso de ingestión se recomienda el lavado gástrico.

PELIGROS FISICOS O QUIMICOS

Extremadamente inflamable. Contenido a presión. Mantenerlo lejos del fuego, chispas y superficies calientes. No pinchar o incinerar el envase. La exposición a temperaturas sobre 130°F (55°C) puede reventar el envase.

MODO DE EMPLEO

Es contra las leyes federales emplear este producto de una manera contraria a lo indicado en la etiqueta. Para control de la larva del gusano barrenador. En los vacunos, ovinos, caprinos y equinos apuntar la boquilla hacia la herida tratada. Soñar el chorro oprimiendo la boquilla hacia adelante o a cualquiera de los costados. Sostener la boquilla a 4 pulgadas (10 cm) de la herida durante la aplicación, y continuar rociando hasta que esté totalmente cubierta y mojada. Trabajar bien hacia el interior de las heridas y agujeros abiertos. Rociar una aplicación suave en el área de drenaje debajo de las heridas. Se ha agregado color al producto para facilitar la identificación de las heridas tratadas. Repetir la aplicación dos veces por semana hasta que la herida sane. Algunas cepas de gusanos barrenadores pueden volverse resistentes al lindano. Esto se observará si no hay respuesta a la terapia. Proteger las heridas no infectadas. Rociar todas las heridas en los vacunos, ovinos, caprinos y equinos tales como corchaduras con alambre de tijeras, cercenaduras y descuerpes tan pronto como sea posible para evitar infecciones. Repetir a intervalos de 7 días hasta sanar. Terneros nuevos. Rociar los terneros nuevos hasta de 3 meses de edad en poca cantidad. Nunca usar más de lo necesario para que el área afectada quede adecuadamente cubierta. Para matar el gusano del vellón. Rociar directamente la zona infectada y el área de drenaje debajo de ella. Repetir según sea necesario. Para matar la garrapata del oído espumoso. En vacunos, equinos, caprinos y ovinos, agarrar bien firme la oreja del animal y rociar directamente dentro del oído. Soñar el chorro por tres segundos por oído en el tratamiento de vacunos y dos segundos por oído en los animales más pequeños. No usarlo en terneros menores de 3 meses de edad.

ALMACENAMIENTO Y DESCARTE

No contaminar el agua, los alimentos o comestibles mediante el almacenamiento o descarte. Almacenamiento: Guardarlo en lugar fresco, seco lejos del calor o llama expuesta. Descarte del pesticida: Los residuos de pesticida son tóxicos. El descarte inadecuado del exceso de pesticida mezcla de rociado o enjuague es contra las leyes federales. Si no se pueden deshacer estos residuos según las instrucciones de la etiqueta, comunicarse con la Oficina de Control de Pesticidas o Ambiental del Estado o con el representante de Pesticidas Peligrosas en la oficina Regional de EPA más cercana para información. Descarte del envase: Volver a colocar la tapa y botar el envase a la basura. No incinerarlo o perforarlo.

Handwritten notes and stamps at the bottom of the page, including a date stamp 'JUN 21 1977' and a handwritten number '59-164'.

Mr. Donald A. Buss
Coopers Animal Health, Inc.
2000 South 11th Street
Kansas City, KS 66103

Dear Mr. Buss,

Subject: Amendment - Revised Confidential Statement of Formula
and Labeling:
Removal of Xylene from Active to Inert Ingredients
Screwworm and Ear Tick Killer
EPA Registration Number 59-164
Your Application Dated May 15, 1990

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable, provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

1. Add a footnote to the label ingredient statement indicating:

Contains xy'ene range aromatic solvent.

2. Revise the Note to Physician to reflect item no. 2 above.

3. Under Precautionary Statements add/revise the following:

Do not use on lactating dairy animals or in dairy barns or milk rooms. Do not use on newborn (very young) animals or calves under 3 months old. Do not spray within 30 days of slaughter. Do not treat overheated or sick animals. Do not use on poultry. Areas near eyes should be treated with extreme caution. Wash hands thoroughly after using and before eating or smoking.

True 4/30/91

4. The label must clearly state the sites of application/treatment. We assume this is cattle, sheep, goats and horses. Thus, on the front panel add:

A Screwworm and Ear Tick Killer fo Use on Beef
Cattle, Sheep, Goats and Horses.

Submit five copies of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure