

Screw Worm Smear

DIRECTIONS FOR USE

Screw Worms

Apply Screw Worm Smear with a small brush to infested wound and surrounding area on cattle, sheep, goats, swine and horses. Cover all wounds thoroughly, including those that are uninfested. A light application should be made on the drainage area below the wounds to prevent attack of fleece worms in sheep and Angora goats, and other blow flies in cattle, sheep and goats.

Wounds should be treated at 7 day intervals until they are completely healed. Severe wounds may require treatment at 3-4 day intervals during the first ten days.

Treatment of Young Calves

Use the minimum amount of Smeary. Not more than 2 teaspoonsful per quart of water. Treat all wounds during 10 days.

COOPER Division
BURROUGHS WELLCOME CO.

Research Triangle Park, N.C. 27709

EPA Est. 59-NC-1

Fleece Worms

Dilute Screw Worm Smear 1 part to 9 parts water (7 tablespoonsful per quart of water). Saturate the infested area and 2-3 inches of the adjacent area. Small areas may be treated with the undiluted Smear, but since this is wasteful, the diluted Smear is recommended. Infested areas need not be shaved.

CAUTION

Harmful if swallowed. Avoid contact with skin; may be absorbed through skin. Wash hands thoroughly after using and before eating or smoking. Do not use on household pets or humans. Avoid contamination of feed and food stuffs.

Do not use on dairy cattle. Use Screw Worm Smear sparingly on very young calves. Apply this product only as directed on the label.

Do not use, pour, spill or store near heat or open flame.

Do not reuse empty container. Bury or discard in a safe place away from water supplies.

ENVIRONMENTAL CAUTIONS

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or by disposal of wastes.

Screw Worm Smear

ACCEPTED
OCT 21 1975
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 59-188

Does not stain.
Not affected by extremes in temperature.
Can be used anytime.

Active Ingredients

Gamma Isomer of Benzene Hexachlorocyclopentadiene	3.08%
Xylene	35.00%
Mineral Oil	41.69%
Inert Ingredients	20.23%
	<hr/> 100.00%

CAUTION: Keep out of reach of children.
See other cautions on back panel.

Net Contents One Quart (U.S. Measure) EPA Reg. No. 59-188



Pine Oil 44%

...

...



more thorough...

ACCEPTED
MAR 26, 1933
UNDER THE FEDERAL INSPECTOR
FOR EXPORT...
ED U.S.A. 72 1 7