Reg # 59-195 PM-13

MAN 1 4 1991

Mr. Donald A. Buss Coopers Animal Health, Inc. 1201 Douglas Avenue Kansas City, KS 66103-1438

Dear Mr. Euss:

Label Revisions Subject: EXPAR 3.2% EC EPA Registration No. 59-195 Your Letter Dated January 7, 1991

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable provided that you make the changes indicated below prior to release for shipment of product bearing the amended labeling.

Delete the phrase "vector of Lyme Disease" and replace 1. it with the following phrase:

"which may be a carrier of Lyme Disease"

2. Separate the word CAUTION from the subheading Hazards to Humans and Domestic Animals.

Submit five copies of your final printed labeling before you release the product for shipment. A stamped copy of the labeling is enclosed for your records.

Sincerely,

George T. LaRocca Product Manager 15 Insecticide-Rodenticide Branch **Registration Division (H7505C)**

Enclosure

Label - Expar[®] 3.2% EC x 8 oz (Main Panel)

Expar[®] 3.2% EC

Emulsifiable Concentrate Kills Fleas, Ticks and Lice on dogs. Kills Deer Ticks, (<u>Ixodes dammini</u>) vector of Lyme Disease Gives residual protection up to 21 days.

*cis/trans ratio: Max 55% (\pm) cis and min 45% (\pm) trans Contains xylene range aromatic solvents.

> KEEP OUT OF REACH OF CHILDREN CAUTION SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Net contents 8 fl. oz (236 ml)

EPA Est. No. 6175-LA-1 EPA Reg. No. 59-195

-54-195

يد راجد جد الد

Mill , e. Lijsetse

2 5 4

PA Lotter Court 16.5 1 1 100

Und. Fund

4 1

394

Expar[®] 3.2% EC

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Do not use on old, sick, or debilitated animals. Do not use on \checkmark puppies under six weeks of age. \checkmark

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia. If On Skin: Remove contaminated clothing and wash skin thoroughly with soap and water. If In Eyes: Immediately flush eyes with plenty of water. Get medical attention if irritation persists. Note to Physician: This product contains petroleum distillates. Vomiting may cause aspiration pneumonia.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment washwaters.

Coopers Animal Health Inc. 1201 Douglas Avenue Kansas City, KS 66103-1438 U.S.A. 56 505210 4

(Right Side Panel) DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product must be diluted before use.

LD1058

Stir four tablespoonfuls (2 fl. oz) of Expar 3.2% EC into one gallon of water. Dip, sponge or swab dog with this emulsion until thoroughly wet. Allow dog to dry in a warm place without rinsing or toweling.

Expar 3.2% EC gives long-lasting protection against reinfestation, and applications at intervals of two or three weeks will control ticks, fleas and lice on dogs. Repeat application nof more than once every seven days.

SHAKE OR STIR PRODUCT THOROUGHLY BEFORE USING OR REUSING DILUTED EMULSION

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Store in cool, dry place.

Pesticide Disposal: Securely wrap original container in several layers of newspaper and discard in trash.

Container Disposal: Do not reuse empty bottle. Wrap bottle and put in trash.

NOTICE OF WARRANTY

COOPERS ANIMAL HEALTH INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORD WITH THE STATEMENTS MADE ON THIS LABEL.