

Draft Label

Label - Expar[™] 3.2% EC x 1 gallon
(Main Panel)

Expar[™] 3.2% EC

Emulsifiable Concentrate

Kills Fleas, Ticks and Lice on dogs.

Kills Deer Ticks (Ixodes dammini), Vector of Lyme Disease

Gives residual protection up to 21 days.

Active Ingredient

Permethrin (3-phenoxyphenyl) methyl (±) - cis, trans-3-(2,2-dichloroethenyl)-2,2- dimethylcyclopropanecarboxylate*.....	3.20%
Inert Ingredients.....	96.80%
	100.00%


*cis/trans ratio: Max 55% (±) cis and min 45% (±) trans
Contains xylene range aromatic solvents.

KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

Net contents one U.S. gallon (3.785 L)

EPA Est. No. 6175-LA-1
EPA Reg. No. 59-195

Coopers Animal Health Inc.
1201 Douglas Avenue
Kansas City, KS 66103-1438 U.S.A.
13 13 001 13



Draft Label
Page 1 of 3
August 06, 1991
*LD1124

2 9 3
7

Draft Label
(Left Side Panel)

Expar™ 3.2% EC

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Do not use on old, sick, or debilitated animals.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.

If On Skin: Remove contaminated clothing and wash skin thoroughly with soap and water.

If In Eyes: Immediately flush eyes with plenty of water. Get medical attention if irritation persists.

Note to Physician: This product contains petroleum distillates. Vomiting may cause aspiration pneumonia.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment washwaters.

(Right Side Panel)
DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product must be diluted before use.

Draft Label
Page 2 of 3
August 06, 1991
*LD1124

Stir four tablespoonfuls (2 fl. oz) of EXPAR 3.2% EC into one gallon of water. Dip, sponge or swab dog with this emulsion until thoroughly wet. Allow dog to dry in a warm place without rinsing or toweling.

EXPAR 3.2% EC gives long-lasting protection against reinfestation, and applications at intervals of two or three weeks will control ticks, fleas and lice on dogs. Repeat application not more than once every seven days.

SHAKE OR STIR PRODUCT THOROUGHLY BEFORE USING OR REUSING DILUTED EMULSION

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Store in cool, dry place.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

NOTICE OF WARRANTY

COOPERS ANIMAL HEALTH INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORD WITH THE STATEMENTS MADE ON THIS LABEL.

Draft Label
Page 3 of 3
August 06, 1991
*LD1124