

(ALL COPY BLACK ON WHITE BACKGROUND EXCEPT AS INDICATED)

Label - Atroban® Insecticide Ear Tag x 20

(PMS YELLOW-116 BACKGROUND)

(Front Panel)

Atroban® Insecticide Ear Tag

For Use on Dairy (Lactating and Non-Lactating) and Beef Cattle and Calves to Control Horn Flies, Face Flies, Gulf Coast Ticks, Spinose Ear Ticks, and as an aid to Control Lice, Stable Flies and House Flies.

Active Ingredient

Permethrin (3-phenoxyphenyl)  
 methyl (±)-cis, trans-3-(2,2-  
 dichloroethenyl)-2,2-dimethyl-  
 cyclopropanecarboxylate\* . . . . . 10.0%

Inert Ingredients . . . . . 90.0%  
 100.0%

ACCEPTED WITH COMMENTS

JAN - 4 1988

Under the Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

59-196

This product contains the toxic inert ingredient diethyl hexyl phthalate (DEHP).

\*cis/trans ratio: Max 55% (±) cis and min 45% (±) trans

KEEP OUT OF REACH OF CHILDREN  
 CAUTION  
 SEE BACK PANEL FOR ADDITIONAL  
 PRECAUTIONARY STATEMENTS

Net wt. 9.5 grams per tag  
Contents: 20 tags and buttons

EPA Est. No. 6175-LA-1  
EPA Reg. No. 59-196



Coopers Animal Health Inc.  
Kansas City, KS 66103-1438 U.S.A.  
62 526025 1

(PMS RED-185 PARENTHESIS)

(ALL COPY BLACK ON WHITE BACKGROUND)

(Back Panel)

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
CAUTION

Wash thoroughly with soap and water after handling and before eating or smoking. Avoid contamination of feed and foodstuffs.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not add directly to water. Do not contaminate water by disposal of used tags. Use this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.




FIGURE 1

Place male button onto pin until it projects through the tip.




FIGURE 2

Dip tag button into disinfectant solution.




FIGURE 3

Press female tag under the clip by depressing lever.



FIGURE 4

Apply through ear between second and third rib, halfway between ear tip and head.

