

111

Label - Atroban® Insecticide Ear Tag x 20

(Front Panel)

526025

Atroban® Insecticide Ear Tag

For Use on Dairy (Lactating and Non-Lactating) and Beef Cattle and Calves to Control Horn Flies, Face Flies, Gulf Coast Ticks, Spinose Ear Ticks, and as an aid to Control Lice, Stable Flies and House Flies.

Active Ingredient

Permethrin (3-phenoxyphenyl)	
methyl (±)-cis, trans-3-(2,2-dichloroethenyl)-	
2,2-dimethylcyclopropanecarboxylate*	10.0%
Inert Ingredients	90.0%
	100.0%

This product contains the toxic inert ingredient diethyl hexyl phthalate (DEHP).

*cis/trans ratio: Max 55% (±) cis and min 45% (±) trans

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL

PRECAUTIONARY STATEMENTS

Net wt. 9.5 grams per tag

EPA Est. Nos. 6175-LA-1/58784-MO-001

Contents: 20 tags and buttons

EPA Reg. No. 59-196

Lot Number preceded by "T" indicates EPA Est. No. 58784-MO-001




COOPERS

Coopers Animal Health Inc.

1201 Douglas Avenue

Kansas City, KS 66103-1438 U.S.A.

15 25 003B



*LO1015/1
11/18/91

L

(Back Panel)

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Wash thoroughly with soap and water after handling and before eating or smoking. Avoid contamination of feed and foodstuffs.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not add directly to water. Do not contaminate water by disposal of used tags. Use this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.




FIGURE 1

Place male button onto pin until its project through the tip.




FIGURE 2

Dip tag button into disinfectant solution.




FIGURE 3

Press female tag under the clip by depressing lever.




FIGURE 4

Apply through ear between second and third rib, halfway between ear tip and head.

For control of horn flies, attach one tag to each ear of each animal. Tags remain effective up to 5 months. For season-long control of Gulf Coast ticks and face flies and as an aid in control of lice, stable flies, and house flies, attach two tags per animal (one in each ear). Apply when flies first appear in spring. Replace as necessary. Apply with Allflex® Tagging System.

Continual exposure to horn flies to a single class of insecticide (e.g., pyrethroids or organophosphates) may lead to the development of resistance to that class of insecticide. In order to reduce the possibility of horn flies developing resistance, it is important to rotate the class of insecticide used and/or the method of horn fly control on a seasonal basis. For advice concerning current control practices with relation to specified local conditions, consult resources in resistance management programs such as a veterinarian and/or your Cooperative Agricultural Extension Service.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in cool place away from direct sunlight.

Pesticide Disposal: Remove tags before slaughter. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

NOTICE OF WARRANTY

COOPERS ANIMAL HEALTH INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORD WITH THE STATEMENTS MADE ON THIS LABEL.

*L01015/3
11/18/91

BEST AVAILABLE COPY

