

59-201 PM 17 1072

SEP 20 1984

Donald A. Buss
Burroughs Wellcome Co.
Wellcome Animal Health Division
2500 South 11th Street
Kansas City, KS 66103

Dear Mr. Buss:

Subject: Atroban 118 EC
EPA Registration No. 59-201
Your Letter of June 4, 1984

Your proposed amendment to revise the use directions for this product to allow for preparation of smaller amounts of spray solution is acceptable and a stamped copy of the draft label is enclosed for your records. Submit five (5) copies of the finished printed labeling before the product is released for shipment under this amended labeling.

Your letter of June 20, 1984, indicating that you have requested Witco Chemical Corporation to provide us with information on Witconate P-1020 BU and Witconol WP-00 is acknowledged.

Sincerely yours,

Timothy A. Gardner
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

RD/IRB:J.M.Tavano:DCR-45257:0153L:efs:Raven:479-2013:09/1/84:Del.9/16/84

BEST AVAILABLE COPY

| CONCURRENCES | | | | | | | |
|--------------|---------|--|--|--|--|--|--|
| SYMBOL | TS 767 | | | | | | |
| SIGNATURE | Tavano | | | | | | |
| DATE | 9/17/84 | | | | | | |
| EPA FORM | | | | | | | |

OFFICIAL FILE COPY

(ALL COPY BLACK EXCEPT AS INDICATED)

(SIDE PANELS)

DES

(FRONT PANEL)

(YELLOW BACKGROUND)



Atroban® 11% EC

Emulsifiable Concentrate
Long Lasting Insecticidal Spray
for Livestock and Their Premises

(UNVARNISHED AREA
FOR STAMPED
INFORMATION)

Active Ingredient
Permethrin (3 phenoxyphenyl) methyl - cis trans-
3 (2,2 dichloroethyl) 2,2 dimethyl
cyclopropanecarboxylate 11.0%
Inert Ingredients 89.0%

This product contains 0.107 lbs (0.48 g) of permethrin per pint (473 ml)

KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

Net Contents One U.S. Pint (473 ml)

EPA Est. Nos. 602 MO 1/4/946 MO 1
EPA Reg. No. 59.201

Lot number preceded by 1 indicates EPA Est. No. 44946 MO 1

(RED CIRCLE,
BLACK INNER
WHITE UNICORN)



COOPER

WHITE REVERSE TYPE)

(BLACK BAR)

Atroban® 11% EC

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes or clothing.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician immediately. DO NOT INDUCE VOMITING unless under medical attention.

If On Skin: Remove contaminated clothing and wash skin thoroughly with soap and water.

If In Eyes: Immediately flush eyes with plenty of water. Get medical attention if irritation persists.

Note to Physician: This product contains petroleum distillates. Vomiting may cause aspiration pneumonia.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish. Do not add directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For all sprays intended for direct application to animals and building surfaces, and Atroban 11% EC to clean water as directed below, mix thoroughly and apply as a coarse spray. Spray lactating dairy cows only after milking is completed. Repeat applications as needed but not more than once every two weeks.

For Control of Horn Flies on Beef and Dairy Cattle and Horses: Dilute at the rate of one pt. Atroban 11% EC to 50 gals. of water (3 lbspp / 5 gals. water) and apply directly to animals at the approximate rate of 1 qt. per animal.

For Control of Face Flies, Stable Flies, House Flies, Horse Flies and Lice on Beef and Dairy Cattle and Horses: Dilute at the rate of 1 pt. Atroban 11% EC to 25 gals. of water (3 lbspp / 2.5 gals. water) and apply directly to animals at the approximate rate of 2 qts. per animal, giving particular attention to the face, legs and underline.

For Control of Ticks and Psoroptic (Scabies) Mites on Beef and Dairy Cattle: Dilute at the rate of 1 pt. Atroban 11% EC to 25 gals. of water (3 lbspp / 2.5 gals. water) and apply sufficient spray to thoroughly wet animals and ensure complete coverage. Repeat application in 10 to 14 days for mites.

For Control of Horse Face Flies: Dilute at the rate of 1 pt. Atroban 11% EC to 25 gals. of water (3 lbspp / 2.5 gals. water) and apply to 100 birds. One application should be sufficient. For Control of Horse Lice on Horses: Dilute at the rate of 1 pt. Atroban 11% EC to 25 gals. of water (3 lbspp / 2.5 gals. water) and apply to animals at the approximate rate of 1 qt. per animal. Repeat application in 14 days. Do not ship same for slaughter. For use in and around Horse Premises and outside Horse Premises: Dilute at the rate of 1 pt. Atroban 11% EC to 25 gals. of water (3 lbspp / 2.5 gals. water) and apply to surfaces where flies rest at the rate of 1 qt. per 100 sq. ft. of surface. Thoroughly wet surfaces and repeat application in two weeks. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE

Do not contaminate water. Store in cool, dry place. Pesticide Disposal: Wastes may be disposed of on site or by other proper authorities.

NOTICE

WELCOME ANIMAL HEALTH CHARITABILITY FITNESS FOR OTHERS WHICH EXTENDS BEYOND NORMAL CONDITIONS ON THIS LABEL.

Welcome Animal Health, Kansas City, MO 64108 U.S.A. 53-529021-0

ACCEPTED WITH COMMENTS

SEP 20 1984

59-201