

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">EPA REGISTRATION NO. 59-217</td> <td style="width: 50%;">DATE OF ISSUANCE MAY 9 1987</td> </tr> <tr> <td colspan="2">TERM OF ISSUANCE</td> </tr> <tr> <td colspan="2">NAME OF PESTICIDE PRODUCT Atroban 1% Insecticide</td> </tr> </table>	EPA REGISTRATION NO. 59-217	DATE OF ISSUANCE MAY 9 1987	TERM OF ISSUANCE		NAME OF PESTICIDE PRODUCT Atroban 1% Insecticide	
EPA REGISTRATION NO. 59-217	DATE OF ISSUANCE MAY 9 1987						
TERM OF ISSUANCE							
NAME OF PESTICIDE PRODUCT Atroban 1% Insecticide							
NOTICE OF PESTICIDE: ☐ REGISTRATION ☐ REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)							
NAME AND ADDRESS OF REGISTRANT (Include ZIP code) Coopers Animal Health, Inc. 2000 South 11th Street Kansas City, KS 66103 165 189626 1 18 BEST AVAILABLE COPY							
NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.							
On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. This product is conditionally registered in accordance with FIFRA section 3(c) (7) (A) provided that you: 1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c) (5) when the Agency requires all registrants of similar products to submit such data. 2. Make the labeling changes listed below before you release the product for shipment: a. Add the phrase "EPA Registration No. 59-217." b. Under the PRECAUTIONARY STATEMENTS heading, add the following: "Avoid contact with eyes and skin." "Wash hands thoroughly after handling." c. Under the heading STATEMENT OF PRACTICAL TREATMENT add: If Swallowed-Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia. d. On front panel of label under ingredient statement add "This product contains mineral oil."							
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 70%;">SIGNATURE OF APPROVING OFFICIAL </td> <td style="width: 30%;">DATE 5/19/87</td> </tr> </table>		SIGNATURE OF APPROVING OFFICIAL 	DATE 5/19/87				
SIGNATURE OF APPROVING OFFICIAL 	DATE 5/19/87						

3. Submit the results of the one-year storage stability study when the results of the study have been completed.

4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures

BEST AVAILABLE COPY

(PMS YELLOW - 116
BACKGROUND)

(ALL COPY BLACK EXCEPT AS INDICATED)

Label - ATROBAN® 1% Insecticide x 1 gallon
(Main Panel)

Atroban® 1% Insecticide

For Use Only in Special Coopers' Atroban® Applicator*

Contact Fly Killer

for

Beef and Lactating Dairy Cattle

- **Controls Horn Flies and Face Flies**
- **Aids in the Control of House Flies and Stable Flies**
- **Economical**
- **Easy to Use**
- **Positive Action Fly Control**
- **Cattle Treat Themselves**

ACCEPTED
with COMMENTS
in EPA Letter Dated:

MAY 19 1987

**Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.**

59-217

Active Ingredient

**Permethrin (3-phenoxyphenyl) methyl (±) cis,
trans-3-(2,2-dichloroethenyl)-2,2-**

dimethylcyclopropanecarboxylate 1.0%**

Inert Ingredients 99.0%

100.0%

****cis/trans ratio: Max 55% (±) cis and min 45% (±) trans**

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANEL FOR ADDITIONAL

PRECAUTIONARY STATEMENTS

Net Contents: 1 U.S. Gallon (3.785 L)

EPA Est. No. 6175-LA-1

EPA Reg. No. 59-XXX

***Patent Pending**

Coopers Animal Health Inc.

Kansas City, KS 66103-1438 U.S.A.

4601PFR

**(PMS RED-185
PARENTHESIS)**

- 1 -



(Left Side Panel)

Atroban® 1% Insecticide

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Avoid contact with eyes.

STATEMENT OF PRACTICAL TREATMENT

If In Eyes: Immediately flush eyes with water. Get medical attention if discomfort persists.

If Swallowed: Call a physician immediately. DO NOT INDUCE VOMITING unless under medical attention.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish. Use with care when applying in areas adjacent to any body of water. Do not add directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Keep container sealed when not in use. Do not store near food or feed. Protect from freezing.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

NOTICE OF WARRANTY

COOPERS ANIMAL HEALTH INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORD WITH THE STATEMENTS MADE ON THIS LABEL.

(Right Side Panel)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Atroban 1% Insecticide is to be used only in conjunction with Coopers' Atroban Applicator made especially for self-treatment of beef and dairy cattle. Atroban 1% Insecticide repels and controls horn flies and face flies and aids in the control of house flies and stable flies. This formulation has proven especially effective against horn and face flies when used with the Applicator lid uniquely designed for this container.

Most effective results are obtained when the Atroban device is hung at strategic locations, used daily and the insecticide solution promptly replaced with a new canister when the old canister is empty. Use this container only with Coopers' Atroban Applicator to assure proper application rate and efficacy.

No withdrawal period is required between use and slaughter or sale of milk.

ASSEMBLY INSTRUCTIONS

1. Place product container on a flat, firm surface and remove lid.
2. With one hand, grasp all long sections of rope wicks of Coopers' Atroban Applicator, place all short wick sections into jug opening.
3. Lower Applicator lid onto container, making sure all short wicks enter solution.
4. Align vertical arrows on side of Applicator lid with vertical slots in jug threads, making certain lid is all the way down in the slots.
5. Tighten Applicator lid firmly onto container by turning lid clockwise.
6. Attach rope or wire through holes on ears of Applicator lid. Hang evenly in desired location.

PLACEMENT SUGGESTIONS

1. Place the Coopers' Atroban Applicator where animals travel regularly so daily contact occurs. The Atroban is especially effective when hung in the exit walkways of dairy buildings (just outside the milking parlor) so that cows come into regular contact with the device. In range cattle situations, the Coopers' Atroban Applicator may be used in a manner similar to dust bags such as suspended at gaps between pastures where cattle pass to obtain mineral, salt or water, in loafing areas, etc.
2. Avoid placement of the device where water sprinkler systems used for animal cleaning and cooling may frequently wet wicks. Avoid spraying water on devices during regular exit walkway clean-up.
3. Hang Coopers' Atroban Applicator at a height to assure good contact of the wicks (nylon cords) with the face and backs of cattle, but at a height that will assure that the head and backs of cattle will not touch the bottom of this canister.

SPECIAL INSTRUCTIONS FOR USE WITH DAIRY CATTLE

1. In dairies with a single exit walkway, one Coopers' Atroban Applicator should be used for each 35-100 cows milked 2 or 3 times each day; two Coopers' Atroban Applicators placed one behind the other in the exit walkway if 100-200 cows are milked 2 or 3 times per day; 3 wicks if 200-300 or more cows are milked 2 or 3 times per day, and so on.
2. In dairies with more than one exit walkway, on a 2 or 3 times per day milking schedule, use one Coopers' Atroban Applicator in the center of each exit walkway for each 200 animals milked per day. Two Coopers' Atroban Applicators should be placed one behind the other in the center of each exit walkway if 400 cows per day are milked 2 or 3 times per day. Three Coopers' Atroban Applicators in each exit if 600 cows are milked 2 or 3 times per day, and so on.