3. Submit five (5) copies of your final printed labeling before you release the creduct for animent. Refer to the A-79 Enclosure for a further description of final printed labeling.

SIGNATURE OF APPROVING OFFICIAL

I unis H. Edward Vm

J/24 188

EPA Form 8570-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTILYSUPPLY IS EXHAUSTED.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6 (e). Your release for shipment of the product constitues acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Dennis H. Edwards, Jr. Product Manager (12) Insecticide-Rodenticide Branch Registration Division (TS-767C)



For up to 5 months control of horn flies (including synthetic pyrethroid-resistant horn flies) use two tags per head on beef and non-lactating dairy cattle and calves.

Active Ingredient

Pirimiphos-Methyl 0-[2-diethylamino)-6-methyl -4-pyrimidinyl] 0,0-dimethyl phosphorothioate 20% Inert Ingredients 80%

This product contains the toxic inert ingredient diethyl hexyl phthalate (DEHP).

KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE BACK PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

Net wt. 9.5 grams per tag

Contents: 20 tags and buttons

EPA Est. No. 6175-LA-1 EPA Reg. No.



Coopers Animal Health Inc. Kansas City, KS 66103-1438 U.S.A. 53 526990 0

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through skin. Wear nonpermeable protective gloves when applying or removing tags. Wash thoroughly with soap and water after handling and before eating and smoking.

Note to Physician: This product is a cholinesterase inhibitor. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not add directly to water. Do not contaminate water by disposal of used tags. Use this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This labeling must be in the possession of the user at the time of pesticide application.



FIGURE 1 Place male button onto pin until it projects through the tip.



FIGURE 2 Dip tag button into disinfectant solution.




FIGURE 3 Press female tag under the clip by depressing lever.



FIGURE 4 Apply through ear between second and third rib, halfway between ear tip and head.

For optimum control and to minimize development of insect resistance, use two tags per animal (one in each ear). All animals in the herd should be tagged. Apply when flies first appear in spring. Replace as necessary. Apply with Allflex* Tagging System. Tags remain effective up to 5 months. Remove tags in fall.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in cool place away from direct sunlight. Opened pouches containing ear tags should be resealed for storage.

Pesticide Disposal: Remove tags before slaughter. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

NOTICE OF WARRANTY

COOPERS ANIMAL HEALTH INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORD WITH THE STATEMENTS MADE ON THIS LABEL.

Lot No.: