(ALL COPY BLACK ON WHITE B GROUND EXCEPT AS INDICATED)


Pouch - Tomahawk● Insecticide Ear Tags x 20 (Front Panel)

(PMS YELLOW-116 BACKGROUND WITH BLACK COPY)



For up to 5 months control of horn flies (including synthetic pyrethroid-resistant horn flies) use two tags per head on beef and non-lactating dairy cattle and calves.

Active Ingredient



CAUTION

SEE BACK PANEL FOR ADDITIONAL

PRECAUTIONARY STATEMENTS

Net wt. 9.5 grams per tag

EPA Est. Nos. 6175-LA-1/58784-MO-001

Contents: 20 tags and buttons EPA Req. No. 59-218

Lot Number preceded by "T" indicates EPA Est. No. 58784-MO-001

Inserts Licensed Under U.S. Patent No. 4.581, 834



Coopers Animal Health, Inc.

1201 Douglas Avenue Kansas City, KS 66103-1438 U.S.A.

62 526994 1

(PMS' RED-185 PARENTHESIS)

Tomahawk Insecticide Ear Tags

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through skin. Wear nonpermeable protective gloves when applying or removing tags. Wash thoroughly with soap and water after handling and before eating and smoking.

Note to Physician: This product is a cholinesterase inhibitor. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal.

# ENVIRONMENTAL HAZARDS


This pesticide is toxic to fish. Do not add directly to water. No not contaminate water by discoral of used tags. Use this product only as specified on this label


475

# DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This labeling must be in the possession of the user at the time of pesticide application.









Place male
button onto pin
until it
projects
through the
tip.

FIGURE 2
Dip tag button
into
disinfectant
solution.

FIGURE 3
Press female
tag under the
clip by
depressing
lever.

FIGURE 4
Apply through
ear between
second and
third rib,
halfway between
ear tip and
head.

For optimum control and to minimize development of insect resistance, use two tags per animal (one in each ear). All animals in the herd should be tagged. Apply when flies first appear in spring. Replace as necessary. Apply with Allflex® Tagging System. Tags remain effective up to 5 months. Remove tags in fall.

Continual exposure to horn flies to a single class of insecticide (e.g., pyrethroids or organophosphates) may lead to the development of resistance to that class of insecticide. In order to reduce the possibility of horn flies developing resistance, it is important to rotate the class of insecticide used and/or the method of horn fly control on a seasonal basis. For advice concerning current control practices with relation to specified local conditions, consult resources in resistance management programs such as a veterinarian and/or your Cooperative Agricultural Extension Service.

(ALL COPY BLACK ON WHITE P. KGROUND EXCEPT AS INDICATED)

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

storage: Store in a cool place away from direct sunlight. Opened pouches containing ear tags should be resealed for storage.

Pesticide Disposal: Remove tags before slaughter. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Dispose of empty bag in a sanitary landfill or by incineration or, if allowed by state and local authorities, by burning. if burned, stay our of smoke.

## NOTICE OF WARRANTY

COOPERS ANIMAL HEALTH, INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORD WITH THE STATEMENTS MADE ON THIS LABEL.

Lot No.: