Joseph E. Dyer Coopers Animal Health, Inc. 1201 Douglas Avenue Kansas City, KS 66103-1438

Dear Mr. Dyer:

Subject: Revised labeling: add claim for face fly control

Tomahawk Insecticide Ear Tags

EPA Reg. No. 59-218

Your submission dated April 22, 1993

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your record.

Sincerely yours,

DITE

Dennis H. Edwards, Jr. Product Manager (19) Insecticide Rodenticide Branch Registration Division (7505C)

## \*\*\*DRAFT LABEL\*\*\*

PRODUCT NAME: TOMAHAWK INSECTICIDE EAR TAGS

EPA REG. NO.: 59-218

DATE: April 22, 1993

SUPERSEDES: \*LO1001

ITEM: Pouch Label

COMPANY: Coopers Animal Health Inc.

COUNTRY: USA

REASON TO ISSUE: Add new use "Aids in the Control of Face Flies"

DRAFT LABEL FRONT LABEL

## TOMAHAWK INSECTICIDE EAR TAGS

(INSECTICIDE)

For up to 5 months control of horn flies (including synthetic pyrethroid-resistant horn flies) and as an aid in the control of face flies, use two tags per head on beef and non-lactating dairy cattle and calves.

Active Ingredient:

Pirimiphos Methyl: O-[2-diethylamino-6-methyl-4-

pyrimidinyl] 0,0-dimethyl phosphorothioate ...... 20.0% w/w

TOTAL CONTENTS 100.0%w/w

Keep Out Of Reach of Children CAUTION

See Side/Back Panel For Additional Precautionary Statements

Net Wt.: 9.5 grams per tag Contents: 20 tags and buttons

Inserts licensed Under US Patent No. 4,581,834

Coopers Animal Health Inc. 1201 Douglas Avenue Kansas City, Kansas 66103-1438 U.S.A.

(lot number statements as needed) Mfg. & Printed in U.S.A.

(product number). (label revision number)

Page 1 of 3 April 1993 A:CAHL218A.DOC-1 ACCEPTED

JUN 1 0 1994

Under the Federal Insecticide. Fungicide. and Redenticide Ast as amended, for the pesticide registered under 59~ 18



## DRAFT LABEL SIDE/BACK PANEL

#### TOMAHAWK INSECTICIDE EAR TAGS

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through the skin. Wear nonpermeable protective gloves when applying or removing tags. Wash thoroughly with soap and water after handling and before eating and smoking.

Note to Physician. This product is a cholinesterase inhibitor. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal.


## **ENVIRONMENTAL HAZARDS**


This pesticide is toxic to fish. Do not add directly to water. Do not contaminate water by disposal of used tags. Use this product only as specified on this label.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This labeling must be in the possession of the user at the time of pesticide application.










FIGURE 1
Place male
button onto pin
until it
projects
through the

FIGURE 2
Dip tag button
into
disinfectant
solution.

FIGURE 3
Press female
tag under the
clip by
depressing
lever.

Apply through
ear between
second and
third rib,
halfway between
ear cip and

Page 2 of 3 April 1993 A:CAHL218A.DOC-2

tip.



DRAFT LABEL SIDE/BACK PANEL

#### TOMAHAWK INSECTICIDE EAR TAGS

## DIRECTIONS FOR USE (CONT'D)

For optimum control and to minimize development of insect resistance, use two tags per animal (one in each ear). All animals in the herd should be tagged. Apply when flies first appear in spring. Replace as necessary.

Apply with Allflex Tagging System. Tags remain effective up to 5 months. Remove tags in fall.

Continual exposure of horn flies to a single class of insecticide (e.g., pyrethroids or organophosphates) may lead to the development of resistance to that class of insecticide. In order to reduce the possibility of horn flies developing resistance, it is important to rotate the class of insecticide used and/or the method of horn fly control on a seasonal basis. For advice concerning current control practices with relation to specified local conditions, consult resources in resistance management programs such as a veterinarian and/or your Cooperative Agricultural Extension Service.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool place away from direct sun light. Opened pouches containing ear tags should be resealed for storage.

Pesticide Disposal: Remove tags before slaughter. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

### NOTICE OF WARRANTY

COOPERS ANIMAL HEALTH INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORD WITH THE STATEMENTS MADE ON THIS LARKL.



Page 3 of 3 April 1993 A:CAHL218A.DOC-3

\_\_\_\_\_\_