- Add the phrase, "EPA Registration No. 59-229."

Harmful if absorbed through skin. skin, eyes and clothing. repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling.

Under Statement of Practical Treatment, add:

IF ON SKIN: Wash skin with soap and water. Get medical attention.

ATTACHMENT IS APPLICABLE	
SIGNATURE OF APPROVING OFFICIAL	DATE

EPA Form 8570-6 (Rev. 5-76)

by others.

PREVIOUS EDITION MAY SE USED UNTIL SUPPLY IS EXHAUSTED.

MC 9/4/91

WASHINGTON, DC 20460

- d. Update the Environmental Hazards statements as follows:
  - Change "This pesticide is extremely toxic to fish." to
     "... to fish and other aquatic invertebrates."
  - Delete "Use with care when applying ..."
  - Change "Do not contaminate water by cleaning of equipment or disposal of washes." to "Do not contaminate water when disposing of equipment washwaters."
- 3. Submit five copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Sincerely,

George T. LaRocca Product Manager (15) Insecticide-Rodenticide Branch Registration Division (H7505C)

Enclosures

11 13 59-229

(ALL COPY BLACK ON WHITE BACKGROUND EXCEPT AS INDICATED)

(PMS YELLOH-116

PACKGROUND WITH BLACK Label - Atroban\* DeLice\* Plus Insecticide x gallon

(Front Panel)



Plus Insecticide

- Symergized
- -- Non-Systemic -
- . A Broad Spectrum Pest Management Insecticide
- Pour-On: Controls Lice, Horn Flies and Face Flies on Beef Cattle, Lactating and Non-Lactating Dairy Cattle and Calves. Aids in control of Horse Flies, House Flies, Stable Flies, Mosquitoes and Black Flies
- Pour-On: Controls Stable Flies, Horn Flies, Face Flies, House Flies, Eye Gnats and Ticks when used as directed. Aids in Control of Horse Flies, Mosquitoes and Black Flies on Horses, including Foals.
- Pour-On: Controls Sheep Keds and Lice on Sheep and Lambs
- Back Rubber: Controls Lice, Horn Flies and Face Flies on Beef Cattle, Lactating and Mon-Lactating Dairy Cattle and Calves. Aids in Control of Horse Flies, House Flies, Stable Flies, Mosquitoes and Black Flies.
- . Ready-To-Use Direct Animal Spray: Controls Horn Flies, Face Flies and Lice on Beef Cattle, Lactating and Non-Lactating Dairy Cattle and Calves. Aids in Control of Horse Flies, House Flies, Stable Flies, Mosquitoes and Black Flies.
- Ready-To-Use Oil Base Wipe-On: Controls Flies on Horses.
- Ready-To-Use Mist Spray: Control Flies and other Flying Insects on and around Beef Cattle, Lactating and Non-Lactating Dairy Cattle, Calves and Horses.
- Ready-To-Use Premise Spray: Controls Flying Insects in and around Livestock and Poultry Premises, Kennels and "outside" Meat Processing Plants.

BEST AVAILABLE COPY

SEP 4 1991

TE DYER FEBRUARY 1991 RA4733

59.22g

# Active Ingredients

Permethrin (3-phenoxyphenyl) methyl

(±) cis, trans-3-(2,2-dichloroethenyl)-2,

2-dimethylcyclopropanecarboxylate\* ..... 1.0%

Piperonyl Butoxide Technical\*\* ..... 1.0%

Inert Ingredients ......98.0%

\* cis/trans ratio: Min 35% ( $\pm$ ) cis and max 65% ( $\pm$ ) trans

\*\* Equivalent to Min 0.8% (butylcarbityl) (6-propylpiperonyl) ether and 0.2% related compounds.

CAUTION

SEE BACK PANEL FOR ADDITIONAL

PRECAUTIONARY STATEMENTS

Net Contents One U.S. Gallon (3.785 L)

EPA Est. No. 6175-LA-1

EPA Reg. No. 59-



Coopers Animal Health Inc.

-1201 Douglas Avenue

Kansas City, KS 66103-1438 U.S.A.

U.S. Patent No. 4,024,163

56 000001 0

(PMS RED-185 PARENTHESIS)

DRAFI

(Back Panel)

Atroban® DeLice® Plus Insecticide

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC-ANIMALS CAUTION

Avoid contact with eyes.

#### STATEMENT OF PRACTICAL TREATMENT

If In Eyes: Immediately flush eyes with plenty of water. Get medical attention if discomfort persists.

If Swallowed: Call a physician immediately. DO NOT INDUCE VOMITING UNLESS UNDER MEDICAL ATTENTION.

#### ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. Use with care when applying to areas adjacent to any body of water. Do not add directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

#### PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Storage:** Keep container sealed when not in use. Do not store near food or feed.

TE DYER FEBRUARY 1991 RA4733 **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READY TO USE** - No dilution necessary.

Apply To	Target Insects	Application Instructions
Lactating and Non-	LICE, Horn	Dosage: Apply 1/2 fl. oz
Lactating Dairy	Flies, Face Flies.	(15 cc) per 100 lbs body wt.
Cattle, Beef Cattle	Aids in control of	of animal, up to a maximum of
and calves.	Horse Flies,	5 fl. oz for any one animal.
	Stable Flies,	Pour On: Pour correct dose
	House Flies,	along back and down face.
	Mosquitoes,	Ready-To-Use Spray: Use
	Black Flies.	undiluted in a mist sprayer
		to apply correct dose. Apply
		directly to neck, face, back,
		legs and ears.
		Back Rubber Use: Mix one pint
		per gallon #2 diesel or
		mineral oil. Keep rubbing
		device charged. Results
		improved by daily forced use.

Sheep

Sheep Keds, Lice Pour along back. Apply 1/4 fl. oz (7.5 cc) per 50 lbs body wt of animal, up to a maximum of 3 fl. oz for any one animal. For optimum control, all animals in the flock should be treated after shearing.

Horses

Stable Flies,
Horn Flies, Face
Flies, House
Flies, Eye Gnats
and Ticks. Aids in
control of Horne
Flies, Mosquitoes,
Black Flies

Apply 2 to 4 fl. oz (60 to 120 cc) as a wipe-on or pour 4 fl. oz (120 cc) down back line.

Ready-To-Use Spray: Use pour-on after riding or exercise. Use undiluted in a mist sprayer, applying 2-4 oz per animal. Apply Atroban DeLice Plus directly onto attached ticks. Repeat as needed.

Premises - in and around Horse, Beef. Dairy, Swine, Sheep and Poultry premises, Animal Hospital Pens and Kennels and "outside" Meat Processing Premises.

House Flies,
Stable Flies,
Face Flies, Gnats,
Mosquitoes,
Black Flies,
Fleas, Little
House Flies
(Fannia spp.).
Aid in control of:
cockroaches, ants,
spiders, crickets.

For use as a ready-to-use spot spray or premise spray, use undiluted in a mist sprayer. Apply directly to surface to leave a residual insecticidal coating, paying particular attention to areas where insects crawl or alight. One gallon will treat approximately 7,300 square feet.

NKHEL

For cattle and sheep, repeat treatment as needed, but not more than once every two weeks. For optimum lice control, two treatments at a 14-day interval are recommended.

Special Note: Atroban Delice Plus Insecticide is not effective in controlling cattle grubs.

Atroban Delice Plus is an oil-base, ready-to-use product, that may leave an oily appearance on the hair coat of some animals.

Atroban DeLice Plus should be used in an integrated pest management system which may involve repeat treatments and the use of other pest control practices.

## **WOTICE OF WARRANTY**

COOPERS ANIMAL HEALTH INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORD WITH THE STATEMENTS MADE ON THIS LABEL.

TEBRUARY 1991 RA4733

10

(