

PP113

59-232

1 of 5

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

JUN - 6 1995

Until Reregistration

SABER POUR-ON

Coopera Animal Health Inc,
421 East Hawley Street
Mundelein, IL 60060

181
18
5488194

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA sec. 3(c)(5) or FIFRA sec. 4 when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

- a. Add the phrase "EPA Registration No. 59-232".
- b. Delete "Non-Systemic" from the label (front panel).

c. We note retention of the statements related to sensitivity of this product to certain individuals. The dermal sensitization study does not identify this product as a sensitizer. Thus you may delete these statements, unless you have actual field data that support retention.

1 of 5

CONCURRENCES

SYMBOL							
SURNAME	JM						
DATE							

d. Revise last sentence under "If on Skin" to read:
.....Get medical attention if symptom occur.

e. Under Environmental Hazards revise the statement to
read:
..... Do not contaminate water by cleaning of equipment rinse
water.

3. Submit five (2) copies of your final printed labeling before
you release the product for shipment. Refer to the A-79
enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration
will be subject to cancellation in accordance with FIFRA section
6 (e). Your release for shipment of the product constitutes
acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (13)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosures

345

SABER™
Pour-On Insecticide

- Non-Systemic
- A Broad Spectrum Pest Management Insecticide
- Pour-On: Controls Lice and Horn Flies
- For Beef Cattle and Calves

Active Ingredients	%[w/w]
Lambdacyhalothrin: [1 α -(S), 3 α (Z)-(\pm)-cyano (3-phenoxyphenyl)-methyl-3-(2-chloro-3,3,3- trifluoro-1-propenyl)-2,2-dimethylcyclopropane- carboxylate	1.0%
Inert Ingredients	99.0%
TOTAL	100.0%

ACCEPTED
with COMMENTS
in EPA Letter Dated

JUN - 6 1995

KEEP OUT OF REACH OF CHILDREN

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
59-232

CAUTION

See side and/or back panel for additional precautionary statements

Net contents 30 fl. oz.
900 ml.

EPA Reg. No. 59-ECF
EPA Est. No. 6175-L 1-1

Coopers Animal Health Inc.
421 East Hawley Street
Mundelein, Illinois, 60060.



[Lot number statements as needed]
Mfg. & Printed in U.S.A.

[Product number]
[Label revision number]

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMAN AND DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed, absorbed through the skin or inhaled. Causes moderate eye irritation. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes or clothing. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling. Avoid contact with eyes. Wear rubber or nonpermeable protective gloves when applying this product. Data indicate this product to be a contact allergenic. Certain individuals are known to have a special sensitivity to some pyrethroid insecticides. Such individuals on contact with the insecticide may experience a "tingling or burning" sensation around the face, arms, armpits and/or groin. If such sensitivity occurs, wash the affected area with mild soap and water, and to relieve the sensation apply a thin layer of an oil based ointment. The sensation generally dissipates within 18-24 hours, if not call a physician.

Do not apply product to face of cattle.

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Immediately flush eyes with plenty of water. Get medical attention if discomfort persists.

If on skin: Wash with plenty of soap and water. Get medical attention.

If swallowed: Call a physician immediately. DO NOT INDUCE VOMITING UNLESS UNDER MEDICAL ATTENTION.

If inhaled: Remove victim to fresh air, if not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. Use with care when applying in areas adjacent to any body of water. Do not add directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Keep container sealed when not in use. Do not store near food or feed.

Pesticide disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container disposal: Triple rinse [or equivalent]. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

READY TO USE - No dilution necessary

Do not apply to lactating or dry dairy cows. Do not apply this product to face of beef cattle or calves.

- Apply to:** Beef Cattle and Calves
- Target insects:** Lice, Horn flies
- Dosage:** Apply product down the backline at the rate of 10 ml [$\frac{1}{3}$ fl. oz.] per head for cattle weighing less than 600 lb., or at a rate of 15 ml [$\frac{1}{2}$ fl. oz.] head for cattle weighing more than 600 lb.

Repeat treatment as needed, however, do not apply more than once every two weeks and do not apply more often than four times within any six month period. For reduction of sucking lice, two treatments at a 14-day interval are recommended.

Special Note: Saber Pour-On is not effective in controlling cattle grubs. Therefore this product can be used on cattle at any time of the year without fear of host-parasite reactions commonly associated with grub treatment products.

Saber Pour-On should be used in an integrated pest management system which may involve repeat treatments and the use of other pest control practices

Continual exposure of horn flies to a single class of insecticide [e.g. pyrethroids or organophosphates] may lead to the development of resistance to that class of insecticide. In order to reduce the possibility of horn flies developing resistance, it is important to rotate, on a seasonal basis, the class of insecticide used and/or the method of horn fly control. For advice concerning current control practices with relation to specific local conditions, consult resources in resistance management programs and your Cooperative Agricultural Extension Service.

NOTICE OF WARRANTY

COOPERS ANIMAL HEALTH INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THIS PRODUCT UNDER NORMAL CONDITIONS AND IN ACCORD WITH THE STATEMENTS ON THIS LABEL.