

ExcaliburTM Insecticide Ear Tags



For up to 5 months control of horn flies and up to 4 months control of face flies. Use two tags per head on beef and non-lactating dairy cattle and calves.

| Active Ingredients | |
|--|------|
| Lambdacyhalothrin [1 alpha-(S),3 alpha(Z)]-(±)-cyano- | 10% |
| (3-phenoxyphenyl)methyl 3-(2-chloro-3,3,3-trifluoro-1-propenyl)- | 13% |
| 2,2-dimethylcyclopropanecarboxylate | 77% |
| Piperonyl Butoxide Technical* | 100% |
| Inert Ingredients | |

*Equivalent to Min 10.4% (butylcarbitol) (6-propylpiperonyl) ether and 2.6% related compounds.


KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS-HAZARDS TO HUMANS & DOMESTIC ANIMALS
Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with skin, eyes or clothing. Wear rubber or nonpermeable protective gloves when applying or removing tags. Do not breathe vapors. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Avoid contamination of feed and foodstuffs.

Net Wt. 9.5 grams per tag
Contents: 100 tags and buttons

Lot Number preceded by "T" indicates EPA Est. No. 58784-MO-001.
Inserts Licensed Under U.S. Patent No. 4,581,834

Coopers Animal Health Inc.
2000 S. 11th Street
Kansas City, KS 66103-1438 U.S.A.
56 505609 0



ExcaliburTM Extra Insecticide Ear Tags

ENVIRONMENTAL HAZARDS

Do not contaminate water by disposal of used tags. This product is toxic to fish. Do not apply to any body of water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This labeling must be in the possession of the user at the time of pesticide application.



FIGURE 1
Place male button onto pin until it projects through the top.



FIGURE 2
Dip tag button into disinfectant solution.



FIGURE 3
Press female tag under the clip by depressing lever.



FIGURE 4
Apply through ear between second and third ribs, halfway between ear tip and head.

For optimum control and to minimize development of insect resistance, use two tags per animal (one in each ear). All animals in the herd should be tagged. Apply when flies first appear in spring. Replace as necessary. Apply with Airflex[®] Tagging System. Tags remain effective up to 5 months. Remove tags in fall.

Continual exposure of horn flies to a single class of insecticides (e.g. pyrethroids or organophosphates) may lead to the development of resistance to that class of insecticides. In order to reduce the possibility of horn fly developing resistance, it is important to rotate the class of insecticide used and/or the method of horn fly control on a seasonal basis. For advice concerning current control practices with relation to specific local conditions, consult resources in resistance management programs and/or your Cooperative Agricultural Extension Service.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Storage: Store in cool place away from direct sunlight. Opened pouches containing ear tags should be resealed for storage. Pesticide Disposal: Remove tags before slaughter. Tags may be disposed of on site or at an approved waste disposal facility. Container Disposal: Dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

NOTICE OF WARRANTY

COOPERS ANIMAL HEALTH INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORD WITH THE STATEMENTS ON THIS LABEL.

NOT FOR SALE
 FROM THE LOW
 0661

BEST AVAILABLE COPY