

70-57

11/15

12/4

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

Size: 1 quart

KILL-KO

~~ANTHRASTOMAN~~ MANGE CURE
~~LONGSIGHT~~

FOR KENNEL, COMMERCIAL FARM AND SPORT DOG USES ONLY

For control of (Sarcoptic) Mange on dogs. Also controls lice, fleas and ticks.

ACTIVE INGREDIENTS:

Lindane (Gamma Isomer of Benzene Hexachloride)....	5%
Pine Oil.....	44%
Naphtha (Aromatic Petroleum Distillate).....	10%
INERT INGREDIENTS.....	41%
TOTAL.....	100%

A

EPA Reg. No. 70-67
EPA Est. No. 70-KY-1

KEEP OUT OF REACH OF CHILDREN
WARNING

See Side Panels For Additional Precautionary Statements

AN INDIVIDUAL APPLICATOR MUST NOT APPLY THIS PRODUCT MORE THAN TWELVE TIMES PER YEAR.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS
WARNING

May be absorbed through skin. Avoid contamination of feed and foodstuffs. Do not get on skin or in eyes. Wash thoroughly with soap and water after using and before eating or smoking. Keep out of reach of children. Harmful if swallowed. Do not allow children to handle or apply this product. Apply product outdoors or in a well-ventilated area.

Protective Clothing: Applicators must wear the following protective clothing during the treatment process: long-sleeved shirt, long pants, waterproof gloves, waterproof apron, and full foot covering.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE! Do not use, pour, spill or store near heat or open flame.

STATEMENT OF PRACTICAL TREATMENT

If swallowed - Call a physician or Poison Control Center immediately. If possible vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger.

Rigo's Best Lindane Insecticide-Dog (labels\lindaned)
PAGE 2

Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.

If on skin - Remove contaminated clothing and wash affected areas with soap and water.

If in eyes - Flush eyes with plenty of water. Call a physician immediately.

Note to Physician - Solvent presents aspiration hazards.

Gastric lavage is indicated if material was taken internally.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOTE: Read precautionary statements and directions thoroughly before using. Apply this product only as specified on the label.

MIXING: Mix 5 teaspoonfuls of ~~Lindane Insecticide~~ ^{Mange Cure} in one gallon of water to control mange (Sarcoptic), lice, fleas and ticks on dogs. Use caution in mixing, since improper dilution of this product could cause serious injury to your pet.

APPLICATION: See PROTECTIVE CLOTHING requirement on adjoining panel of this label. Using a mechanical compressed-air sprayer adjusted to deliver coarse droplets, spray dog to wet hair thoroughly. For sarcoptic mange mites, apply once a week for two or more treatments as needed. For fleas, ticks, or lice apply at 7 to 10 day intervals as needed but never more often than once per week.

RESTRICTIONS: Do not use this product as a dip. Do not use on cats. Do not treat animals within 30 days prior to giving birth to young. Do not treat nursing puppies or bitches with suckling pups. Do not treat dogs less than 4 months old. Do not use more often than once a week. Usually 2 or more thorough applications at weekly intervals are necessary. Do not allow children to play with dog until hair has dried. Children under the age of thirteen should not be allowed to handle or apply this product.

Rinsate must be disposed of in accordance with the Resource Conservation and Recovery Act (RCRA). If the applicator generates more than 1000 kg of rinsate per month or more than 1000 kg of rinsate in combination with other hazardous waste, the material must be treated as a hazardous waste subject to subpart C of RCRA. Any user who wishes to treat, store or dispose of hazardous waste must obtain a permit to serve as a hazardous waste facility pursuant to RCRA.

An individual applicator must not use this product more than *twelve* times per year. Each treatment of three dogs or fewer should be considered one use.

STORAGE AND DISPOSAL

Store in original container only in a cool, dry location away from heat, flame, direct or indirect sunlight. Do not reuse

3 : 11

Rigo's Best Lindane Insecticide-Dog (labels\lindaned)
PAGE 3

empty container. Wrap container and put in trash collection.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

UPC CODE #30072 10414
NET CONTENTS 1 QUART
RIGO COMPANY
BUCKNER, KENTUCKY 40010

A Division of Wilbur-Ellis Company

194

ATTACHMENT I

A. ACTIVE INGREDIENTS:

Lindane (Gamma Isomer of Benzene Hexachloride)	5%
INERT INGREDIENTS*	95%
	<hr/>
Total	100%

* Contains Heavy Aromatic Naptha