

Reg # 70-72

PM-15

12/31/81

172

Use only in accordance with
EPA guidance for Phase 2
pesticide products in Status.

CAUTION:

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing of spray mist. Wash thoroughly with soap and water after handling and before eating or smoking. Keep out of reach of children. If swallowed, induce vomiting immediately and get medical attention at once. Do not contaminate feed, water or foodstuffs. Atropine is antidotal.

RIGGO Fly and Mosquito Spray is inflammable. DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME. Asphalt tile and some Linoleum have a tendency to soften and discolor when wet with a Petroleum Base Insecticide.

Remove pets, birds and cover fish aquariums before spraying. Do not remain in treated areas and ventilate after treatment is complete.

Do not reuse container. Destroy when empty.

RIGGO

**FLY &
MOSQUITO
SPRAY**

With
DDVP

(Vapona® Insecticide)

® Shell Trademark

DIRECTIONS

TO KILL FLIES AND MOSQUITOES, wasps gnats, flying moths, cockroaches, and silverfish, spiders. Close all doors and windows in the room and direct spray to wet infested areas around baseboards, cracks, walls, door and window frames and localized areas of floors. Do not allow children to contact treated areas until treated surfaces are dry. Apply no more than 3 1/4 ozs per average size room. DO NOT use as space spray.

ACTIVE INGREDIENTS:

2,2-Dichloro-4,4-dimethyl-1,3-dioxane Phosphate
Pyrethrin Compound
Piperonyl Butoxide

99%

0.46%

0.04%

99.50%

**NET CONTENTS
ONE LIQUID
QUART**

CAUTION: KEEP OUT OF REACH OF CHILDREN

SEE THE PANEL FOR ADDITIONAL CAUTIONS

B. → RIGGO COMPANY • BUCKNER, KENTUCKY 40010

ATTACHMENT 1

A. ACTIVE INGREDIENTS:

Dichlorvos: 2,2-Dichlorovinyl Dimethyl Phosphate	0.46%
Related compounds	0.04%
Inert Ingredients:	99.50%
Total	<u>100.00%</u>

B. Rigo Company
A Division of Wilbur-Ellis Company
Buckner, Kentucky 40010