

[70-82]

**ACCEPTED**  
 JUN 12 1974  
 UNDER THE FEDERAL INSECTICIDE  
 FUNGICIDE AND ROENTGENIC ACT  
 FOR ECOTOXIC PEST. N. REG. STAFF  
 ED UNDER NO. 100-100000  
 TO ATTACHED DOCUMENTS



<p>For the control of</p> <ul style="list-style-type: none"> <li>• FLEAS</li> <li>• TICKS</li> <li>• LICE</li> </ul>		<p><b>STOPS        ITCHING        DUE TO        FLEAS        TICKS        LICE</b></p>
--	--	--

**FLEA and TICK  
 SPRAY**

**WARNING** Keep Out of Reach of Children  
 SEE BACK PANEL FOR ADDITIONAL CAUTIONS

NET WEIGHT 10 OUNCES

**ACTIVE INGREDIENTS:**

Pyrethrin	0.70
Technical Permethrin Butoxide	0.48
Methoxy 0.040-methyl Orthocyl phosphate of Diethyl Methylsulfonate	0.10
1,3-bis(2-chlorophenyl) butane-2- thiol diethyl	0.24
Petroleum distillates	11.17

**INERT INGREDIENTS**

**TOTAL INGREDIENTS**

100% active ingredients	12.69
97.3% active ingredients	12.32
94.6% active ingredients	11.95
91.9% active ingredients	11.58
89.2% active ingredients	11.21
86.5% active ingredients	10.84
83.8% active ingredients	10.47
81.1% active ingredients	10.10
78.4% active ingredients	9.73
75.7% active ingredients	9.36
73.0% active ingredients	8.99
70.3% active ingredients	8.62
67.6% active ingredients	8.25
64.9% active ingredients	7.88
62.2% active ingredients	7.51
59.5% active ingredients	7.14
56.8% active ingredients	6.77
54.1% active ingredients	6.40
51.4% active ingredients	6.03
48.7% active ingredients	5.66
46.0% active ingredients	5.29
43.3% active ingredients	4.92
40.6% active ingredients	4.55
37.9% active ingredients	4.18
35.2% active ingredients	3.81
32.5% active ingredients	3.44
29.8% active ingredients	3.07
27.1% active ingredients	2.70
24.4% active ingredients	2.33
21.7% active ingredients	1.96
19.0% active ingredients	1.59
16.3% active ingredients	1.22
13.6% active ingredients	0.85
10.9% active ingredients	0.48
8.2% active ingredients	0.11
5.5% active ingredients	0.00
2.8% active ingredients	0.00
0.1% active ingredients	0.00

**WARNING**

Keep out of reach of children. Do not puncture. Do not use near open flame. Exposure to high temperatures may cause bursting. Never use near stoves, heaters or incinerators. Use only in well-ventilated areas. Spray dogs only. Do not use on cats. Avoid contamination of food and feed. Avoid breathing of mist. Wash hands after application. Keep out of reach of children. Never puncture, or tamper or throw into fire or incinerator. Do not store above 120°F or near hot stove, radiator or other source of heat.

**DIRECTIONS**

**HOW TO OPERATE:** Remove protective valve cap and spray directly at flea or tick. Do not spray directly into eyes of dog. Do not spray directly into ears of dog. Do not spray directly into mouth of dog. Do not spray directly into nose of dog. Do not spray directly into throat of dog. Do not spray directly into chest of dog. Do not spray directly into back of dog. Do not spray directly into belly of dog. Do not spray directly into legs of dog. Do not spray directly into feet of dog. Do not spray directly into tail of dog. Do not spray directly into ears of dog. Do not spray directly into eyes of dog. Do not spray directly into nose of dog. Do not spray directly into mouth of dog. Do not spray directly into throat of dog. Do not spray directly into chest of dog. Do not spray directly into back of dog. Do not spray directly into belly of dog. Do not spray directly into legs of dog. Do not spray directly into feet of dog. Do not spray directly into tail of dog.

**TO KILL FLEAS, TICKS, LICE INFESTING DOGS:** For dogs and cats, remove protective valve cap and spray directly at flea or tick. Do not spray directly into eyes of dog. Do not spray directly into ears of dog. Do not spray directly into mouth of dog. Do not spray directly into nose of dog. Do not spray directly into throat of dog. Do not spray directly into chest of dog. Do not spray directly into back of dog. Do not spray directly into belly of dog. Do not spray directly into legs of dog. Do not spray directly into feet of dog. Do not spray directly into tail of dog.

**TO PREVENT REINFESTATION OF DOGS AND CHARTERS:** Use Kill-Ko spray on dogs and cats. Do not spray directly into eyes of dog. Do not spray directly into ears of dog. Do not spray directly into mouth of dog. Do not spray directly into nose of dog. Do not spray directly into throat of dog. Do not spray directly into chest of dog. Do not spray directly into back of dog. Do not spray directly into belly of dog. Do not spray directly into legs of dog. Do not spray directly into feet of dog. Do not spray directly into tail of dog.

MANUFACTURED FOR  
 RIGO COMPANY  
 WINNER, KENTUCKY 40391

[70-82]

ACCEPTED  
JUN 12 1974  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
ED UNDER NO. 100-100000  
SUBJECT  
TO ATTACHED COMMENTS



For the control of  
• FLEAS  
• TICKS  
• LICE



STOPS  
ITCHING  
DUE TO  
FLEAS  
TICKS  
LICE

**FLEA and TICK  
SPRAY**  
**WARNING** Keep Out of Reach of Children  
SEE BACK PANEL FOR ADDITIONAL CAUTIONS

NET WEIGHT 10 OUNCES

ACTIVE INGREDIENTS:

Pyrethrins	0.06%
Technical Piperonyl Butoxide*	0.48%
Malathion (O,O-Dimethyl Dithiophosphate of Diethyl Mercaptosuccinate)	0.50%
2,3,4,5 bis (2-butylene) tetrahydro 2 furaldihyde	0.24%
Petroleum Distillates	21.17%

INERT INGREDIENTS 77.55%

TOTAL INGREDIENTS: 100%

\*Equivalent to 0.5% dimethyl piperonyl butoxide and 0.5% piperonyl butoxide.

© 1974 Rigo Company

MADE IN U.S.A.

WARNING

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130 F may cause bursting. Never throw container into fire or incinerator.

Do not use on birds or near fish bowls. Spray dog only until hair is damp.

Harmful if swallowed. Avoid contamination of feed and food. Avoid breathing of mist. Wash hands after application. Keep out of reach of children.

Never puncture container or throw into fire or incinerator. Do not store above 120 F or near hot stove, radiator or other source of heat.

DIRECTIONS

HOW TO OPERATE: Remove protective valve cap. Hold nozzle in upright position, 8"-10" from dog. Point small opening on side of dispensing valve in direction spray is desired. To release mist, press down on valve button.

TO KILL FLEAS, TICKS, LICE INFESTING DOGS: Follow operating procedure above. Beginning at tail, spray up to back of neck and including legs and under arms until dog's coat is slightly damp. On long-haired dogs rub hand against the lay of hair, spray up directly behind hand so mist reaches dog's skin where insects are attacking. Avoid spraying eyes, face and nostrils. A 20 to 30 second application is sufficient to treat a 25 pound dog. Repeat weekly if necessary. For unusually infested conditions, locate ticks and spray freely, thoroughly wetting the ticks.

TO PREVENT REINFESTATION OF DOGS AND QUARTERS: Use Kill-Ko Flea Spray regularly on dog as above to control fleas, ticks, and sleeping quarters and kennels spray building cracks, crevices and other areas as often as necessary.

MANUFACTURED FOR  
RIGO COMPANY  
BRUKNER, KENTUCKY 40010