Pog 2 70 173 1 1988

JAN 21 1988

Mr. Jon M. Gehring Director, Regulatory Affairs and Development RIGO Company P.O. Box 89 Buckner, KY 40010 301/156858

Dear Mr. Gehring:

Subject: Amendment - General Label Revisions/Draft Labeling Kill-Ko Insect Spray EPA Registration No. 70-136 Your Letter Dated August 5, 1985

The amendment referred to above, submitted in connection with registration under FIFRA section 3(c)(7)(A) is acceptable provided that you:

- 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
- 2. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
 - a. The sentence should read "Direct spray away from face."
 - b. Reinstate the phrase "... after dark when all pests have returned to their nest," to the instructions for paper wasps and mud daubers. We question the safety in standing only 6 to 12 inches from paper wasp and mud dauber nests when applying this product. Is this distance sufficient to prevent wasps from stinging the applicator before dying?
 - c. Delete the phrase "resistant roaches."
- 3. Submit five (5) copies of your final printed labeling before you release the product for shipment.

85880:LaRocca/Shell:LR-2:KENCO:1/2/86:1/13/86:DKD:VO

CONCURRENCES

SYMBOL

BURNAME

DATE:

DATE:

DEPA Form 1320-1 (4-81)

OFFICIAL FILE COPY

If these conditions are not complied with, the registration will to subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

George T. LaRocca Product Manager (15) Insecticide-Rodenticide Branch Registration Division (TS-767C)

Enclosure

•

KILL - KO

INSECT SPRAY

with BaygonR*

For Fast and Long-Lasting Killing Action and DDVP for Vaporizing Action.

ACTIVE INGREDIENTS:

o-Isopropoxyphenyl methylcarbamate**	٠.		•		•	•	•	•		•	•			. 0.500%
2,2-Dichlorovinyl dimethyl phosphate	· .							•						. 0.186%
related compounds							•					-	-	. 0.014%
Petroleum distillate	•	•	•	•	•	•	•	•	•	•	•	٠	•	.71.303%
INERT INGREDIENTS:			•					•				-	•	.27.997%

*TM Reg. U.S. Pat. Off. by Farbenfabriken Bayer A.G. **US Patent #3,111,539

CAUTION

(14 pt.

KEEP OUT OF REACH OF CHILDREN

(10 pt.,

See Side Panel for Additional Precautionary Statements

EPA Reg. No. 70-136 EPA Est. No. 334-IL-2 Net Contents 1+ Ounces

Manufactured For

RIGO COMPANY Buckner, Kentucky 40010 ACCEPTED
with COMMINS
in EPA Letter Lated:

JAN 2 1 386

Under the Federa Insecticide, Fungicide, and Rommeide Act as amended, for me pesticide registered under EFA Reg. No.

110-12

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Provide adequate ventilation of area being treated. Do not apply to humans. Do not allow children on treated areas until dry. Wash thoroughly with soap and water after use.

Do not use as a space spray. Do not contaminate feed, foodstuffs, dishes or utensils. Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

Do not apply to pets. Remove birds and cover fish bowls when spraying. Do not allow pets on treated areas until dry.

Statement of Practical Treatment

If swallowed - Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.

If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.

If on skin - Remove contaminated clothing and wash affected areas with soap and water.

If in eyes - Flush eyes with plenty of water. Call a physician immediately.

Note to Physician - Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally. If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

PHYSICAL OR CHEMICAL HAZARD

Extremely flammable. Contents under pressure. Do not use near fire, sparks or heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting. Avoid excessive wetting of plastic vinyl or asphalt tile floor surfaces.

STORAGE AND DISPOSAL (10 pt.)

Storage: Store in a cool, dry area away from heat or open flame.

Disposal: Replace cap and discard container in trash. Do not incinerate or puncture.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Contains BAYGON for fast, long-lasting killing action. Starts killing on contact.

KILL-KO INSECT SPRAY Page 3

IMPORTANT - HOLD CONTAINER ONLY IN UPRIGHT POSITION TO SPRAY! Shake well before use. Direct spray from face. Hold container 6 to 12 inches from surfaces and spray at the rate of 1 foot per second or until surfaces are wet. If re-infestations occur, repeat applications as necessary.

ROACHES, RESISTANT ROACHES, WATERBUGS, CRICKETS AND CENTIPEDES. Thoroughly spray cracks, crevices, baseboards and around garbage containers and other places where insects habitate.

ANTS: Spray ant trails, door sills; window frames and other places where ants may enter. Spray directly on ant hills. Spray directly on swarming ants outdoors only.

CLOVER MITES, SOWBUGS AND EARWIGS: Spray window frames, door sills and other points of entry, outside treatment only. Apply to outside foundation and porches to ground level.

FLIES, MOSQUITOES, GNATS AND WASPS: Apply to screens, walls, door and window frames, light fixtures and other outdoor surfaces, where insects congregate.

PAPER NEST WASPS AND MUD DAUBERS: Thoroughly apply to nests until wet.

SCORPIONS, SPIDERS: Spray directly on pests when possible. Treat surfaces of garages and outbuildings where pests hide or congregate. Spray points of entry such as window frames and along crevices.

SILVERFISH, FIREBRATS: Apply to cracks, baseboards, behind shelving, book-cases and other storage areas.

BROWN DOG TICKS: Thoroughly spray cracks, crevices and areas where pets normally lie down. Do not spray on pets. Allow the sprayed areas to dry thoroughly. Replace bedding before permitting use by animals. For dog kennels, apply to outside runways, window frames and ledges.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

8/85