

70-136

PM-15

12/31/81

1034

Kill-Ko

Insect Spray

with Baygon R *

For Fast and Long-Lasting Kill Action and DDVP for Vaporizing Action.

ACTIVE INGREDIENTS:

O-Isopropoxyphenyl methylcarbamate **	0.500%
Dichlorvos [2,2-Dichlorovinyl dimethyl phosphate]	0.186%
Related Compounds	0.014%
Inert Ingredients:	99.300%
Total	100.000%

*TM Reg. U.S. Pat. Off. by Farbenfabriken Bayer A.G.
**US Patent #3,111,539

CAUTION (14 pt.)
KEEP OUT OF REACH OF CHILDREN (10 pt.)

EPA Reg. No. 70-136 Net Contents
EPA Est. No. 334-IL-2 14 Ounces

See Side Panel for Additional Precautionary Statements

Manufactured For

**Rigo Company
A Division of Wilbur-Ellis Company
Buckner, Kentucky 40010**

Not Reviewed. Registrant claims to be in accordance with
EPA's Guidance for Phase 2
Change in Status.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Provide adequate ventilation of area being treated. Do not apply to humans. Do not allow children on treated areas until dry. Wash thoroughly with soap and water after use.

Do not use as a space spray. Do not contaminate feed, foodstuffs, dishes or utensils. Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

Do not apply to pets. Remove birds and cover fish bowls when spraying. Do not allow pets on treated areas until dry.

Statement of Practical Treatment

If swallowed: Call a physician or Poison Control Center immediately. **DO NOT INDUCE VOMITING.** Vomiting may cause aspiration pneumonia.

If inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.

If on skin: Remove contaminated clothing and wash affected areas with soap and water.

If in eyes: Flush eyes with plenty of water. Call a physician immediately.

Note to Physician: Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally. If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

PHYSICAL OR CHEMICAL HAZARD

Extremely flammable. Contents under pressure. Do not use near fire, sparks or heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130oF may cause bursting. Avoid excessive wetting of plastic vinyl or asphalt tile floor surfaces.

STORAGE AND DISPOSAL (10 pt.)

Storage: Store in a cool, dry area away from heat or open flame.

Disposal: Replace cap and discard container in trash. Do not incinerate or puncture.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Contains BAYGON for fast, long-lasting killing action. Starts killing on contact.

IMPORTANT - HOLD CONTAINER ONLY IN UPRIGHT POSITION TO SPRAY! Shake well before use. Direct spray away from face. Hold container 6 to 12 inches from surfaces and spray at the rate of 1 foot per second or until surfaces are wet. If re-infestations occur, repeat applications as necessary.

Wear chemical resistant gloves, long-sleeved shirt, long-legged pants, shoes and socks when handling the product. Do not allow children or pets to enter treated rooms until thoroughly ventilated, or to contact treated surfaces until sprays have dried.

ROACHES, WATERBUGS, CRICKETS AND CENTIPEDES. Thoroughly spray cracks, crevices, baseboards and around garbage containers and other places where insects habitate.

ANTS: Spray ant trails, door sills, window frames and other places where ants may enter. Spray directly on ant hills. Spray directly on swarming ants outdoors only.

CLOVER MITES, SOWBUGS AND EARWIGS: Spray window frames, door sills and other points of entry, outside treatment only. Apply to outside foundation and porches to ground level.

FLIES, MOSQUITOES, GNATS AND WASPS: Apply to screens, walls, door and window frames, light fixtures and other outdoor surfaces, where insects congregate.

PAPER NEST WASPS AND MUD DAUBERS: Thoroughly apply to nests until wet - after dark when all pests have returned to their nests.

SCORPIONS, SPIDERS: Spray directly on pests when possible. Treat surfaces of garages and outbuildings where pests hide or congregate. Spray points of entry such as window frames and along crevices.

SILVERFISH, FIREBRATS: Apply to cracks, baseboards, behind shelving, bookcases and other storage areas.

BROWN DOG TICKS: Thoroughly spray cracks, crevices and areas where pets normally lie down. Do not spray on pets. Allow the sprayed areas to dry thoroughly. Replace bedding before permitting use by animals. For dog kennels, apply to outside runways, window frames and ledges.

4 9 4

KILL-KO INSECT SPRAY with Baygon (R)* (Labels\Insectsp)
Page 4

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use/and or handling of this material when such use and/or handling is contrary to label instructions.