

RED
CLIP

173

R I G O

WASP SPRAY

WITH BAYGON (R)*

ACCEPTED
APR 24 1984
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 70-138

Kills Wasps, Hornets, Yellow Jackets,
Spiders and Scorpions
Kills On Contact From 20 Feet

ACTIVE INGREDIENTS:

2-(1-Methylethoxy)phenol methylcarbamate.....	0.500%
2,2-dichlorovinyl dimethyl phosphate.....	0.186%
related compounds.....	0.014%
Petroleum Distillates.....	88.300%

INERT INGREDIENTS:.....	11.000%
TOTAL	<u>100.000%</u>

*Reg. TM of Farbenfabriken Bayer, GmbH, Leverkusen

CAUTION


KEEP OUT OF REACH OF CHILDREN

See Back Panel for Additional Precautionary Statements

EPA Reg. No. 70-138
EPA Est. No. 10900-OH-1

NET WEIGHT
14 OUNCES

Manufactured For
RIGO COMPANY
BUCKNER, KENTUCKY 40010



70-138

RIGO WASP SPRAY

Page 2

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION! Keep out of reach of children. Harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes, and clothing.

Wash thoroughly with soap and water after handling, and before eating, drinking, or smoking. Do not allow children or pets to contact treated surfaces until dry. Do not use on poultry or poultry premises. Do not use as a space spray. Do not contaminate feed, water or foodstuffs.

Statement of Practical Treatment

If swallowed - Call a physician or Poison Control Center immediately. **DO NOT INDUCE VOMITING.** Vomiting may cause aspiration pneumonia.

If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.

If on skin - Remove contaminated clothing and wash with soap and water.

If in eyes - Flush eyes with plenty of water. Call a physician immediately.

NOTE TO PHYSICIAN - Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally. If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Environmental Hazards

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Physical or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STORAGE AND DISPOSAL

Do not store near heat or open flame. Do not reuse empty container. Replace cap and discard container in trash. Do not incinerate or puncture.

70-138

RIGQ WASP SPRAY
Page 3

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For outdoor use.

SHAKE BEFORE USING.

Remove cap. Aim spray opening on the side of valve and press to spray. Release pressure on valve to stop spray.

WASPS, HORNETS and YELLOW JACKETS: Control both aerial and ground nests by spraying from 15 to 20 feet away. With wind at back, aim at nests in trees, bushes, under eaves, chimneys or cracks or crevices, etc.

Thoroughly saturate nest with spray, contacting as many insects as possible. Do not stand directly under an overhead nest, since some insects receiving some of the spray may fall but retain their ability to sting for some time.

Best results can be obtained if nest is sprayed in evening or at night when insects have returned and are less active. If reinfestation occurs, repeat treatment.

SPIDERS, SCORPIONS: Direct short burst of spray on spiders or scorpions and repeat as necessary.

DIELECTRIC BREAKDOWN VOLTAGE - UP TO 40,000 VOLTS (Method: ASTM D877)

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

2040- 844

UPC No.
30072-20400

