

70-138

111-15

113

**Kill-Ko**

**WASP SPRAY**

with Baygon R\*

**Kills Wasps, Hornets, Yellow Jacets, Spiders and Scorpions  
Kills On Contact From 20 Feet**

**ACTIVE INGREDIENTS:**

|   |         |
|---|---------|
| 2-(1-Methylethoxy) phenol methylcarbamate         | 0.500%  |
| Dichlorvos [2,2-Dichlorovinyl dimethyl phosphate] | 0.186%  |
| Related Compounds                                 | 0.014%  |
| Inert Ingredients:                                | 99.300% |

**Total 100.000%**

\* Reg. TM of Farbenfabrolem Bayer, GmbH, Leverkusen

**CAUTION**

**KEEP OUT OF REACH OF CHILDREN**

**See Back Panel for Additional Precautionary Statements**

EPA Reg. No. 70-138  
EPA Est. No. 334-IL-2

**Net Contents  
14 Ounces**

**Manufactured For**

**RIGO COMPANY  
A Division of Wilbur-Ellis Company  
Buckner, Kentucky 40010**

**Not Reviewed.** Registrant claims to be in accordance with  
Registration of Pesticide Product Guidance for Phase 2  
in response. Page 2.12. Active to Inert Change in Status.

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Keep out of reach of children. Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing spray vapors or spray mist.

Wash thoroughly with soap and water after handling, and before eating, drinking, or smoking. Do not allow children or pets to contact treated surfaces until dry. Do not use on poultry or poultry premises. Do not use as a space spray. Do not contaminate feed, water or foodstuffs.

### Statement of Practical Treatment

**If swallowed:** Call a physician or Poison Control Center immediately. **DO NOT INDUCE VOMITING.** Vomiting may cause aspiration pneumonia.

**If inhaled:** Remove victim to fresh air. Apply artificial respiration if indicated.

**If on skin:** Remove contaminated clothing and wash affected areas with soap and water.

**If in eyes:** Flush eyes with plenty of water. Call a physician immediately.

**Note to Physician:** Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally. If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, birds, and aquatic invertebrates. Do not apply directly to water or wetlands (swamps, marshes, bogs, and potholes). Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

### PHYSICAL OR CHEMICAL HAZARD

**Extremely flammable.** Contents under pressure. Do not use near fire, sparks or heated surface. Do not puncture or incinerate container. Exposure to temperatures above 130oF

### STORAGE AND DISPOSAL

Do not store near heat or open flame. Do not reuse empty container. Replace cap and discard container in trash. Do not incinerate or puncture.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For outdoor use.

### SHAKE BEFORE USING

Remove cap. Aim spray opening on the side of valve and press to spray. Release pressure on valve to stop spray.

**WASPS, HORNETS and YELLOW JACKETS:** Control both aerial and ground nests by spraying from 15 to 20 feet away. With wind at back, aim at nests in trees, bushes, under eaves, chimneys or cracks or crevices, etc.

Thoroughly saturate nest with spray, contacting as many insects as possible. Do not stand directly under an overhead nest, since some insects receiving some of the spray may fall but retain their ability to sting for some time.

Best results can be obtained if nest is sprayed in evening or at night when insects have returned and are less active. If reinfestation occurs, repeat treatment.

**SPIDERS, SCORPIONS:** Direct short burst of spray on spiders or scorpions and repeat as necessary.

**DIELECTRIC BREAKDOWN VOLTAGE - UP TO 40,000 VOLTS (Method: ASTM D877)**

**NOTICE:** Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use/and or handling of this material when such use and/or handling is contrary to label instructions.

UPC NO. 30072-20400