

PM 1 93 133

Adapt 1073



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

APR 25 1994

JOANNE STRIEBICH
WILBUR ELLIS COMPANY
BOX 16458
FRESNO, CA. 93755

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

SUBJECT: Label Amendment Submission of 11/29/93 in Response to PR Notice 93-7
EPA Reg. No. 70-142
KILL-KO THIODAN EMULSIFIABLE INSECTICIDE

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, successfully **REMOVES THE PRODUCT FROM THE SCOPE** of PR Notice 93-7 once the comments (if any) on the attached sheet are addressed. Other than the alterations (if any) listed on the attached sheet, no further alterations to the labeling are necessary to reflect the requirements of the Worker Protection Standard.

Since your amendment proposes to delete uses directly and/or to delete uses implicitly through the use of exclusionary statements, the Agency will publish in the Federal Register a notice of receipt of your amendment to delete uses, as required by section 6(f)(1) of FIFRA. The Agency will defer action for 90 days from the date of the Federal Register notice to give affected minor users an opportunity to try to persuade you to retain the uses(s). When the comment period has expired, the Agency will approve the amendment unless you have withdrawn it, and stamp the amended labeling "accepted." Your stamped-accepted labeling will then be sent to you.

As described in Supplement A of PR Notice 93-11 (self-verification option), you may sell and distribute product bearing the submitted labeling before you receive a copy of your stamped-accepted labeling. Note that your registration is not amended until the comment period required by section 6(f)(1) of FIFRA has expired and the Agency has approved the amendment. Therefore, you may withdraw your proposed amendment at any time during the comment period and until you receive your stamped-accepted labeling.

Sincerely,

James Tompkins
James Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)



Recycled/Recyclable
Printed with Soy/Canola Ink on paper that
contains at least 50% recycled fiber

103

Joanne Striebich
WILBUR-ELLIS COMPANY

Comments for: EPA REG. NO. 70-142
KILL_KO THIODAN EMULSIFIABLE INSECTICIDE

The following specific comments pertain to your WPS labeling submission concerning the product cited above:

Add the exclusionary statement "Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in interior plantscapes, ornamental gardens or parks, or on golf courses or lawns or grounds" to your label.

STORAGE AND DISPOSAL

Do not store in original container. Do not reuse empty container. Do not put in trash collection.


NET CONTENTS ONE PINT
 MANUFACTURED BY RIGCO COMPANY, 4000 N. 10TH ST., DENVER, CO 80231

304012-2001

Controls over 50 major crop & garden pests.

RIGO'S BEST
THIODAN
 INSECTICIDE CONCENTRATE

Controls over 50 major & garden pests (see attached brochure for complete list). For use on:



WARNING: KEEP OUT OF REACH OF CHILDREN

SEE BACK PANEL FOR ADDITIONAL CAUTIONS

Garden Vegetables
 (As listed in attached brochure)

Flowers & Ornamentals
 (As listed in attached brochure)

BEST COPY AVAILABLE

LETTUCE FIELD (16) SEED BED - 2 to 4 tbs. in 3 gal. of water and apply 3 to 5 gal. per 50 sq. yd. Green June Bug Larvae - 2 to 4 tbs. in 3 gal. of water and trench plant with 1 gal. spray per sq. yd. Sink Bugs - 2 to 4 tbs. in 3 gal. of water and apply 4 to 6 tbs. in 3 gal. of water per 1375 sq. ft.

TOMATOES (Field and Greenhouse) (1) - Colorado Potato Beetle, Green Peach Aphid, 2 tbs. in 3 gal. of water. Hornworms - 2 to 4 tbs. in 3 gal. of water. Colorado Potato Beetle, Tomato Pinworm, Colorado Armyworm, 4 tbs. in 3 gal. of water. Sink Bugs - 2 to 4 tbs. in 3 gal. of water. Cabbage Looper - 2 tbs. in 3 gal. of water. Flea Beetle - 2 tbs. in 3 gal. of water.

ORNAMENTALS (Greenhouse & Field) - Colorado Potato Beetle, Green Peach Aphid, 2 tbs. in 3 gal. of water. Hornworms - 2 to 4 tbs. in 3 gal. of water. Colorado Potato Beetle, Tomato Pinworm, Colorado Armyworm, 4 tbs. in 3 gal. of water. Sink Bugs - 2 to 4 tbs. in 3 gal. of water. Cabbage Looper - 2 tbs. in 3 gal. of water. Flea Beetle - 2 tbs. in 3 gal. of water.

RIGO'S BEST
THIODAN
 INSECTICIDE CONCENTRATE

Controls over 50 major crop & garden pests including Colorado Potato Beetle

SEE CONTAINER LABEL FOR INGREDIENTS STATEMENT AND COMPLETE PRECAUTIONARY STATEMENTS

Directions for Use
 This application of Federal law to use this product in a manner inconsistent with its labeling

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 100-100000000

DIRECTIONS

Apply the listed amount per 1375 sq. ft. when insects first appear and repeat as required to maintain effective control. Use in sufficient water for thorough coverage unless otherwise noted for listed crops. Coverage of upper and lower leaf surfaces is essential for good control. Observe use limitations. If insect control is required beyond the following use patterns, supplement the control program with other suitable pesticides. Observe days interval between last application and harvest indicated by number in () following the crop.

BEANS Succulent and dry, except LIMAS (3) Black Bean Aphid, Bean Leaf Skeletonizer, Cucumber Beetles, Green Sink Bug, Mexican Bean Beetle - 2 to 4 tbs. in 3 gal. water per 1375 sq. ft. Do not exceed 3 applications when bean pods are present. Do not feed three things or allow livestock to graze on treated fields. Do not exceed 3 applications per season.

BROCCOLI (7) CABBAGE (7) BRUSSELS SPROUTS (14) CAULIFLOWER (14) Cabbage Aphid, Cabbage Looper, Cabbage Striped Cabbage Worm, Diamondback Moth Larvae, Flea Beetle, Harlequin Bug, Imported Cabbage Worm, Sink Bug - 3 to 4 tbs. per 3 gal. water per 1375 sq. ft.

CUCUMBERS (0) MELONS (0) SUMMER & WINTER SQUASH (0) Aphids, Cucumber Beetles, Striped Cabbage Beetle, Melonworm, Pickleworm, Roundworm (on watermelons), Squash Beetle, Squash Bug, Squash Vine Borer - 2 to 4 tbs. per 3 gal. water per 1375 sq. ft. For Vine Borer control apply weekly to flower buds, stems and vines beginning when moths first appear. For Cabbage Looper and Omnivorous Leaf Roller on Melons, use 4 tbs. per 1375 sq. ft. in 3 gallons of water.

LETTUCE HEAD (14) Cabbage Looper, Green Peach Aphid, Diamondback Moth Larvae, Imported Cabbage Worm - 3 to 4 tbs. per 3 gal. water per 1375 sq. ft. Do not make more than 3 applications after thinning. Remove wrapper leaves at harvest. Do not feed crop refuse to livestock.

PEPPERS (4) Green Pecan Aphid, Flea Beetles, Hornworms, Pepper Maggots - 2 to 4 tbs. per 1375 sq. ft. in 3 gal. of water.

POTATOES (0) Aphids, Colorado Potato Beetle, Plant Bugs (including Shield shaped Bugs), Potato Flea Beetle, Potato Leaf Hopper, Potato Tuberworm, Southern Armyworm, Whitefly - 2 to 4 tbs. per 1375 sq. ft. in 3 gal. of water. European Corn Borer, Potato Psyllid - 3 to 4 tbs. per 1375 sq. ft. in 3 gal. of water. False Chinch Bug - 4 tbs. per 1375 sq. ft. in 3 gal. of water.

SPINACH (21) Crown Mite, Green Peach Aphid - 3 tbs. per 1375 sq. ft. in 3 gal. of water. Do not exceed one application per season.

STRAWBERRIES (4) Cyclamen Mite - 2 tbs. per 1375 sq. ft. in 3 gal. of water. Do not apply at intervals of less than 35 days when fruit is present. Meadow Spittlebug, Strawberry Aphid, Tarnished Plant Bug - 2 tbs. per 1375 sq. ft. in 3 gal. of water. Do not apply at intervals of less than 15 days or more than twice during any 35 day period when fruit is present.

SWEET CORN (Fresh Vegetables) use only (0) Corn Leaf Aphid - 4 tbs. in 3 gal. of water per 1375 sq. ft. Corn Earworm - 5 tbs. in 3 gal. of water per 1375 sq. ft. Apply a 2 to 3 day intervals beginning when silks first appear and continuing until they begin to dry. Do not exceed 5 applications. Do not apply to sweet corn to be processed. Do not feed treated forage or ensilage to livestock or allow to graze in treated fields.

ACCEPTED with COMMENTS In EPA Letter Dated

RIGCO COMPANY
 4000 N. 10TH ST., DENVER, CO 80231