

WARNING:

Hazardous if swallowed, inhaled or absorbed through skin. Do not breathe spray mist. Do not get in eyes, on skin or on clothing. In case of contact immediately remove contaminated clothing and flush skin or eyes with plenty of water; for eyes get medical attention. Wash thoroughly with soap and water after handling and before eating or smoking, wear clean clothing. During commercial or prolonged exposure in spray mixing and loading operations, wear clean synthetic rubber gloves and a mask or respirator of a type passed by the U.S. Bureau of Mines for endosulfan mixtures. Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. Do not contaminate or store near feed or foodstuffs.

This product is toxic to fish and wildlife. Keep out of any body of water. Birds feeding on treated areas may be killed. Apply this product only as specified on this label. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes.

Rinse equipment and containers and dispose of wastes by burying at least 18" deep in non-crop areas away from water supplies. Containers should be disposed of by punching holes in them and burying with wastes.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROP OR NON-CROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

2415-765

ACCEPTED
JUN 25 1975
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 70-153

KILL-KO MULTI-PURPOSE TOBACCO SPRAY INSECTICIDE

ACTIVE INGREDIENTS:

*Endosulfan (Hexachlorohexahydromethano-2,4,3-benzodioxathiepin oxide)	12.2%
**Malathion	12.2%
***Technical Piperonyl Butoxide	0.7%
Pyrethrins	0.07%
Aromatic petroleum solvent	67.83%
INERT INGREDIENTS:	7.0%
	100.00%

- *Thiodan, U. S. Patent No. 2,799,685
- **0,0-Dimethyl dithiophosphate of diethyl mercaptosuccinate
- ***Equivalent to 0.56% (Butylcarbityl) (6-Propylpiperonyl) Ether and 0.14% of other related compounds.

WARNING: Keep Out of Reach of Children
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONS.

MANUFACTURED BY
RIGO COMPANY

DIRECTIONS FOR USE:

KILL-KO MULTI-PURPOSE TOBACCO SPRAY contains 1 lb. of Thiodan and 1 lb. of Malathion per gallon and is formulated for the control of certain insects on tobacco when used as directed below. DO NOT USE IN UN-DILUTED FORM.

TOBACCO: PLANT BEDS—Aphids, Cabbage Looper, Tobacco Budworm, Tobacco Hornworm, Tobacco Flea Beetle—Use 2 quarts per 100 gallons of water. Apply 6 gallons of finished spray per 100 sq. yards seed bed. Do not apply within 5 days of pulling plants for transplanting.

FIELD: Aphids, Cabbage Looper, Tobacco Budworm, Tobacco Flea Beetle, Tobacco Hornworm—Use 2 to 4 quarts. Stink Bugs—Use 2½ to 4 quarts. Grasshoppers—Use 4 quarts. Dosage rates given should be used in sufficient water to provide uniform coverage of one acre. Do not apply within 5 days of harvest.

APPLICATION OF KILL-KO MULTI-PURPOSE TOBACCO SPRAY should begin when insects first appear and repeat at 3 to 5 day intervals depending upon the severity of the infestation and local conditions. Full coverage of plants during application is essential to good control. To mix, fill the spray tank ¼ to ⅓ full of water and with agitator running, add the required amount of this material, then finish filling the spray tank to the desired level with water. When applying this material by aircraft, mix the recommended amount with sufficient water to provide a minimum of 2 gallons of finished spray per acre.

Workers entering treated areas within 24 hours of application should wear protective clothing.

DO NOT STORE BELOW 20°F. DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME.

DEALERS SHOULD SELL IN ORIGINAL PACKAGES ONLY.

(SEE OTHER PANEL FOR PRECAUTIONS)

FPA REG. NO. 70-153
EPA ET No. 70-KY-1