

70-161

PM-15

12/31/89

182

Not reviewed. Registrations to be in accordance with
EPA Order of Precedence. Product Guidance for Phase 2
Registration, Page 2.12, Active to Inert Change in Status

WARNING

Hazardous if swallowed, inhaled or absorbed through skin. Do not breathe dust or spray mist. Do not get in eyes, on skin or on clothing. In case of contact, immediately remove contaminated clothing and flush skin or eyes with plenty of water. For eyes, get medical attention. Wash thoroughly with soap and water after handling and before eating or smoking; wear clean clothing. During commercial or prolonged exposure in spray-mixing and loading operations, wear clean synthetic rubber gloves and a mask or respirator of a type passed by the U.S. Bureau of Mines for endosulfan protection. Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. Do not contaminate or store near feed or foodstuffs.

NOTE TO PHYSICIANS: Malathion may cause cholinesterase inhibition. Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine. Thiodan produces central nervous system excitation which responds to the barbituric acid derivatives. Treat symptomatically.

This product is toxic to fish and wildlife. Keep out of any body of water. Birds feeding on treated areas may be killed. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or to residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes.

Rinse equipment and containers and dispose of waste by burying at least 18" deep in non-crop areas away from water supplies. Containers should be disposed of by punching holes in them and burying with waste.

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROP OR NON-CROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

DEALERS SHOULD SELL IN ORIGINAL PACKAGES ONLY



SUPER
BRAND
BURLEY
SPRAY

FOR CONTROL OF	
1	Aphid
2	Flea Beetle
3	Hornworm
4	Catnip Caterpillar
5	Budworm
6	Grasshopper

ON TOBACCO

ACTIVE INGREDIENTS	
Malathion	4.00%
Endosulfan	1.00%
Thiodan	0.50%
Other Inert	94.50%
TOTAL 100.00%	
INERT INGREDIENTS	
Other Inert	94.50%
TOTAL 94.50%	

WARNING: Keep out of reach of children.
SEE OTHER WARNINGS ON BACK PANEL.

EPA REG. NO. 101-101
EPA F. L. N. 101-101

NET CONTENTS/ONE QUART

See DIRECTIONS FOR USE—DILUTE WITH WATER— (Follow Directions)

SUPER BURLEY SPRAY is an emulsifiable insecticide formulation designed for use as a preventative spray for the control of six major insect pests on tobacco. This formulation can be used in any type sprayer. If mixture is allowed to stand, reagitrate before use.

TOBACCO—(field) green peach aphid, flea beetle, (small) cabbage looper, hornworm, budworm—use 2 qts per acre. Grasshoppers—Use 3 qts. Dosage rates given should be used in sufficient water to give adequate coverage depending on the type of nozzle and equipment being used and the size of the crop. Cover the entire plant very lightly with insecticide. Do not soak plants, as injury may occur. Do not apply in the heat of the day as some burning of plants could result. When using hand sprayers hold the nozzle at least 12 inches above the plants. Do not direct the spray on the bud as injury may result. Check fields every 3 to 5 days, and repeat as needed depending on the severity of the infestation and local conditions. Do not apply within 6 days of harvest.

For plants up to knee high use approximately 15 gallons of water per acre, plants taller use 30 gallons. For best control of named insects use a preventative program of spraying early in the season when the plants are small—undersides of leaves must be sprayed for best results. Check fields frequently for reinfestations.

For airplane application, mix the required amount of spray with 2 to 5 gallons of water per acre.

Workers entering treated areas within 24 hours after application should wear protective clothing.

DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME. DO NOT STORE BELOW 20° F.

NOTE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

B → **MANUFACTURED BY RIGO COMPANY BUCKNER, KENTUCKY 40010**

2417-8112

A. ACTIVE INGREDIENTS:

Malathion (0.0-dimethyl phosphorodithioate diethyl mercaptosuccinate)	22.320%
Endosulfan *(Hexachlorohexahydromethano-2, 4, 3- benzodioxathiepin oxide)	14.880%
Technical piperonyl butoxide (Equivalent to 0.60% (butylcarbityl) (6-propylpiperonyl) ether and 0.15% of other related compounds)	0.750%
Pyrethrins	0.075%
Inert Ingredients:	61.975%
	<hr/>
Total	100.000%

* Thiodan - Reg. T.M. of Canadian Hoechst Ltd.

B. Rigo Company
A Division of Wilbur-Ellis Company
Buckner, Kentucky 40010