



DURSBAN[®] 1/2 G GRANULAR INSECTICIDE

Controls Chinch Bugs, Sod Webworms (Lawn Moths), Ants, Brown Dog Ticks, Crickets, Chiggers, Clover Mites, Cutworms, Earwigs, Fleas, Grasshoppers, Sowbugs (Pillbugs), Certain White Grubs* and Hyperodes (Turfgrass) Weevils+ Infesting Home Lawns and Other Ornamental Turf Areas

ACTIVE INGREDIENT:	
Chlorpyrifos [0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate]	0.5%
INERT INGREDIENTS	99.5%
†† Trademark of The Dow Chemical Company	
Total	100.0%

CAUTION
KEEP OUT OF REACH OF CHILDREN
See side panel for additional precautionary statements

EPA Reg No 70-178
EPA Est No 70-KY-1

**NET WEIGHT
ONE POUND**

Manufactured By
RIGO COMPANY
BUCKNER, KENTUCKY 40010

CAUTION
KEEP OUT OF REACH OF CHILDREN
MAY BE HARMFUL IF SWALLOWED

Avoid contact with eyes, skin and clothing. Avoid breathing vapors or spray mist. Keep away from food, feedstuffs and domestic water supplies. Wash thoroughly after handling.

Statement of Practical Treatment
If Swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. If on Skin: In case of contact, remove contaminated clothing and immediately wash skin with plenty of soap and water. If in Eyes: Flush eyes with plenty of water.

NOTE TO PHYSICIAN: Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

Keep children and pets off treated areas until this material is washed into the soil and grass is dry. This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DISPOSAL
Do not reuse empty container. Wrap container and put in trash collection.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

It is a violation of Federal law to use this insecticide in a manner inconsistent with its labeling. Apply this insecticide to residential lawns and recreational areas in a uniform distribution. Apply to granular materials at the rates shown in the following table to obtain uniform distribution. Immediately after application, wash the granules into the soil. See the following table to determine the amount of product needed for areas to be treated.

Area to be Treated	Dilution
200 sq. ft.	
600 sq. ft.	
2,000 sq. ft.	
5,000 sq. ft.	

*To control certain white grubs, use two to four times the amount shown in the table. Followed immediately by the application of a surface, usually during the summer. Extension Service specifications apply.
+To control Hyperodes (Turfgrass) Weevils, use the amount shown in the table. Treat in mid-May. Consult your local Extension Service for time to treat in your area.

73



DURSBAN[®] 1/2 G GRANULAR INSECTICIDE

Controls Chinch Bugs, Sod Webworms (Lawn Moths), Ants, Lawn Dog Ticks, Crickets, Chiggers, Clover Mites, Cutworms, Earwigs, Fleas, Grasshoppers, Sowbugs (Pillbugs), Certain White Grubs* and Hyperodes (Turfgrass) Weevils†
Protecting Home Lawns and Other Ornamental Turf Areas

ACTIVE INGREDIENT:	
Chlorpyrifos [0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate]	0.5%
INERT INGREDIENTS	99.5%
©Dow Chemical Company	
Total	100.0%

CAUTION
KEEP OUT OF REACH OF CHILDREN
See side panel for additional precautionary statements

Reg No 70-178
Est No 70-KY-1

**NET WEIGHT
ONE POUND**

Manufactured By
RIGO COMPANY
BUCKNER, KENTUCKY 40010

USE DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

Apply this insecticide uniformly to home lawns and other ornamental and recreational turf grass areas using any hand or power operated gravity or rotary type spreader designed for application of granular materials. Treat when insects first appear using this product at the rates given in the table below. To help obtain uniform distribution, apply one-half of the required amount of product in one direction; then apply the balance at a right angle. Immediately after application sprinkle the turf with water so as to wash the granules into the zone of insect infestation. Consult the following table to determine amounts of this product and water needed for areas to be treated. Re-treat as necessary.

RATES TO USE

Area to be Treated	Pounds of DURSBAN 1/2 G	Gallons of Water to Sprinkle on Turf after Treatment
200 sq ft	1	6
600 sq ft	3	18
2,000 sq ft	10	60
5,000 sq ft	25	150

* To control certain white grubs (larvae of European chafer and Japanese beetle) use two to four times the amounts of this product shown in the table, i.e., 2 to 4 pounds per 200 sq ft. Apply the granules uniformly over the area treated followed immediately by thorough watering to wash the insecticide into the turf. For best results treat when grubs are young and actively feeding near the soil surface, usually during late July and August. Consult your local Agricultural Extension Service specialist for proper time to treat in your area.

† To control Hyperodes (turfgrass) weevils use twice the rate of this product shown in the table. Treat suspected problem areas in mid-April and again in mid-May. Consult your local Agricultural Extension Service specialist for best time to treat in your area.

11/15

7387