BEST AVAILABLE COPY

KILL-KO

SEED TREATER

	CTICIDE - FUNGICIPES COLOR
ACTING THOREDICHTS.	6-methyl-4-pyrimidinyl) phosphorothicate: 30.00%
ACIIVE INGREDIENIS:	9.78%
Related Derivatives	22%
0,0-diethyl 0-(2-isopropyl-	6-methyl-4-pyrimidinyl) phosphorothicate. 30.00%
INERT INGREDIENTS	X
INERT INGREDIENTS	
TOTAL	100.00%

*N-Trichloromethylthio-4-cyclohexene-1,2-dicarboximide **Diazinon (R) is a registered trademark of Ciba Geigy Corporation. U.S. Patent No. 2,754,243

KEEP OUT OF REACH OF CHILDREN (10 pt.)

DANGER

(14 pt.)

EPA REG. NO. 70-179 EPA EST. NO. 70-KY-1 NET CONTENTS
1 Pound

See Back Panel for Other Precautionary Statements

Manufactured by

RIGO COMPANY Buckner, Kentucky 40010 KILL-KO SEED TREATER PAGE 2

The State of the S



PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER

Causes irreversible eye damage. Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Wear goggles or face shield when handling. Avoid contact with skin and clothing. Remove and separately launder clothing before reuse. Avoid contamination of feed and foodstuffs. Do not feed treated seed to animals. Treated seed should be labeled as follows: "TREATED SEED. DO NOT USE FOR FOOD, FEED, OR OIL."

and a sphere that it is provided that the second of the se

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Flush with plenty of water. Call a physician.

If swallowed: Drink promptly a large quantity of milk, egg whites, gelatin solutions, or if these are not available, drink large quantities of water. Avoid alcohol.

<u>If inhaled:</u> Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention.

· Environmental Hazards

This pesticide is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil.

ENDANGERED SPECIES RESTRICTIONS

The following restrictions apply to use of this product after February 1, 1988.

Before using this pesticide on corn in the counties listed below, you must obtain the PESTICIDE USE BULLETIN FOR PROTECTION OF ENDANGERED SPECIES for the county in which the product is to be used. The bulletin is available from your County Extension Agent, State Fish and Game Office, or your pesticide dealer. Use of this product in a manner inconsistent with the PESTICIDE USE BULLETIN FOR PROTECTION OF ENDANGERED SPECIES is a violation of Federal laws.

ALABAMA

COLBERT, GREENE, JACKSON, LAMAR, LAUDERDALE, LIMESTONE, MADISON, MARSHALL, MORGAN, PICKENS, AND SUMTER

ARIZONA

. GRAHAM, MARICCPA, MOHAVE, PIMA, PINAL, AND SANTA CRUZ

BENTON, CLAY, CLARK, CROSS, LAWRENCE, LEE, POINSETTE, POLK, RANDOLDH, SHARP, AND ST. FRANCIS

CALIFORNIA

BUTTE, COLUSA, GLENN, IMPERIAL, KERN, MERCED, MODOC, INYO, LOS ANGELES, MODOC, ORANGE, RIVERSIDE SACRAMENTO, SAN BERNARDINO, SAN DIEGO, SANTA BARBARA, SOLANO, STANISLAUS, SUTTER, TEHEMA, YOLO, AND VENTURA

AND ZIEBACH

BEST AVAILABLE COPY

```
FLORIDA
   ALACHUA, BAKER, BRADFORD, BREVARD, BROWARD, CHARLOTTE, CITRUS, CLAY,
   COLLIER, COLUMBIA, DADE, DE SOTO, DIXIE, DUVAL, FLAGLER, GADSDEN, GILCHREST,
   GLADES, HARDEE, HENDRY, HERNANDO, HIGHLANDS, HILLSBOROUGH, INDIAN RIVER,
   JEFFERSON, LAFAYETTE, LAKE, LEE, LEON, LEVY, MADISON, MANATEE, MARION,
   MARTIN, MONROE, NASSAU, ORANGE, OKEECHOBEE, OSCEOLA, PALM BEACH, PASCO,
   PINELLAS, POLK, PUTNAM, ST. JOHNS, ST. LUCIE, SARASOTA, SEMINOLE, SUMTER,
   SUWANNEE, TAYLOR, UNION, VOLUSIA, AND WAKULLA
 GEORGIA
  BRANTLEY, BRYAN, BULLOCH, BURKE, CAMDEN, CANDLER, CHARLTON, CHATHAM,
  EFFINGHAM, EMANUEL, EVANS, GLASCOCK, GLYNN, JEFFERSON, JENKINS, JOHNSON,
  LIBERTY, LONG, MCINTOSH, PIERCE, RICHMOND, SCREVEN, WARE, WASHINGTON,
  AND WAYNE
KANSAS
   CLARK, COMANCHE, MEADE, AND STAFFORD
KENTUCKY
  BALLARD, BUTLER, EDMUNDSON, GREEN, HART, JACKSON, LAUREL, LIVINGSTON,
  MARSHALL, McCRACKEN, McCREARY, PULASKI, ROCKCASTLE, TAYLOR, WARREN,
  AND WAYNE
MISSISSIPPI
  CLAIBORNE, COPIAH, HINDS, ITAWAMBA, LOWNDES, MONROE, AND NOXUBEE
MISSOURI
  BARRY, BENTON, CAMDEN, CHRISTIAN, DALLAS, GREENE, HICKORY, JASPER,
  LAWRENCE, MILLER, NEWTON, OSAGE, POLK, ST. CLAIR, STONE, AND WEBSTER
MONTANA
  GARFIELD, MCCONE, SHERIDAN, AND VALLEY
NEBRASKA
  BOYD, BROWN, BUFFALO, BUTLER, CASS, CEDAR, COLFAX, DAWSON, DODGE, DOUGLAS,
  HALL, HAMILTON, HOLT, HOWARD, KEARNEY, KEYA PAHA, KNOX, MERRICK, NANCE.
  PHELPS, PLATTE, POLK, ROCK, SARPY, AND SAUNDERS
NEVADA
  CLARK
NEW MEXICO
  CHAVES, DEBACA, AND EDDY
NORTH CAROLINA
  EDGECOMBE, NASH, AND PITT
NORTH DAKOTA
  BANSON, BOTTINEAU, BURKE, BURLEIGH, DIVIDE, DUNN, EDDY, EMMONS, FOSTER,
  KIDDER, LOGAN, MCHENRY, MCINTOSH, MCKENZIE, MCLEAN, MERCER, MORTON
  MOUNTRAIL, NELSON, OLIVER, PIERCE, RAMSEY, RANVILLE, ROLETTE, SHER DANG.
  SIOUX, STUTSMAN, TOWNER, WARD, WELLS, AND WILLIAMS
OHIO
  PICKAWAY
OKLAHOMA
  DELAWARE, MCCURTAIN, AND PUSHMATAHA
OREGON
  LAKE
SOUTH CAROLINA
 AIKEN, BARNWELL, BEAUFORT, BERKELY, CHARLESTON, COLLETON, DORCHESTER,
 GEORGETOWN, HAMPTON, HORRY, JASPER, AND MARION.
SOUTH DAKOTA
```

CLAY, HAAKON, HUGHS, POTTER, STANLEY, SULLY, UNION, WALWORTH, YANKTON,

KILL-KO SEED TREATER PAGE 4

TENNESSEE

BEDFORD, BLOUNT, CLAIBORNE, DECATUR, FRANKLIN, HANCOCK, HARDIN, HAWKINS, HICKMAN, KNOX, LAWRENCE, LINCOLN, LOUDON, MARSHALL, MAURY, MEIGS, MONROE, RHEA, ROANE, SCOTT, SEQUATCHIE, SMITH, SULLIVAN, TROUSDALE, AND WAYNE TEXAS

ARANSAS, AUSTIN, BASTROP, BURLESON, CAMERON, COLORADO, COMAL, FORT BEND, GOLIAD, HARRIS, HAYS, JEFF DAVIS, PECOS, REEVES, REFUGIO, AND VICTORIA UTAH

UTAH AND WASHINGTON

VIRGINIA

LEE, RUSSELL, SCOTT, SMYTH, TAZEWELL, WASHINGTON, AND WISE

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE PRECAUTIONS

Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and separately launder clothing before reuse.

Mixers/loaders when mixing and loading this product must wear a long sleeved shirt and long pants or a coverall that covers all parts of the body except the head, hands and feet. Wear chemical resistant gloves, goggles or a face shield and a chemically resistant apron.

A dust mask must be worn when mixing and loading this product.

AFTER WORK: Take off all clothes and shoes. Shower using soap and water. Do not wear contaminated clothing. Wash protective clothing and equipment with soap and water after each use. Personal clothing worn during use must be laundered separately from household articles. Clothing and protective equipment heavily contaminated or drenched with captan must be destroyed according to state and local regulations.

Do not treat more seed than will be planted. All treated seed must be planted. Any unplanted seed must be disposed of in accordance with state and local regulations. See the Pesticide Disposal statement in the Storage and Disposal section.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH WARNINGS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

CONTAINS 25% GRAPHITE.

Kill-Ko Seed Treater is a formulation for use in treatment of seeds to protect germinating seeds and seedlings against Seed Corn Beetles and Seed Corn Maggets; also provides added fungicidal protection at planting time.

BEST AVAILABLE COPY

KILL-KO SEED TREATER PAGE 5

DIRECTIONS:

Apply this product in the planter box as a dry mixture to seed prior to planting. Mix the designated amounts per bushel of seed and stir slightly using a mixing stick. Additional mixing will result from the operation of the planter.

FIELD CORN, SWEET CORN: Seed Corn Beetles: Mix 5 oz. per bushel of seed (4½oz. per 50 lbs. of seed). Seed Corn Maggots: Mix 12/3 oz. per bushel of seed.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in original container only in a cool, dry location away from children and domestic animals.

For help with any spill, leak, fire, or exposure involving this material, call day or night CHEMTREC: (800) 424-9300.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

11/87

